



FOODSERVICE CATALOG



VOLUME 1
ISSUED APRIL 15, 2011

EVERPURE®

We are water. Whether you need filtration, softening or reverse osmosis, we have a solution. After all, our entire existence revolves around providing the best, most consistent water anywhere. That's why so many foodservice operators depend on us to solve their water problems. In fact, Everpure's been a leading global provider of quality water solutions to the foodservice industry for over 75 years.

Everpure Solutions Offer:

Consistency. Remove or reduce unwanted minerals, particulates and chemicals so your water is sparkling clean, every time.

Confidence. Everpure products are proven effective. That's why you can find our products in foodservice operations around the world.

Solutions. Our Total Water Management Program can solve your water problems. We'll analyze your operation, provide recommendations, and install the right products so your water is problem-free. And we'll help you stay that way with our maintenance program.

Satisfaction. Everpure water is better all around, which means you'll have a more cost-efficient and high performing operation, and your customers will have a superior overall experience.



What is Total Water Management?

A three-step approach that provides you customized water. It takes ordinary water and makes it extraordinary.

What Does This Do For You?

Ensures you have the highest quality food and water and that your equipment performs up to its maximum potential

How Does It Work?

1. Customer Needs Assessment

You will work with an Everpure representative to understand your specific location and your needs. We will take a water test and survey your facility.

2. Situational Analysis

After we understand your water quality and your location we recommend the best filtration and conditioning equipment. Our team helps you arrange installation.

3. Implementation & Management

Once your equipment is installed, ongoing support is vital to maintaining water quality. Regular filter changes and scheduled maintenance keeps your food, beverage and equipment the best it can be.





Everpure® Certified to the Highest Standards

Many Everpure filters are tested and certified to the highest Standards by NSF International. More Everpure products carry NSF Certification than those of any other foodservice water treatment company. A widely accepted and recognized global third-party certification provider, NSF provides assurance that Everpure products perform to their contaminant reduction claims for aesthetic and health effects, and that they meet or exceed integrity standards. Refer to each product’s Performance Data Sheet for actual certifications or visit www.nsf.org.



About Pentair Foodservice

Pentair Foodservice is focused on supporting the foodservice market by providing solutions that help operations improve the patron experience, increase equipment efficiency, lessen their carbon footprint, and reduce their operating costs. Within this vertical resides a portfolio of leading brands including Everpure and SHURflo, as well as products and services that span all of Pentair. This vertical market focus offers foodservice operators and OEMs an unmatched depth and breadth of water treatment expertise worldwide.

Everpure®, Micro-Pure®, Costguard®, Insurice®, Coldrink®, Kleensteam®, Kleenware® and the silver canister color of the filter cartridges are registered trademarks in the U.S. (and other select countries) of Pentair Filtration Solutions, LLC. Auth2ority™, Claris™, ScaleKleen™ are trademarks of Pentair Filtration Solutions, LLC. Smartworks™ is a service mark of Pentair Filtration Solutions, LLC. AglON® is a registered trademark of AglON Technologies, Inc., Wakefield MA, USA. Homespring™ is a trademark of the General Electric Company under license by Pentair, Inc. ScaleStick® and Hydroblend™ are used pursuant to an agreement with PWC Enterprises, Inc.

Espresso Filtration Systems2-5

Coffee Filtration Systems6-8

Water Specifications9

General Beverage Systems..... 10-11

Fountain Beverage Filtration Systems..... 12-13

Chloramine Reduction Systems14-16

Drinking Water Filtration Systems..... 17

Prefilters..... 17

Ice Filtration Systems 18-19

Combination Filtration Systems20-21

Steam Treatment Filtration Systems22-25

Scale Reduction26

SMARTWORKSSM27

Softeners, Scale Control Systems.....28-29

Reverse Osmosis Systems.....30-33

Water Boost Systems34-35

Filter Heads36-37

Costguard® Filtration38

Replacement Cartridges39-41

Cartridge Tracking System41

Ultrafiltration Systems42

Accessories.....43

Replacement Parts43

Reference44-63

Price List/Index.....63-68

Everpure Water69

claris™ Filtration Systems

In order to provide assistance to the expanding specialty coffee industry, Everpure® has introduced the CLARIS water technology system, a family of water filter cartridges specifically designed for specialty coffee and tea brewing. These new, innovative cartridges help reduce lime scale and

harmful contaminants which affect water taste and odor, ultimately affecting the quality of the brewed coffee, espresso, tea and other hot drinks. In addition, the system allows you to tailor the hardness to match your desired water recipe.

Adjustable DUOBLEND™ bypass valve allows for precise adjustment of carbonate hardness

Head available in 3/8" BSP or QCF, and 1/4" QCF

Built-in flush valve and backflow preventer

"Valve-in-head" design allows the system to depressurize by itself during cartridge changeout

Automatic inlet and outlet shut-off valves mean no risk of opening head and having water run everywhere

Universal filter head fits all Claris cartridge sizes



- Flat cartridge connector allows filter replacement in limited space (avoids movement of wall-mounting bracket and torque on hose connection)
- Quick to install, easy to handle, fast to service
- System operates in either a vertical or horizontal orientation
- The cartridge can be removed with just one hand turn
- Pre-filtration removes coarse particles
- Carbonate hardness is adjusted through an ion exchange process

Claris Systems

| Specifications | Small EV4339-10 | | Medium EV4339-11 | | Large EV4339-12 | | XLarge EV4339-13 | | XXLarge EV4339-14 | |
|---|-----------------|---------------|------------------|---------------|-----------------|---------------|------------------|---------------|-------------------|---------------|
| | in | cm | in | cm | in | cm | in | cm | in | cm |
| Filter system height | 14.4 | 36.5 | 18.7 | 47.5 | 16.1 | 41.0 | 20.7 | 52.5 | 18.6 | 47.1 |
| Filter cartridge diameter | 3.7 | 9.5 | 3.7 | 9.50 | 5.4 | 13.6 | 5.4 | 13.6 | 6.9 | 17.5 |
| <i>Typical Capacity</i> | gallons | litres | gallons | litres | gallons | litres | gallons | litres | gallons | litres |
| Hot drink machine (without steam operation) | 450 | 1,703 | 790 | 2,990 | 1,320 | 4,997 | 1,900 | 7,192 | 3,490 | 13,221 |
| Hot drink machine (with steam operation) | 400 | 1,514 | 660 | 2,498 | 1,110 | 4,201 | 1,580 | 5,981 | 2,910 | 11,015 |



Claris™ Cartridges in Small, Medium, Large, XLarge, and XXLarge



Claris Head
3/8" BSP



Claris Head
3/8" QCF



Claris Head
1/4" QCF



Claris Flow Meter US



Claris Test Kit

The Claris Test Kit determines the total alkalinity carbonate hardness in a water supply. Carbonate hardness testing is necessary when installing the Claris filtration systems.

| System | Part Number | Auto Shut-Off | Mounting Bracket | Connection | Rated Capacity* | | Pack Size | Ship Wt. | | List Price |
|-------------------------------|-------------|---------------|------------------|------------|-----------------|--------|-----------|----------|-----|------------|
| | | | | | gallons | litres | | lb | kg | |
| Claris Head | EV4339-21 | Yes | Yes | 3/8" BSP | — | — | 1 | 1 | 0.5 | \$133.00 |
| Claris Head | EV4339-23 | Yes | Yes | 3/8" QCF | — | — | 1 | 1 | 0.5 | 133.00 |
| Claris Head | EV4339-25 | Yes | Yes | 1/4" QCF | — | — | 1 | 1 | 0.5 | 133.00 |
| Claris Cartridge Small | EV4339-10 | — | — | — | 400 | 1,514 | 1 | 3 | 1.4 | 162.00 |
| Claris Cartridge Medium | EV4339-11 | — | — | — | 660 | 2,498 | 1 | 4 | 1.8 | 229.00 |
| Claris Cartridge Large | EV4339-12 | — | — | — | 1,220 | 4,618 | 1 | 7 | 3.2 | 293.00 |
| Claris Cartridge XLarge | EV4339-13 | — | — | — | 1,740 | 6,587 | 1 | 10 | 4.5 | 354.00 |
| Claris Cartridge XXLarge | EV4339-14 | — | — | — | 2,910 | 11,016 | 1 | 15.2 | 6.9 | 548.00 |
| Claris Test Kit | EV4339-40 | — | — | — | — | — | 1 | 0.25 | 0.1 | 45.00 |
| Claris Hose 10CM, 3/8" x 1/2" | EV4339-52 | — | — | — | — | — | 1 | 0.7 | 0.3 | 45.00 |
| Claris Flow Meter US | EV4339-31 | — | — | — | — | — | 1 | 0.5 | 0.2 | 252.00 |
| Claris Flow Meter 700 LPM | EV4339-32 | — | — | — | — | — | 1 | 0.5 | 0.2 | 88.20 |

*Based on 10 grains of hardness and a bypass setting of 4".

Softening, Filtering and Buffering Espresso Systems

Up to 0.5 GPM

QC71 Single ESO 7 System



Up to 1.0 GPM

QC71 Twin ESO 7 System



Up to 1.5 GPM

QC71 Triple ESO 7 System



Note: Filter heads and cartridges sold separately

ESO Filtration Systems

| System | Part Number | Softening Capacity (grains) | Flow Rate | | Dimensions (H x W x D) | | Ship Wt. | | List Price |
|--|------------------------------|-----------------------------|-----------|-----|------------------------|--------------------|----------|------|------------|
| | | | gpm | lpm | in | cm | lb | kg | |
| QC71 Single ESO 6* | QC71 Single – EV9272-41 | 4,100 | 0.5 | 1.9 | 23.75 x 5.6 x 4 | 60.3 x 14.2 x 10.1 | 6 | 2.7 | \$252.00 |
| | ESO 6 – EV9607-10 | 4,100 | 0.5 | 1.9 | 23.75 x 5.6 x 4 | 60.3 x 14.2 x 10.1 | 6 | 2.7 | 139.00 |
| QC71 Single ESO 7 | QC71 Single – EV9272-41 | 5,300 | 0.5 | 1.9 | 27.5 x 5.6 x 4 | 69.9 x 14.0 x 10.1 | 7 | 3.2 | 252.00 |
| | ESO 7 – EV9607-25 | 5,300 | 0.5 | 1.9 | 27.5 x 5.6 x 4 | 69.9 x 14.0 x 10.1 | 7 | 3.2 | 155.00 |
| QC71 Twin ESO 7 | QC71 Twin – EV9272-22 | 10,600 | 1.0 | 3.8 | 25.26 x 16.6 x 5.5 | 64.3 x 41.9 x 14.0 | 19 | 8.6 | 446.00 |
| | ESO 7 – EV9607-25 (2) | 10,600 | 1.0 | 3.8 | 25.26 x 16.6 x 5.5 | 64.3 x 41.9 x 14.0 | 19 | 8.6 | 155.00 |
| QC71 Triple ESO 7 | QC71 Triple – EV9272-23 | 15,900 | 1.5 | 5.7 | 25.26 x 20.7 x 5.5 | 64.3 x 52.6 x 14.0 | 25 | 11.3 | 633.00 |
| | ESO 7 – EV9607-25 (3) | 15,900 | 1.5 | 5.7 | 25.26 x 20.7 x 5.5 | 64.3 x 52.6 x 14.0 | 25 | 11.3 | 155.00 |
| MC ² -SO System Combination Filtration/Softening* | Twin Series Head – EV9272-24 | 2,000 | 1.67 | 6.3 | 23.03 x 16.6 x 5.5 | 58.4 x 41.2 x 14.0 | 18 | 8.2 | 228.00 |
| | MC ² – EV9612-56 | 2,000 | 1.67 | 6.3 | 23.03 x 16.6 x 5.5 | 58.4 x 41.2 x 14.0 | 18 | 8.2 | 98.70 |
| | 7SO – EV9607-04 | 2,000 | 1.67 | 6.3 | 23.03 x 16.6 x 5.5 | 58.4 x 41.2 x 14.0 | 18 | 8.2 | 133.00 |

*Not shown.

The difference between the ESO and Claris™ systems

- The ESO and Claris have many similarities and provide excellent scale prevention for equipment, along with taste and odor for beverages. Both feature a weak acid resin (WAC) that provides an ion exchange (softening) process that targets carbonate hardness and reduces alkalinity, disrupting the scaling process. In addition, both have integrated filter membranes for removing particulate, along with carbon (GAC for the ESO, carbon block for the Claris) for reducing chemicals such as chlorine.
- There are some differences, the key one being how blending is handled. The blending of filtered water with the softened water within the systems provides two benefits: the mineral in the filtered water acts as a buffer

that prevents the water from becoming too acidic, and it also provides mineral for taste. In the case of coffee and espresso, too little mineral would lead to under-extraction of the coffee grounds and weak flavor and aroma. The ESO has a fixed blend. Typically about 20% of the filtered water is blended with the softened water. The Claris on the other hand has an adjustable blend. This allows customization of how much mineral you want in the product water, giving you more control of the final beverage.

- Both systems are excellent solutions for preventing scale and providing great tasting coffees and espressos. Which one you use depends on how much flexibility you want on the water recipe.

Claris Systems – Scale prevention and hardness can be adjusted to meet specific water recipes

ESO Systems – Scale prevention

| | Espresso | | |
|-----------------------|-------------------|-----------------------|--------------------------------|
| | Low Volume | Medium Volume | High Volume |
| | 150 shots per day | 150-300 shots per day | 301-500 shots per day |
| 8 Grains of Hardness | ESO 7 Twin | ESO 7 Twin | ESO 7 Triple |
| | Claris M | Claris L | Claris XL |
| 12 Grains of Hardness | ESO 7 Twin | ESO 7 Triple | Claris XXL or R.O. Recommended |
| | Claris L | Claris XL | Claris XXL |

Technology: Ion exchange resin.

Performance Features: Reduces hardness that can cause mineral build-up. Reduces calcium and magnesium. May be used on water with up to 30 grains hardness per gallon.



| System | Part Number | Rated Capacity | | Flow Rate | | Ship Wt. | | List Price |
|-----------------|-------------|----------------|--------|-----------|-----|----------|------|------------|
| | | gallons | litres | gpm | lpm | lb | kg | |
| A-10 Housing | EV9100-01 | 750 | 2,839 | 0.5 | 0.2 | 3 | 1.4 | \$ 52.60 |
| A-11 Housing | EV9100-02 | 750 | 2,839 | 0.5 | 0.2 | 2 | 0.9 | 45.40 |
| SO-10 Cartridge | EV9105-41 | 750 | 2,839 | 0.5 | 0.2 | 10.3 | 4.7 | 33.00 |
| A-20 Housing | EV9100-03 | 1,500 | 5,678 | 0.75 | 2.8 | 4 | 1.8 | 69.10 |
| SO-20 Cartridge | EV9105-42 | 1,500 | 5,678 | 0.75 | 2.8 | 21.3 | 9.7 | 52.00 |
| SO-24 System | EV9100-94 | 4,500 | 17,034 | 2.0 | 7.6 | 34 | 15.4 | 257.00 |

Coffee is 98% water.

Everpure® filters reduce:

- Abrasion and clogging
- Scale build-up and corrosion
- Off-tastes and odors
- Harmful cysts and other contaminants

The benefits of Everpure filtration:

- Consistent quality, better-tasting coffee
- Less equipment downtime and lower energy costs
- Lower maintenance and equipment costs
- Satisfied customers and increased profits

See individual filter specifications for performance claims.

Coffee Filtration Systems

System features include:

- NSF certifications
- Chlorine, taste & odor, sediment, and cyst reduction
- 1/2-micron precoat filtration with scale control
- Micro-Pure® II media with AgION® antimicrobial protection

System sizing guidelines:

Our system sizing guidelines are approximations based on properly installed equipment, average usage at normal operating flow rate and average water conditions. These guidelines are designed to give you approximately 6 months of use between filter cartridge changes. Variations in equipment usage and/or incoming water conditions may produce different results.

| Equipment Type | System | Equipment Flow Rate Demand | | Over 6 month period | Over 6 month period | Capacity* | |
|----------------------------|---------------------------|----------------------------|-----|---------------------|---------------------|-----------|--------|
| | | gpm | lpm | | | gallons | litres |
| Brewers 0.5 GPM and Under | QL2-OCS ² | 0.5 | 1.9 | 3,000 1/2 Gal Pots | 11,000 2 L Pots | 1,500 | 5,677 |
| Brewers 0.5 GPM - 1.0 GPM | QL3-BH ² | 0.5 | 1.9 | 6,000 1/2 Gal Pots | 23,000 2 L Pots | 3,000 | 11,355 |
| Brewers 1.0 GPM - 1.67 GPM | QC71-MH ² | 1.0 | 3.8 | 18,000 1/2 Gal Pots | 68,000 2 L Pots | 9,000 | 34,065 |
| Brewers 1.67 GPM and Above | QC71 Twin-MH ² | 1.0 | 3.8 | — | — | 18,000 | 68,100 |
| Coffee/Esspresso | Claris™ XXL | 1.0 | 3.8 | 25 - 30 GPD | 95 - 114 LPD | 3,500 | 13,250 |

*System capacity may be reduced in areas where higher levels of particulates exist in the water decreasing the flow rate through the filter system over time. Replace cartridge if flow rate is reduced to below the rate demanded by the equipment.

Up to 0.5 GPM

QL2-OCS² and QL3-BH²



Note: Includes filter head and cartridge

Up to 1.67 GPM

QC71 Single-MH²



Note: Filter head and cartridge sold separately

Up to 3.34 GPM

QC71 Twin-MH²



Note: Filter head and cartridges sold separately

Flushing/Sanitizing Cartridge

Model JT Flushing/Sanitizing Cartridge



The JT cartridge is the preferred way to introduce ScaleKleen™ scale remover or other sanitizing agents, such as bleach, into water-using appliances through an existing Everpure filter head.

| System | Part Number | Rated Capacity | | Dimensions (H x W x D) | | Ship Wt. | | List Price |
|-----------------------------------|---|----------------|--------|------------------------|--------------------|----------|------|------------------|
| | | gallons | litres | inches | cms | lb | kg | |
| QL2-OCS ² | EV9275-60 | 1,500 | 5,678 | 12 x 3.75 x 4 | 30.5 x 9.7 x 10.2 | 3 | 1.4 | \$112.00 |
| QL3-BH ² | EV9272-00 | 3,000 | 11,356 | 16.5 x 3.75 x 4 | 42.0 x 9.7 x 10.2 | 4 | 1.8 | 162.00 |
| QC71 Single-MH ² | Head: EV9272-41 Cartridge: EV9613-21 | 9,000 | 34,069 | 27.5 x 5.6 x 4 | 70.0 x 14.2 x 10.2 | 6 | 2.7 | 252.00 126.00 |
| QC71 Twin-MH ² | Head: EV9272-41 Cartridge: EV9613-21 | 18,000 | 68,137 | 25.26 x 16.6 x 5.5 | 64.1 x 42.1 x 14.0 | 12 | 5.4 | 446.00 126.00 |
| 2JT Flushing/Sanitizing Cartridge | EV9608-10 | — | — | — | — | 1 | 0.45 | 76.60 |
| 4JT Flushing/Sanitizing Cartridge | EV9608-00 | — | — | — | — | 1 | 0.45 | 76.60 |

claris™ Filtration System

NEW!

Claris 5-stage filtration process offers:

- Pre-filtration
- Carbonate hardness adjustment
- Fine filtration
- Solid membrane filter removes particles down to 5-microns for highest equipment protection
- Highly efficient carbon block removes harmful contaminants and unpleasant tastes and odors

System features include:

- NSF certifications
- DUOBLEND bypass technology for precise carbonate hardness adjustment
- 5-stage filtration/softening process
- Chlorine, taste & odor, and sediment reduction
- System head features built-in flush port, auto shut-off, adjustable bypass, flow and backflow restrictors



Claris Head 1/4" QCF



Claris Head 3/8" QCF



Claris Head 3/8" BSP



Claris Flow Meter US



Claris Test Kit

The Claris Test Kit determines the total alkalinity carbonate hardness in a water supply. Carbonate hardness testing is necessary when installing the Claris filtration systems.

| System | Part Number | Auto Shut-Off | Mounting Bracket | Connection | Rated Capacity* | | Pack Size | Ship Wt. | | List Price |
|-------------------------------|-------------|---------------|------------------|------------|-----------------|--------|-----------|----------|-----|------------|
| | | | | | gallons | litres | | lb | kg | |
| Claris Head | EV4339-21 | Yes | Yes | 3/8" BSP | — | — | 1 | 1 | 0.5 | \$133.00 |
| Claris Head | EV4339-23 | Yes | Yes | 3/8" QCF | — | — | 1 | 1 | 0.5 | 133.00 |
| Claris Head | EV4339-25 | Yes | Yes | 1/4" QCF | — | — | 1 | 1 | 0.5 | 133.00 |
| Claris Cartridge XXLarge | EV4339-14 | — | — | — | 3,490 | 13,211 | 1 | 15.2 | 6.9 | 548.00 |
| Claris Test Kit | EV4339-40 | — | — | — | — | — | 1 | 0.25 | 0.1 | 45.00 |
| Claris Hose 10CM, 3/8" x 1/2" | EV4339-52 | — | — | — | — | — | 1 | .07 | .03 | 45.00 |
| Claris Flow Meter US | EV4339-31 | — | — | — | — | — | 1 | 0.5 | 0.2 | 252.00 |
| Claris Flow Meter 700 LPM | EV4339-32 | — | — | — | — | — | 1 | 0.5 | 0.2 | 88.20 |

*Based on 10 grains of hardness and a bypass setting of 5".

Replacement Cartridges

Use only genuine Everpure® replacement cartridges to protect your system's superior performance, NSF certification, and warranty.



| Product | Part Number | Capacity | | Micron Rating | Scale Inhibition | NSF Std 42 | Chlorine Reduction | T&O Reduction | Particulate Reduction | Bacteriostatic (NSF Certified) | NSF Std 53 | Cyst Reduction | Pack Size | Ship Wt. | | List Price |
|------------------|-------------|----------|--------|---------------|------------------|------------|--------------------|---------------|-----------------------|--------------------------------|------------|----------------|-----------|----------|-----|------------|
| | | gallons | litres | | | | | | | | | | | lb | kg | |
| OCS ² | EV9618-02 | 1,500 | 5,678 | 1/2 | • | • | • | • | • | • | • | • | 1 | 2 | 0.9 | \$ 64.00 |
| BH ² | EV9612-50 | 3,000 | 11,356 | 1/2 | • | • | • | • | • | • | • | • | 1 | 2 | 0.9 | 90.70 |
| Claris XXL | EV4339-14 | 3,490* | 13,211 | 1/2 | • | • | • | • | • | • | • | • | 1 | 15.2 | 6.9 | 548.00 |
| MH ² | EV9613-21 | 9,000 | 34,069 | 1/2 | • | • | • | • | • | • | • | • | 1 | 3 | 1.4 | 126.00 |
| 2CB5-S | EV9617-22 | 3,000 | 11,356 | 5 | • | • | • | • | • | • | • | • | 6 | 9 | 4.1 | 59.80 |
| 4CB5-S | EV9617-26 | 6,000 | 22,712 | 5 | • | • | • | • | • | • | • | • | 6 | 13 | 5.9 | 82.40 |

*For OCS/Coffee applications.

Water Specifications

Coffee and Espresso

Water used to make coffee and espresso beverages must be potable under local requirements and EPA drinking water standards, and it is recommended to meet the attributes specified in the following table:



| Attribute | Specification |
|------------------------|---|
| Turbidity | Must not exceed 0.5 Nephelometric Turbidity Units |
| Taste/Odor | Free from off-tastes and odors |
| Total Chlorine | <0.05 ppm |
| Iron | Not more than 0.25 ppm |
| Total Alkalinity | Not more than 100 ppm |
| Total Hardness | 17 - 85 ppm |
| Total Dissolved Solids | 70 - 200 ppm |
| pH | 6.8 - 7.4 |

Fountain and Drinking Water

Water used to make fountain beverages and drinking water must be potable under local requirements and EPA drinking water standards, and it is recommended to meet the attributes specified in the following table:



| Attribute | Specification |
|------------------------|---|
| Turbidity | Must not exceed 0.5 Nephelometric Turbidity Units |
| Taste/Odor | Free from off-tastes and odors |
| Total Chlorine | <0.05 ppm |
| Iron | Not more than 0.3 mg/l |
| Total Alkalinity | Not more than 150 mg/l |
| Total Hardness | Not more than 100 mg/l |
| Total Dissolved Solids | Not more than 500 mg/l |
| Sulfates | Not more than 250 mg/l |
| Chlorides | Not more than 250 mg/l |
| pH | 6.5 - 8.5 |

Ice

Water used to make ice should be potable under local requirements and EPA drinking water standards, and it is recommended to meet the attributes specified in the following table:



| Attribute | Specification |
|------------------------|---|
| Turbidity | Must not exceed 0.5 Nephelometric Turbidity Units |
| Taste/Odor | Free from off-tastes and odors |
| Total Chlorine | <0.05 ppm |
| Iron | Not more than 0.25 ppm |
| Total Alkalinity | <150 ppm |
| Total Hardness | < 85 ppm |
| Total Dissolved Solids | 70 - 200 ppm |
| pH | 6.8 - 7.4 |

Steam and Warewashing

Water used on inlet to steamers or warewashers should meet requirements as specified by the equipment's manufacturer or as listed in the following table:



| Attribute | Specification |
|------------------------------|---|
| Turbidity | Must not exceed 0.5 Nephelometric Turbidity Units |
| Total Chlorine or chloramine | < 0.2 ppm |
| Iron | < 0.1 ppm |
| Total Alkalinity | < 150 ppm |
| Total Hardness | < 35 ppm |
| Total Dissolved Solids | < 100 ppm |
| pH | 6.5 - 7.8 |


QCP Filters

The QCP filters provide high quality water for coffee brewing and drinking water at a value price. With an automatic water shut-off feature built into the filter head, cartridge changes are quick and easy.

- QCP 10-SED5 – 5-micron sediment reduction cartridge
- QCP 10-L – Carbon block cartridge offers superior chlorine, taste and odor, and lead reduction
- QCP 10-TSGAC – Granular activated carbon (GAC) with phosphate provides scale control
- QCP 10-GAC – Granular activated carbon (GAC) provides chloramine reduction for superior taste and odor reduction

QCP Cartridges

QCP Heads



| System | Part Number | Rated Capacity | | Flow Rate | | Pack Size | Ship Wt. | | List Price |
|---------------------------|-------------|----------------|--------|-----------|-----|-----------|----------|-----|------------|
| | | gallons | litres | gpm | lpm | | lb | kg | |
| QCP 1 Single Head | EV9107-21 | — | — | — | — | 48 | 16 | 7.2 | \$30.90 |
| QCP 2 Twin Series Head | EV9107-22 | — | — | — | — | 24 | 13 | 5.9 | 58.80 |
| QCP 3 Triple Series Head | EV9107-23 | — | — | — | — | 16 | 17 | 7.7 | 84.50 |
| QCPC 1 Head (no shut-off) | 357144-67 | — | — | — | — | 48 | 16 | 7.2 | 28.90 |
| QCP 10-L Cartridge | EV9107-00 | 500 | 1,900 | 0.5 | 1.9 | 12 | 13 | 5.9 | 52.40 |
| QCP 10-SED5 Cartridge | EV9107-02 | — | — | 0.5 | 1.9 | 12 | 10 | 4.5 | 54.20 |
| QCP 10-TSGAC Cartridge | EV9107-03 | 1,700 | 6,435 | 0.5 | 1.9 | 12 | 10 | 4.5 | 48.60 |
| QCP 10-GAC Cartridge* | EV9107-01 | 2,500 | 9,462 | 0.5 | 1.9 | 12 | 13 | 5.9 | 50.40 |

SHURflo® LVPO Filtration Systems

SHURflo LVPO filters feature a revolutionary design with a unique set of plumbing and mounting accessories, while encapsulating Fibredyne™ filtration technology.



| System | Part Number | Description | Rated Capacity | | Pack Size | Ship Wt. | | List Price |
|---------|-------------|---------------------------------|----------------|--------|-----------|----------|-----|------------|
| | | | gallons | litres | | lb | kg | |
| LVPO-F1 | 94-751-00 | Removes chlorine, T&O | 6,000 | 22,710 | 1 | 3 | 1.4 | \$127.00 |
| LVPO-F2 | 94-479-00 | Removes sediment/scale | — | — | 1 | 3 | 1.4 | 139.00 |
| LVPO-F3 | 94-751-01 | Removes chlorine, T&O and scale | 6,000 | 22,710 | 1 | 3 | 1.4 | 156.00 |
| LVPO-F4 | 94-751-02 | Hardness removal | 500 | 1,900 | 1 | 4 | 1.8 | 200.00 |

In-Line Filters

Complete line of economical in-line filters suitable for many foodservice applications. Depending on model, features include reduction of chlorine, sediment, scale, lead, and cysts. In-line UV system also available.



| Product | Part Number | Description | Rated Capacity | | Pack Size | Ship Wt. | | List Price |
|-----------|-------------|--|----------------|-------------|-----------|----------|-----|------------|
| | | | gallons | litres | | lb | kg | |
| IN-6 CG-S | EV9100-66 | 6" granular activated carbon for T&O reduction with scale prevention | 700 | 2,646 | 6 | 3 | 1.4 | \$ 17.80 |
| IN-6 PG-S | EV9100-67 | 6" 100% phosphate for scale prevention only | 6-12 months | | 6 | 4 | 1.8 | 25.00 |
| IN-9 CF-S | EV9100-75 | 9" 5-micron carbon block for T&O reduction with scale prevention | 1,500 | 5,670 | 6 | 5 | 2.3 | 45.90 |
| IN-10 | EV9100-08 | 10" granular activated carbon with scale control | 2,400 | 9,080 | 6 | 6 | 2.7 | 25.50 |
| IN-10 | EV9100-06 | 10" granular activated carbon with scale control and John Guest® fittings | 2,400 | 9,080 | 6 | 6 | 2.7 | 32.30 |
| IN-10 CS | EV9100-69 | 10" 100% coconut shell carbon for enhanced T&O reduction | 3,900 | 14,762 | 6 | 5 | 2.3 | 16.40 |
| IN-10 CC | EV9100-71 | 10" calcite/carbon for T&O with mineral feed | 2,000 | 7,750 | 6 | 6 | 2.7 | 26.60 |
| IN-10 NS5 | EV9100-72 | 10" 5-micron sediment for dirt and particles | 6-12 months | | 6 | 3 | 1.4 | 21.60 |
| IN-10 CL1 | EV9100-73 | 10" 1-micron carbon block for T&O, lead and cyst reduction | 750 | 2,812 | 6 | 5 | 2.3 | 42.30 |
| IN-10 CK | EV9100-68 | 10" KDF®-55D/carbon for T&O reduction with scale and slime prevention | 5,000 | 18,925 | 6 | 7 | 3.2 | 26.60 |
| IN-12 | EV9100-07 | 10" high capacity granular activated carbon with scale control | 4,800 | 18,168 | 6 | 7 | 3.2 | 32.30 |
| IN-12 | EV9100-86 | 10" high capacity granular activated carbon with scale control and John Guest fittings | 4,800 | 18,168 | 6 | 8 | 3.6 | 38.40 |
| IN-15 CF | EV9100-76 | 15" 5-micron graded density carbon block for T&O reduction | 5,000 | 18,925 | 6 | 78 | 3.2 | 45.90 |
| IN-15 CR | EV9100-78 | 15" resin and carbon for T&O reduction with hardness removal | 650 | 1,520@10 dH | 6 | 11 | 5.0 | 50.70 |
| IN-15 CFS | EV9100-77 | 15" 5-micron carbon block for T&O reduction with scale prevention | 5,000 | 18,925 | 6 | 8 | 3.6 | 54.10 |
| IN-10 UV | EV9100-79 | 1/2 GPM UV module destroys bacteria and viruses | 12 months | | 12 | 12 | 5.4 | 202.00 |
| IN-10 UVB | EV3118-42 | UV ballast 120/60 mechanical | — | — | 25 | — | — | 69.00 |

SHURflo® LVPO Replacement Cartridges



LVPO-F1

LVPO-F2

LVPO-F3

LVPO-F4

| System | Part Number | Description | Rated Capacity | | Pack Size | Ship Wt. | | Price |
|---------|-------------|---------------------------------|----------------|--------|-----------|----------|------|----------|
| | | | gallons | litres | | lb | kg | |
| LVPO-F1 | 94-399-00 | Removes chlorine, T&O | 6,000 | 22,710 | 12 | 30 | 13.5 | \$100.00 |
| LVPO-F2 | 94-470-00 | Removes sediment and scale | — | — | 12 | 35 | 15.8 | 110.00 |
| LVPO-F3 | 94-470-01 | Removes chlorine, T&O and scale | 6,000 | 22,710 | 12 | 38 | 17.1 | 115.00 |
| LVPO-F4 | 94-470-02 | Hardness removal | 500 | 1,900 | 12 | 42 | 19.0 | 165.00 |

Fountain beverages are 83% water.

- Everpure® filters reduce:**
- Abrasion and clogging from dirt
 - Chlorine, taste & odor, cysts and other contaminants
 - Chloramines – NEW! 7CLM
 - Improper carbonation and off-tastes and odors

- The benefits of Everpure filtration:**
- Consistent beverage quality
 - Less equipment downtime, lower maintenance costs and lower total cost of ownership
 - Bottled water quality, taste and appeal
 - Satisfied customers and increased profits

See individual filter specifications for performance claims.

Fountain Beverage Filtration System

System features include:

- NSF certifications
- Manifold has inlet water shut-off valve with optional integrated sediment prefilter, flushing valve, and water pressure gauge(s)
- Chloramines, chlorine, taste & odor, sediment, and cyst reduction
- 1/2-micron precoat filtration featuring Micro-Pure® II media with AgION® antimicrobial protection

System sizing guidelines:

Our system sizing guidelines are approximations based on properly installed equipment, average usage at normal operating flow rate and average water conditions. These guidelines are designed to give you approximately 6 months of use between filter cartridge changes. Variations in equipment usage and/or incoming water conditions can produce different results.

| Carbonated Beverages Only | | # of Ambient Carbonators | | | | # of Cold Carbonators | | | |
|---|---------------------------------------|--------------------------|---|---|---|-----------------------|---|---|---|
| | | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 4 |
| System | Part Number | | | | | | | | |
| Coldrink® Single | EV9328-01 | • | | | | | | | |
| Coldrink Twin | EV9328-02 | | • | | | • | | | |
| Coldrink Triple | EV9328-03 | | | • | | | • | | |
| QC71 Quad MC ² | Head: EV9336-11; Cartridge: EV9612-56 | | | | • | | | • | |
| Dual High Flow Coldrink S-MC ² | EV9337-44 | | | | | | | | • |
| Carbonated and Non-Carbonated Beverages | | | | | | | | | |
| Coldrink Twin | EV9328-02 | • | | | | • | | | |
| Coldrink Triple | EV9328-03 | | • | | | | • | | |
| QC71 Quad MC ² | Head: EV9336-11; Cartridge: EV9612-56 | | | | • | | | • | |
| Dual High Flow Coldrink S-MC ² | EV9337-44 | | | | | • | | | • |

Up to 1.67 GPM

Coldrink 1-MC²



Up to 3.34 GPM

Coldrink 2-MC²



Up to 5.0 GPM

Coldrink 3-MC²



To maximize filter life and optimize system performance, see Water Boost Systems on pages 34-35.


Up to 6.7 GPM

QC71 Quad-MC²



Up to 13.36 GPM

Dual High Flow Coldrink® S-MC²



System is also available with higher capacity XC²

Note:
S = Single outlet
M = 8 outlets

| System | Part Number | Rated Capacity | | Dimensions (H x W x D) | | Ship Wt. | | List Price |
|---|---|----------------|---------|------------------------|---------------------|----------|------|-----------------|
| | | gallons | litres | in | cm | lb | kg | |
| Coldrink 1-MC ² | EV9328-01 | 9,000 | 34,065 | 25.3 x 14.1 x 6.7 | 64.4 x 35.9 x 17.1 | 18 | 8.1 | \$ 536.00 |
| QC71 Single-MC ² * | EV9275-01 | 9,000 | 34,065 | 27.5 x 5.6 x 4 | 69.8 x 14.2 x 10.2 | 6 | 2.7 | 327.00 |
| Coldrink 2-MC ² | EV9328-02 | 18,000 | 68,100 | 25.6 x 21.5 x 6 | 65.0 x 54.6 x 15.2 | 20 | 9.0 | 793.00 |
| QC71 Twin-MC ² * | EV9275-02 | 18,000 | 68,100 | 25.3 x 16.6 x 5.5 | 64.1 x 42.2 x 14.0 | 10 | 4.5 | 590.00 |
| Coldrink 3-MC ² | EV9328-03 | 27,000 | 102,195 | 25.6 x 25.75 x 6 | 65.0 x 65.4 x 15.2 | 23 | 10.4 | 1,087.00 |
| QC71 Triple-MC ² * | EV9275-03 | 27,000 | 102,195 | 25.3 x 20.7 x 5.5 | 64.2 x 52.6 x 14.0 | 150 | 6.8 | 858.00 |
| QC71 Quad-MC ² | Head: EV9336-11 – (1) Cartridge: EV9612-56 – (4) | 36,000 | 136,260 | 25.7 x 24.6 x 5.5 | 65.3 x 62.5 x 14.0 | 20 | 9.0 | 902.00 98.70 |
| Dual High Flow Coldrink S-MC ² | EV9337-44 | 72,000 | 272,520 | 37.25 x 36 x 14.25 | 94.6 x 91.0 x 36.2 | 70 | 31.5 | 3,783.00 |
| Dual High Flow Coldrink M-XC ² * | EV9337-22 | 96,000 | 363,360 | 42 x 36 x 14.25 | 106.7 x 91.4 x 36.2 | 73 | 33.0 | 4,013.00 |

*Not shown.

Note: Coldrink Systems contain integrated 20" coarse prefilter. QC71 systems available without prefilter.



Replacement Cartridges

Use only genuine Everpure® replacement cartridges to protect your system's superior performance, NSF certification, and warranty.

| Product | Part Number | Capacity | | Micron Rating | NSF Std 42 | Chlorine Reduction | T&O Reduction | Particulate Reduction | Bacteriostatic (NSF Certified) | NSF Std 53 | Cyst Reduction | Chloramine Reduction | Pack Size | | Ship Wt. | | List Price |
|-----------------|-------------|---------------|-----------------|---------------|------------|--------------------|---------------|-----------------------|--------------------------------|------------|----------------|----------------------|-----------|----|----------|---------|------------|
| | | gallons | litres | | | | | | | | | | lb | kg | | | |
| MC ² | EV9612-56 | 9,000 | 34,065 | 1/2 | • | • | • | • | • | • | • | • | 1 | 2 | 0.9 | \$98.70 | |
| XC ² | EV9613-10 | 12,000 | 45,420 | 1/2 | • | • | • | • | • | • | • | • | 1 | 3 | 1.4 | 123.00 | |
| 4CB5 | EV9617-16 | 6,000 | 22,710 | 5 | • | • | • | • | • | • | • | • | 6 | 13 | 5.9 | 75.80 | |
| 7CB5 | EV9618-11 | 10,000 | 37,850 | 5 | • | • | • | • | • | • | • | • | 1 | 5 | 2.25 | 105.00 | |
| 7CLM | EV9693-01 | 3,600 - 8,000 | 13,626 - 30,280 | 1/2 | • | • | • | • | • | • | • | • | 1 | 3 | 1.4 | 165.71 | |

7CLM Systems – For Chloramine Reduction

NEW!

System features include:

- NSF certifications
- Chloramines, chlorine, taste & odor, sediment, and cyst reduction
- Manifold has water shut-off valve with integrated sediment prefilter, flushing valve, and water pressure gauge(s)
- High Flow CSR models feature SR-X housing with SS-IMF cartridge for scale reduction
- 7CLM replacement filter cartridge is also compatible with Everpure® QC71, Coldrink®, Insurice®, High Flow CSR, QL2, QL3B and QL3 heads


Up to 1.7 GPM

Coldrink 1 7CLM QC71 7CLM Single




Up to 3.4 GPM

Coldrink 2 7CLM High Flow CSR Twin 7CLM




Up to 5.1 GPM

High Flow Triple 7CLM



Up to 6.8 GPM

High Flow Quad 7CLM



| System | Part Number | Rated Capacity | | Flow Rate | | Dimensions (H x W x D) | | Ship Wt. | | List Price |
|-----------------------------------|-------------|----------------|---------|-----------|------|------------------------|---------------------|----------|------|------------|
| | | gallons | litres | gpm | lpm | in | cm | lb | kg | |
| QC71 7CLM Single System | EV9278-11 | 3,600 | 13,267 | 1.7 | 6.4 | 24.1 x 8.1 x 5.25 | 61.2 x 20.6 x 13.3 | 6.3 | 2.8 | \$394.00 |
| | | 5,500 | 20,820 | 1.3 | 5.0 | | | | | |
| | | 8,000 | 30,286 | 1.0 | 3.8 | | | | | |
| QC71 7CLM Twin System | EV9278-12 | 7,200 | 27,255 | 3.4 | 12.9 | 25.6 x 16.0 x 5.25 | 65.0 x 40.6 x 13.3 | 18.25 | 8.3 | 724.00 |
| | | 11,000 | 41,639 | 2.7 | 10.1 | | | | | |
| | | 16,000 | 60,566 | 2.0 | 7.6 | | | | | |
| QC71 7CLM Triple System | EV9278-13 | 10,800 | 40,882 | 5.1 | 19.3 | 25.6 x 21.0 x 5.75 | 65.0 x 53.3 x 14.6 | 24.56 | 11.1 | 1,059.00 |
| | | 16,500 | 62,459 | 4.0 | 15.1 | | | | | |
| | | 24,000 | 90,850 | 3.0 | 11.4 | | | | | |
| QC71 7CLM Quad System | EV9278-14 | 14,400 | 54,509 | 6.8 | 25.7 | 25.6 x 24.6 x 5.75 | 65.0 x 62.5 x 14.6 | 28.31 | 12.8 | 1,283.49 |
| | | 22,000 | 83,279 | 5.3 | 20.1 | | | | | |
| | | 32,000 | 121,133 | 4.0 | 15.1 | | | | | |
| Coldrink 1 7CLM | EV9327-11 | 3,600 | 13,267 | 1.7 | 6.4 | 25.3 x 14.1 x 6.7 | 64.4 x 35.9 x 17.1 | 14.4 | 6.5 | 617.40 |
| | | 5,500 | 20,820 | 1.3 | 5.0 | | | | | |
| | | 8,000 | 30,286 | 1.0 | 3.8 | | | | | |
| Coldrink 2 7CLM | EV9327-12 | 7,200 | 27,255 | 3.4 | 12.9 | 25.6 x 21.5 x 6.0 | 65.0 x 54.6 x 15.2 | 25.1 | 11.4 | 941.40 |
| | | 11,000 | 41,639 | 2.7 | 10.1 | | | | | |
| | | 16,000 | 60,566 | 2.0 | 7.6 | | | | | |
| Coldrink 3 7CLM | EV9327-13 | 10,800 | 40,882 | 5.1 | 19.3 | 25.6 x 25.75 x 6.0 | 65.0 x 65.4 x 15.24 | 31.2 | 14.2 | 1,302.40 |
| | | 16,500 | 62,459 | 4.0 | 15.1 | | | | | |
| | | 24,000 | 90,850 | 3.0 | 11.4 | | | | | |
| Coldrink 4 7CLM | EV9327-14 | 14,400 | 54,509 | 6.8 | 25.7 | 25.6 x 29.4 x 6.0 | 65.0 x 27.0 x 15.2 | 34.9 | 15.8 | 1,537.49 |
| | | 22,000 | 83,279 | 5.3 | 20.1 | | | | | |
| | | 32,000 | 121,133 | 4.0 | 15.1 | | | | | |
| High Flow CSR Twin 7CLM | EV9329-52 | 7,200 | 27,255 | 3.4 | 12.9 | 25.6 x 25.8 x 6.75 | 65.0 x 65.5 x 17.1 | 29.5 | 13.4 | 1,203.40 |
| | | 11,000 | 41,639 | 2.7 | 10.1 | | | | | |
| | | 16,000 | 60,566 | 2.0 | 7.6 | | | | | |
| High Flow CSR Triple 7CLM | EV9329-53 | 10,800 | 40,882 | 5.1 | 19.3 | 25.6 x 30 x 6.75 | 65.0 x 76.2 x 17.1 | 35.8 | 16.2 | 1,461.40 |
| | | 16,500 | 62,459 | 4.0 | 15.1 | | | | | |
| | | 24,000 | 90,850 | 3.0 | 11.4 | | | | | |
| High Flow CSR Quad 7CLM | EV9329-54 | 14,400 | 54,509 | 6.8 | 25.7 | 25.7 x 34 x 6.75 | 65.3 x 86.3 x 17.2 | 39.4 | 17.9 | 2,007.40 |
| | | 22,000 | 83,279 | 5.3 | 20.1 | | | | | |
| | | 32,000 | 121,133 | 4.0 | 15.1 | | | | | |
| 7CLM Replacement Cartridge 1 PK** | EV9693-01 | 3,600 | 23,267 | 1.7 | 6.4 | — | — | 3 | 1.4 | 165.71 |
| | | 5,500 | 20,820 | 1.33 | 6.0 | | | | | |
| | | 8,000 | 30,286 | 1.0 | 3.8 | | | | | |
| EC210 Prefilter Cartridge** | EV9534-26 | — | — | — | — | — | — | 5 | 2.3 | 12.20 |
| SS-IMF Replacement Cartridge** | EV9799-32 | — | — | — | — | — | — | 4 | 1.8 | 72.40 |

*Systems are certified at multiple flow rates. Rated capacities at corresponding flow rates shown.

**Not shown.

High Flow CSR 7CLM Systems are an ideal chloramine protection solution in combination applications (see pages 20-21). A single, complete system can accommodate multiple pieces of equipment including coffee, fountain, ice and steam.

What you should know about Chloramines.

If you have a problem with chloramines, contact your local Everpure® representative to identify the treatment solution options that are right for you.

What are chloramines?

- Chloramines are most commonly formed when chlorine and ammonia are combined for use as a disinfectant to treat drinking water.

Why chloramine versus chlorine treatment?

- Chloramines provide longer-lasting water treatment as water moves through distribution systems to end-users.

Chloramines are not new and are closely regulated.

- They've been employed by water utilities for close to 90 years and it's estimated that 30% of the US currently uses drinking water treated with chloramines. The USEPA regulates chloramines use for municipal water treatment.

Chloramine use is on the rise.

- Due to stricter government regulation, specifically the USEPA's Stage 2 Disinfectant Byproduct Rules, it's expected that up to 55% of US municipalities will employ chloramines by 2012.

How does chloramine treatment impact foodservice professionals?

- Chloramines can adversely affect the taste and odor of drinking and ingredient water – just as chlorine treatment can – but it negatively impacts as the carbonation of fountain beverages as well. Chloramines may also cause certain types of water lines, system seals and tubing to degrade over time. It can also clog small orifices on water-using equipment, and cause corrosion and abrasive wear.

Everpure filtration solutions can assist with chloramines reduction.

- Chloramines are significantly harder to remove from drinking and ingredient water than chlorine, thus require filtration systems specifically designed for that purpose. Everpure offers a range of solutions designed to improve beverage taste and carbonation, and help protect your equipment investment.

CB20 Systems – For Chloramine Reduction

System features include:

- All systems complete with cartridge(s), gauge(s), shut-off valve, and flushing valve (302E/312E only)

Up to 5.0 GPM

CB20-124E



CB20-302E



CB20-312E



| System | Part Number | Rated Capacity | | Flow Rate | | Dimensions (H x W x D) | | Ship Wt. | | List Price |
|-----------|-------------|----------------|---------|-----------|------|------------------------|--------------------|----------|----|------------|
| | | gallons | litres | gpm | lpm | in | cm | lb | kg | |
| CB20-124E | EV9100-51 | 15,000 | 5,678 | 5 | 18.9 | 25.9 x 7.35 x 8.5 | 65.8 x 18.7 x 21.6 | 22 | 22 | \$ 505.00 |
| CB20-302E | EV9100-32 | 20,000 | 75,708 | 5 | 18.9 | 27.8 x 20.8 x 9.0 | 70.6 x 47.5 x 23 | 46 | 46 | 1,098.00 |
| CB20-312E | EV9100-37 | 60,000 | 227,125 | 5 | 18.9 | 29.5 x 25.0 x 15.1 | 74.9 x 63.5 x 38.5 | 82 | 82 | 1,652.00 |

CB20 Cartridge Kits

CC1E Cartridge:

- Extended service cartridge contains radial flow granular activated carbon (GAC)
- Improves the taste and consistency of beverages and ice by reducing chloramine, chlorine, and other off-tastes and odors

CC13E Cartridge:

- Carbon block cartridge reduces chlorine taste & odor and certain VOC's
- Reduces filtering Cryptosporidium and Giardia cysts

| Product | Part Number | Description | Technology | Rated Capacity | | Ship Wt. | | List Price |
|----------|-------------|----------------------------------|--|----------------|---------|----------|-----|------------|
| | | | | gallons | litres | lb | kg | |
| 124E Kit | EV9105-02 | CC1E cartridge (1) | Granular Activated Carbon | 15,000 | 56,775 | 4 | 1.8 | \$287.00 |
| 302E Kit | EV9105-21 | CC1E (1) and CC3E cartridges (1) | Granular Activated Carbon (CC1E) Sub-micron Carbon Block (CC3E) | 20,000 | 75,700 | 11 | 5.0 | 572.00 |
| 312E Kit | EV9105-34 | CC1E (1) and CC3E cartridges (2) | Granular Activated Carbon (CC1E) Sub-micron Carbon Block (CC3E) | 60,000 | 227,100 | 17 | 7.7 | 814.00 |




Drinking Water Filtration Systems



| System | Part Number | Rated Capacity | | Dimensions (H x W x D) | | Pack Size | Ship Wt. | | List Price |
|-------------------------------------|-------------|----------------|--------|------------------------|-------------------|-----------|----------|-----|------------|
| | | gallons | litres | in | cm | | lb | kg | |
| OW2-Plus Cartridge | EV9634-06 | 1,000 | 3,785 | 8.25 x 3.25 | 21.0 x 8.3 | 6 | 9 | 4.1 | \$ 85.00 |
| OW4-Plus Cartridge | EV9635-06 | 2,000 | 7,571 | 12.75 x 3.25 | 32.4 x 8.3 | 6 | 9 | 4.1 | 102.00 |
| QL2-OW200L System | EV9275-70 | 480 | 1,817 | 19 x 4.25 x 4 | 48.3 x 10.8 | 1 | 4 | 1.8 | 176.00 |
| Microguard Pro 2 Cartridge | EV9637-01 | 2,200 | 8,328 | 8.25 x 3.25 | 32.4 x 8.3 | 6 | 9 | 4.1 | 134.00 |
| Microguard Pro 4 Cartridge | EV9637-02 | 3,600 | 13,627 | 12.75 x 3.25 | 32.4 x 8.3 | 6 | 10 | 4.5 | 154.00 |
| Bottled Water Delivery System | 83-001-01 | - | - | 8.7 x 7.5 x 3.3 | 22.1 x 19.1 x 8.4 | 1 | 10 | 4.5 | 307.00 |
| Faucet Kit | EV9820-10 | - | - | - | - | 1 | 1 | 0.5 | 99.40 |
| 1/2 GPM Flow Control for Faucet Kit | EV3081-32 | - | - | - | - | 1 | - | - | 37.20 |

Prefilters

Note: Refer to page 40 for replacement cartridges



| Product | Part Number | Pack Size | Ship Wt. | | List Price |
|--|-------------|-----------|-------------------------------|---------------------------------|------------|
| | | | lb | kg | |
| E-10 10" Coarse Prefilter* | EV9795-80 | 1 | 4 | 1.8 | \$ 97.65 |
| E-20 20" Coarse Prefilter* | EV9795-90 | 1 | 6 | 2.7 | 159.00 |
| Left Wing Bracket Assembly for E-Series Prefilter kit | EV3114-34 | 1 | 5 | 2.3 | 50.10 |
| Right Wing Bracket Assembly for E-Series Postfilter kit | EV3114-35 | 1 | 5 | 2.3 | 74.20 |
| Filter Bowl Sleeves 10" | EV6500-22 | 1 | 1 | 0.5 | 17.90 |
| Filter Bowl Sleeves 20" | EV6500-23 | 1 | 1 | 0.5 | 35.62 |
| Parallel 202 Prefilter Kit w/Tank (**Shipped in two boxes) | EV9336-52 | 1** | 32.1 (prefilter) 35 (tank) | 14.7 (prefilter) 15.2 (tank) | 1,629.00 |
| Parallel 202 Prefilter Kit w/o Tank | EV9100-24 | 1 | 32.1 | 14.7 | 975.00 |
| DGD 5005 Dual density 50/5-micron cartridge | 155358-43 | 6 | 12 | 5.4 | 51.10 |
| DGD 2501 Dual density 25/1-micron cartridge | 155360-130 | 6 | 13 | 5.9 | 57.20 |

*E-series prefilters are also available with opaque bowls. Please contact Everpure® customer service for details.

Ice is 100% water.
70% of service calls
are water related.

Everpure® filters reduce:

- Abrasion and clogging
- Scale build-up and corrosion
- Off-tastes and odors
- Harmful cysts and other contaminants
- Particulates that result in cloudy ice

The benefits of Everpure filtration:

- Best quality ice possible
- Less equipment downtime, lower maintenance costs and lower total cost of ownership
- Satisfied customers and increased profits

See individual filter specifications for performance claims.

Ice Filtration System

System features include:

- NSF certifications
- Manifold has inlet water shut-off valve with optional integrated sediment prefilter, flushing valve, and water pressure gauge(s)
- Chlorine, T&O, sediment, and cyst reduction
- 1/2-micron precoat filtration with scale control featuring Micro-Pure® II media with AgION® antimicrobial protection

System sizing guidelines:

Our system sizing guidelines are approximations based on properly installed equipment, average usage at normal operating flow rate and average water conditions. These guidelines are designed to give you approximately 6 months of use between filter cartridge changes. Variations in equipment usage and/or incoming water conditions can produce different results.

| System | Part Number | Cubers* | | Cubers - High Flow* | | Flakers* | |
|---------------------------------------|-------------|-------------------|----------------|---------------------|----------------|-------------------|------------------|
| | | lbs | kgs | lbs | kgs | lbs | kgs |
| Insurice Single PF-i2000 ² | EV9324-21 | <650 lbs/day | <295 kg/day | — | — | <1500 lbs/day | <680 kg/day |
| Insurice Twin PF-i2000 ² | EV9324-22 | 650-1200 lbs/day | 295-544 kg/day | <650 lbs/day | <295 kg/day | 1500-2500 lbs/day | 680-1134 kg/day |
| Insurice Triple PF-i4000 ² | EV9325-23 | 1200-1600 lbs/day | 544-726 kg/day | 650-1250 lbs/day | 295-567 kg/day | 2500-3500 lbs/day | 1134-1588 kg/day |
| Insurice Quad-i4000 ² | EV9325-04 | >1600 lbs/day | >726 kg/day | >1300 lbs/day | >590 kg/day | >3500 lbs/day | >1588 kg/day |

*Performance directly relates to select equipment; see EVP123 in REFERENCE section for more information.

Up to 1.67 GPM

Insurice Single PF-i2000²



Up to 3.34 GPM

Insurice Twin PF-i2000²



Note:
PF = Prefilter;
Systems also available
without prefilter.

Up to 5 GPM

Insurice Triple PF-i4000²



Up to 6.8 GPM

Insurice Quad i4000²



Note:
PF = Prefilter

| System | Part Number | Rated Capacity | | Dimensions (H x W x D) | | Ship Wt. | | List Price |
|--|-------------|----------------|---------|------------------------|--------------------|----------|------|------------|
| | | gallons | litres | in | cm | lb | kg | |
| Insurice Single-i2000 ^{2*} | EV9324-01 | 9,000 | 34,065 | 27.5 x 6 x 4 | 69.8 x 15.2 x 10.2 | 6 | 2.7 | \$ 345.00 |
| Insurice Single PF-i2000 ² | EV9324-21 | 9,000 | 34,065 | 25.3 x 14.1 x 6.7 | 64.3 x 36.0 x 17.1 | 20 | 9.0 | 545.00 |
| Insurice Twin-i2000 ^{2*} | EV9324-02 | 18,000 | 61,800 | 25.3 x 16.6 x 5.5 | 64.2 x 42.2 x 14.0 | 12 | 5.4 | 599.00 |
| Insurice Twin PF-i2000 ² | EV9324-22 | 18,000 | 61,800 | 25.6 x 21.5 x 6 | 65.0 x 55.0 x 15.2 | 22 | 9.9 | 808.00 |
| Insurice Triple-i4000 ^{2*} | EV9325-03 | 36,000 | 136,260 | 29.3 x 21 x 5.5 | 74.3 x 53.3 x 14.0 | 18 | 8.1 | 960.00 |
| Insurice Triple PF-i4000 ^{2*} | EV9325-23 | 36,000 | 136,260 | 30.3 x 25.75 x 6 | 77.0 x 65.4 x 15.2 | 23 | 10.4 | 1,146.00 |
| Insurice Quad-i4000 ² | EV9325-04 | 48,000 | 181,700 | 29.7 x 24.6 x 5.5 | 7.5 x 62.5 x 14.0 | 22 | 10.0 | 1,306.00 |

*Not shown.

Replacement Cartridges

Use only genuine Everpure® replacement cartridges to protect your system's superior performance, NSF certification, and warranty.



Micro-Pure® II

Carbon Block

| Product | Part Number | Capacity | | Micron Rating | Scale Inhibition | NSF Std 42 | Chlorine Reduction | T&O Reduction | Particulate Reduction | Bacteriostatic (NSF Certified) | NSF Std 53 | Cyst Reduction | Pack Size | Ship Wt. | | List Price |
|--------------------|-------------|----------|--------|---------------|------------------|------------|--------------------|---------------|-----------------------|--------------------------------|------------|----------------|-----------|----------|-----|------------|
| | | gallons | litres | | | | | | | | | | | lb | kg | |
| i2000 ² | EV9612-22 | 9,000 | 34,065 | 1/2 | • | • | • | • | • | • | • | • | 1 | 2 | 0.9 | \$111.00 |
| i4000 ² | EV9612-32 | 12,000 | 45,420 | 1/2 | • | • | • | • | • | • | • | • | 1 | 3 | 1.4 | 126.00 |
| 4CB5-S | EV9617-26 | 6,000 | 22,710 | 5 | • | • | • | • | • | • | • | • | 6 | 13 | 5.9 | 82.40 |
| 7CB5-S | EV9618-21 | 10,000 | 37,850 | 5 | • | • | • | • | • | • | • | • | 6 | 5 | 2.3 | 87.30 |

Systems for Multiple Applications

System features include:

- 20" coarse prefilter
- 1/2-micron precoat filtration with Micro-Pure® II media
- SR-X Scale Reduction Feeder featuring ScaleStick®
- Manifold has inlet water shut-off valve, flushing valve, inlet/outlet water pressure gauge(s), and dual outlets

High Flow CSR 7CLM Systems are an ideal chloramine protection solution in combination applications (see pages 14-15). A single, complete system can accommodate multiple pieces of equipment including coffee, fountain, ice and steam.

System sizing guidelines:

Our system sizing guidelines are approximations based on properly installed equipment, average usage at normal operating flow rate and average water conditions. These guidelines are designed to give you approximately 6 months of use between filter cartridge changes. Variations in equipment usage and/or incoming water conditions can produce different results.

| Equipment Type | System | Capacity* | | Max Flow Rate | |
|---|--------------------------------------|-----------|---------|---------------|------|
| | | gallons | litres | gpm | lpm |
| Single Carbonator 2-Pot Coffee Brewer 600 lb Ice Machine | High Flow CSR Twin-MC ² | 18,000 | 68,100 | 3.3 | 12.6 |
| Dual Carbonator 4-Pot Coffee Brewer 600 lb Ice Machine | High Flow CSR Triple-MC ² | 27,000 | 102,195 | 5 | 19.0 |
| Four Carbonators 4-Pot Coffee Brewer 1,200 lb Ice Machine | High Flow CSR Quad-MC ² | 36,000 | 136,260 | 6.7 | 25.3 |
| Added Capacity for Higher Volume Operations | High Flow CSR Plus-XC ² | 48,000 | 18,680 | 6.7 | 25.3 |


*Rated chemical filtration capacity. Mechanical (sediment) filtration capacity is dependent on incoming water quality. *For flash steamers, refer to pages 30-33 for reverse osmosis systems.

Complete system accommodates multiple applications including coffee, fountain, ice and steam

Streamlined appearance;
durable construction

Includes inlet
water shut-off
valve and
flushing valve

Clear bowl for
easy monitoring
of filter life



Pressure gauges included for cartridge change indication;
optional low pressure alarm

Outlet for fountain and
drinking water applications

Outlet for ice, coffee
and steam applications

- Easy to use and maintain
- Provides balanced feed and longer life
- Minimizes maintenance costs
- Protects equipment from scale build-up

- Quick-change feature: eliminates sanitization required with drop-in cartridges
- Chlorine, T&O, 1/2-micron particulate reduction, bacteriostatic, asbestos, cyst and turbidity reduction all in a single cartridge!
- High quality, durable and attractive aluminum construction
- NSF 42 and 53 certifications
- Features Micro-Pure® II media with AgIION® antimicrobial protection

Up to 3.34 GPM

High Flow CSR Twin-MC²



Up to 5.0 GPM

High Flow CSR Triple-MC²



Up to 6.67 GPM

High Flow CSR Quad-MC²



Up to 6.67 GPM

High Flow CSR Plus-XC²



Note: Systems also available with low pressure alarm, indicating when filter has become plugged.

9-gallon Tank Included

| System | Part Number | Rated Capacity | | Dimensions (H x W x D) | | Ship Wt. | | List Price |
|--|-------------|----------------|---------|------------------------|--------------------|----------|------|------------|
| | | gallons | litres | in | cm | lb | kg | |
| High Flow CSR Twin-MC ² | EV9330-42 | 18,000 | 68,100 | 25.6 x 26 x 6.7 | 65.0 x 65.5 x 17.1 | 30 | 13.5 | \$1,055.00 |
| High Flow CSR Triple-MC ² | EV9328-06 | 27,000 | 102,195 | 25.6 x 30 x 6.7 | 65.0 x 76.2 x 17.1 | 39 | 17.5 | 1,246.00 |
| High Flow CSR Triple-MC ² * w/low pressure alarm | EV9328-05 | 27,000 | 102,195 | 25.6 x 30 x 6.7 | 65.0 x 76.2 x 17.1 | 39 | 17.5 | 1,448.00 |
| High Flow CSR Quad-MC ² | EV9437-10 | 36,000 | 136,260 | 25.7 x 34 x 6.75 | 65.3 x 86.3 x 17.2 | 43 | 19.4 | 1,725.00 |
| High Flow CSR Quad-MC ² * w/low pressure alarm | EV9437-11 | 36,000 | 136,260 | 25.7 x 34 x 6.75 | 65.3 x 86.3 x 17.2 | 43 | 19.4 | 1,921.00 |
| High Flow CSR Plus-XC ² | EV9437-20 | 48,000 | 181,680 | 29.7 x 31.6 x 6.7 | 75.4 x 80.2 x 17.1 | 70 | 32.0 | 1,965.00 |
| High Flow CSR Plus-XC ² * w/low pressure alarm | EV9437-21 | 48,000 | 181,680 | 29.7 x 31.6 x 6.7 | 75.4 x 80.2 x 17.1 | 70 | 32.0 | 2,161.00 |

*Not shown.

Steam is 100% water.

Everpure® filters reduce:

- Abrasion and clogging
- Scale build-up and corrosion

The benefits of Everpure filtration:

- Fewer delimings
- Equipment lasts longer
- Less downtime and maintenance
- Lower energy costs
- Satisfied operators

See individual filter specifications for performance claims.

Claris™ XXL



Claris 5-stage filtration process offers:

- Pre-filtration
- Carbonate hardness adjustment
- Fine filtration
- Highly efficient carbon block removes harmful contaminants and unpleasant tastes and odors
- Solid membrane filter removes particles down to 5-microns for highest equipment protection

CLARIS is an innovative, quick-change, saltless softening (ion exchange) and filtration system that prevents scale and removes contaminants. Even more unique is its ability to allow you to tailor the hardness to match your specific needs.

Softens without salt

Salt-based softening systems require salt replenishment which is often forgotten or neglected by staff. Also, when the system regenerates, salt gets washed into the ecosystem along with waste water. Everpure's Claris softens without salt. The advantages being that nothing is added to the water, there's no salt required, and no salt or water is sent to drain.

Removes particles AND chemicals

Salt-based softening systems do not filter the water of sediment or remove chlorine. Claris has a prefilter and a 5-micron carbon filter to remove both particles and chemicals.

Requires no electricity or drain

Claris is an easy-to-install, quick change filtration and softening system solution that doesn't require electricity or a drain.

No additives to water

Claris adds nothing to the water, unlike many scale-inhibiting systems and salt-based softeners.



Effective hardness removal

Some filter systems only control minerals by adding a scale-inhibiting agent that keeps the minerals suspended in the water. Because the minerals are not actually removed, over time there will be some scaling, requiring deliming. Claris removes carbonate hardness, so scale formation is nearly completely eliminated.

Prevents clogged drains

In atmospheric steamers, even with scale inhibitors, minerals will accumulate in the boiler chamber, requiring daily "blowdown." Claris reduces this accumulation and helps prevent clogging of the drain.

Reduces metal corrosion

Reverse osmosis (RO) creates pure water with a low pH. This water can be very aggressive to metals, causing corrosion. Claris blends a small amount of filtered water with the softened water. This small amount of mineral creates a "buffer" that keeps the pH from becoming too acidic. It also helps the probes in the oven to "see" the water.

No wasted water

Conventional RO systems send a considerable volume of waste water to drain during the water extraction process, as high as four gallons to drain for every one gallon of pure water created by the system. All the water that passes through a Claris system is available for use by the steam oven, so there is no waste.



Claris Head
3/8" BSP



Claris Head
3/8" QCF



Claris Head
1/4" QCF



Claris Flow Meter US

The Claris Test Kit determines the total alkalinity carbonate hardness in a water supply. Carbonate hardness testing is necessary when installing the Claris filtration systems.



Claris Test Kit

System sizing guidelines:

Our system sizing guidelines are approximations based on properly installed equipment, average usage at normal operating flow rate and average water conditions. These guidelines are designed to give you approximately 6 months of use between filter cartridge changes. Variations in equipment usage and/or incoming water conditions can produce different results.

| System | Max Flow Rate | | Steamer Equipment | Size |
|----------------------|---------------|-----|--|-----------------------------|
| | gpm | lpm | | |
| Claris™ XXL | 1.0 | 3.8 | Boilerless: Rapid Flash Systems | 2KW-3KW |
| | | | Boilerless: Proofers, Small Flash Steamers | 4KW-10KW |
| | | | Boilerless: Medium Flash Steam & Combi | 11KW-24KW |
| | | | Boilerless: Large Flash Steam & Combi | 25KW-36KW |
| | | | Boiler: Small Steamers | <125,000 BTU |
| | | | Boiler: Medium Steamers | 125,000-200,000 BTU |
| Kleensteam® CT | 1.7 | 6.3 | Counter Top (light duty) | Counter Top |
| | | | Boiler-Based | 18KW - 48KW (electric) |
| | | | | 125,000 - 225,000 BTU (gas) |
| Kleensteam II Single | 2.5 | 9.5 | High Flow and Combi Ovens | 175,000 - 300,000 BTU (gas) |

*For flash steamers, refer to pages 30-33 for reverse osmosis systems.

| System | Part Number | Auto Shut-Off | Mounting Bracket | Connection | Rated Capacity* | | Pack Size | Ship Wt. | | List Price |
|-------------------------------|-------------|---------------|------------------|------------|-----------------|--------|-----------|----------|-----|------------|
| | | | | | gallons | litres | | lb | kg | |
| Claris Head | EV4339-21 | Yes | Yes | 3/8" BSP | — | — | 1 | 1 | 0.5 | \$133.00 |
| Claris Head | EV4339-23 | Yes | Yes | 3/8" QCF | — | — | 1 | 1 | 0.5 | 133.00 |
| Claris Head | EV4339-25 | Yes | Yes | 1/4" QCF | — | — | 1 | 1 | 0.5 | 133.00 |
| Claris Cartridge XXL Large | EV4339-14 | — | — | — | 2,180 | 8,252 | 1 | 15.2 | 6.9 | 548.00 |
| Claris Test Kit | EV4339-40 | — | — | — | — | — | 1 | 0.25 | 0.1 | 45.00 |
| Claris Hose 10CM, 3/8" x 1/2" | EV4339-52 | — | — | — | — | — | 1 | 0.7 | 0.3 | 45.00 |
| Claris Flow Meter US | EV4339-31 | — | — | — | — | — | 1 | 0.5 | 0.2 | 252.00 |
| Claris Flow Meter 700 LPM | EV4339-32 | — | — | — | — | — | 1 | 0.5 | 0.2 | 88.20 |

*Based on 10 grains of hardness and a bypass setting of 0.

Should I use Kleensteam or Claris XXL?

These two systems are very different, but both provide excellent scale prevention. The Kleensteam uses phosphate blend that essentially lubricates the dissolved mineral, preventing it from returning to solid form. The Claris on the other hand uses ion exchange (“saltless” softening) to remove carbonate hardness and lower alkalinity, preventing the scale-forming process from occurring. Both are highly effective on boiler based steam ovens, but the higher capacity of the Kleensteam gives it an edge. The Claris XXL has an

edge on direct injection steamers where water is sprayed onto a hot plate and converted into steam (as opposed to being superheated inside a boiler chamber and released as steam into the cooking cabinet). The Kleensteam is effective up to 12 grains of hardness. Above 12 grains of hardness, the Claris XXL or a reverse osmosis system is recommended. Should you have questions about your water or what would work best on your steam oven, consult your local Everpure® representative.

Kleensteam®

System features include:

- Total system approach
- Chlorine reduction minimizes corrosion
- Scale inhibition reduces scale build-up
- ScaleKleen™ feeder provides safe, easy deliming

Up to 1.67 GPM

Kleensteam CT

Includes 4CB5 carbon filter, SS-10 scale inhibitor cartridge, dip tube and two 7 oz. packets of ScaleKleen™.



Up to 2.5 GPM

Kleensteam II Single

Includes 7CB5 carbon filter, SS-10 scale inhibitor cartridge, dip tube and two 2.2 lb. canisters of ScaleKleen.



Up to 5.0 GPM

Kleensteam II Twin

Includes two 7CB5 carbon filters, SS-10 scale inhibitor cartridge, dip tube and two 2.2 lb. canisters of ScaleKleen.



| System | Part Number | Dimensions (H x W x D) | | Ship Wt. | | List Price |
|--|-------------|------------------------|--------------------|----------|------|------------|
| | | inches | cms | lbs | kgs | |
| Kleensteam CT | EV9797-50 | 18.75 x 15.0 x 7 | 47.6 x 38.1 x 17.8 | 15 | 6.8 | \$ 625.00 |
| Kleensteam II Single | EV9797-21 | 20.5 x 25.5 x 7 | 52.1 x 64.8 x 17.8 | 26 | 11.7 | 927.00 |
| Kleensteam II Twin | EV9797-22 | 20.5 x 25.5 x 7 | 52.1 x 64.8 x 17.8 | 28 | 12.6 | 1,005.00 |
| SR-X Scale Inhibitor Feeder and Deliming | EV9797-20 | 12.4 x 5.2 x 5.5 | 31.6 x 13.1 x 14.0 | 6 | 2.7 | 272.00 |

SRX Scale Inhibition/Deliming



- Inhibits limescale build-up by dispensing controlled amount of Hydroblend™ compound, ideal for high temperature locations
- Provides more consistent feed of polyphosphate and longer life
- Housing converts to ScaleKleen Feeder for periodic delimings
- System includes SR-X 10" clear housing, one SS-10 cartridge, dip tube, and one 2.2 lb. canister of ScaleKleen

Replacement Cartridges/Parts

Carbon Filters



- 5-micron
- 1/2-micron (7CLM)
- Carbon Block

Scale Inhibition

ScaleStick®



SS-10

- Hydroblend™ compound
- Translucent housing
- NEW! SS-XL designed for locations with increased scale control needs
- SS-XL and SS-10 fits current SR-X and older AR-X housings



SS-XL

Scale Remover

ScaleKleen™



- The smart, environmentally safe way to delime water using appliances

| Cartridge | Part Number | Rated Capacity | | Pack Size | Ship Wt. | | List Price |
|--------------------|-------------|----------------|-----------------|-----------|----------|-----|------------|
| | | gallons | litres | | lbs | kgs | |
| 4CB5 Carbon Filter | EV9617-16 | 6,000 | 22,710 | 6 | 13 | 1.4 | \$ 75.80 |
| 7CB5 Carbon Filter | EV9618-11 | 10,000 | 37,850 | 1 | 5 | 2.3 | 105.00 |
| 7CLM | EV9693-01 | 3,600 - 8,000 | 13,626 - 30,280 | 1 | 3 | 1.4 | 165.71 |
| SS-10 ScaleStick | EV9799-02 | — | — | 12 | 5 | 2.3 | 86.60 |
| SS-XL ScaleStick | EV9799-42 | — | — | 6 | 6 | 2.7 | 283.00 |

| ScaleKleen | Part Number | Pack Size | Ship Wt. | | List Price |
|---|-------------|------------------|----------|-----|------------|
| | | | lbs | kgs | |
| ScaleKleen Scale Remover (English/French/Spanish) | EV9798-31 | 96 packs/case | 12 | 5.4 | \$ 4.40 |
| ScaleKleen Scale Remover (English/French/Spanish) | EV9798-33 | 24 packs/case | 12 | 4.5 | 9.10 |
| ScaleKleen Scale Remover (English/French/Spanish) | EV9798-35 | 4 canisters/case | 10 | 4.5 | 36.20 |

Minimize maintenance costs.

The benefits of Everpure® filtration:

- Scale build-up can increase energy usage and equipment maintenance costs while shortening the life of equipment
- Economical solutions are available to control this build-up and periodically remove any accumulation

SR-X Scale Inhibitor System

System features include:

- Inhibits limescale build-up by dispensing controlled amount of Hydroblend™ compound, ideal for high temperature locations
- Provides more consistent feed of polyphosphate and longer life
- Housing converts to ScaleKleen™ Feeder for periodic delimiting
- SR-X Scale Inhibitor Feeder System includes SR-X 10" clear housing with one SS-IMF cartridge and spacer
- NEW! SS-XL ScaleStick® Cartridge (sold separately) offers up to 4x the scale reduction capacity of the SS-IMF cartridge for locations with increased scale control needs; fits most standard 10" housings and all current SR-X housings



SR-X Scale
Inhibitor Feeder



SS-10



SS-XL



Right Wing Bracket Assembly
(allows for easy retrofitting of SR-X system
to right side of multiple head systems
manufactured 9/1/2003 to present)

| System | Part Number | Pack Size | Ship Wt. | | List Price |
|--|-------------|-----------|----------|-----|------------|
| | | | lbs | kgs | |
| SR-X Scale Inhibitor System | EV9797-20 | 1 | 6 | 2.7 | \$272.00 |
| SR-X Scale Inhibitor Feeder with ScaleStick | EV9798-45 | 1 | 4 | 1.8 | 240.00 |
| SS-IMF Cartridge for use with SR-X housing in ice applications | EV9799-32 | 12 | 4 | 1.8 | 72.40 |
| SS-10 Cartridge for use with SR-X housing in coffee, combination & steamer applications | EV9799-02 | 12 | 5 | 2.3 | 86.60 |
| SS-XL Cartridge for use with SR-X housing for high capacity scale reduction applications | EV9799-42 | 6 | 6 | 2.7 | 283.00 |
| Wing Bracket Assembly (right) | EV3114-35 | 1 | 5 | 2.3 | 74.20 |

Delimiting/Sanitizing/Scale Remover



HFC-10

HFC-10p plumbs into hot water line providing easy delimiting of equipment. Uses ScaleKleen scale remover. Includes high temperature 10" housing, 2.2lbs. ScaleKleen scale remover hardness test strip and dip tube.



JT Cartridge

The JT cartridge is the preferred way to introduce ScaleKleen scale remover or other sanitizing agents, such as bleach, into water-using appliances through an existing Everpure filter head.



High Flow System Sanitizing Kit



ScaleKleen

| Product | Part Number | Size | Pack Size | Ship Wt. | | List Price |
|---|-------------|----------------------------|------------------|----------|-----|------------|
| | | | | lbs | kgs | |
| HFC-10 Delimiting | EV9100-91 | 12.5" H x 5.5" W x 5.5" D | 1 | 9 | 4.1 | \$196.00 |
| 2JT Flushing/Sanitizing Cartridge | EV9608-10 | — | 1 | 2 | 0.9 | 76.60 |
| 4JT Flushing/Sanitizing Cartridge | EV9608-00 | — | 1 | 3 | 1.4 | 76.60 |
| High Flow System Sanitizing Kit | EV6500-21 | 15" H x 17" W x 4.5" D | 1 | 10 | 4.5 | 295.00 |
| ScaleKleen Scale Remover (Eng/French/Spanish) | EV9798-31 | 1.75 oz. (50 gram) packets | 96 packs/case | 12 | 5.4 | 4.40 |
| ScaleKleen Scale Remover (Eng/French/Spanish) | EV9798-33 | 7 oz. (200 gram) packets | 24 packs/case | 12 | 5.4 | 9.10 |
| ScaleKleen Scale Remover (Eng/French/Spanish) | EV9798-35 | 2.2 lb (1 kg) canister | 4 canisters/case | 10 | 4.5 | 36.20 |



It's smart to know what's in the water. The SMARTWORKS program offers everything you need to grow your water filter sales. The program centers around:

- An **easy-to-use water test kit**,
- A **custom water analysis** to help foodservice operators better understand their water quality, and
- A **tailored product recommendation** – the right solution to ensure the operator has premium water to serve and equipment that operates in peak condition.

Please visit www.everpure.com for more information.

Get started by ordering the water testing products below.



SMARTWORKS Water Test Kit
DEV7013-44



Digital Pocket TDS Meter
EV6500-20

Water Testing Products

| Product | Part Number | Description | Pack Size | Ship Wt. | | List Price |
|---------------------------|-------------|--|-----------|----------|------|------------|
| | | | | lb | kg | |
| SMARTWORKS Water Test Kit | DEV7013-44 | Includes instructions, disposable TDS meter, test strips for hardness, pH, total alkalinity, total chlorine, free chlorine, and chlorides, and a reagent powder packet with vial for iron testing. | 25 | <1 | <0.5 | \$20.72 |
| Digital Pocket TDS Meter | EV6500-20 | 0-9990 ppm TDS; temperature reading (0-80°C); reading "hold" function. With soft case. | 1 | 1 | 0.5 | 56.70 |

Everpure Water Testing and Lab Analysis

In addition to the SMARTWORKSSM Water Test Kit (above), we also offer two further options for detailed and precise lab analysis of your water.

To purchase, please contact Everpure Customer Service.

- DEV7013-73 STANDARD FOODSERVICE ANALYSIS. Includes water bottle and lab analysis of 30 contaminants and characteristics.
- DEV9800-15 STANDARD FOOD SERVICE AND ORGANICS ANALYSIS. Includes water bottle and lab analysis of 30 contaminants plus TTHM's, VOC's and bacteria.

Keep dishwashers and other equipment running smoothly.

Everpure® softener applications:

- Espresso
- Warewashing
- Reverse Osmosis Pre-Treatment
- Boiler Scale Control
- Laundry
- Water Heater Scale Prevention/Reduction
- Food Service
- Grocery
- C-Stores
- Retail

The benefits of Everpure softeners:

- Backed by Everpure's customer service, installation and service teams
- Meter-initiated regeneration minimizes salt, water and electrical costs
- Advanced, user-friendly controls are simple to service
- Fiberglass-reinforced resin vessels with NSF-approved polyethylene liners eliminate worries about corrosion

WS Series Softeners

- Designed for operations with low volume soft water usage and limited space
- Ideal for espresso and specialty coffee applications, warewashing and boiler scale control



| System | Part Number | Rated Capacity (grains) | Service Flow Rate | | | | Pipe Size | | Resin Volume Per Tank | | Dimensions (W x D x H) | | Brine Salt Capacity | | Ship Wt. | | List Price |
|--------|-------------|-------------------------|--------------------------------|------|------------------------------------|------|-----------|-----|-----------------------|------|------------------------|---------------------|---------------------|-------|----------|------|------------|
| | | | Continuous @ 15 PSI (1 BAR) DP | | Intermittent @ 25 PSI (1.7 BAR) DP | | | | | | | | lbs | kgs | lbs | kgs | |
| | | | gpm | lpm | gpm | lpm | | | | | | | | | | | |
| WS-30 | EV9980-10 | 30,000 | 10.0 | 37.9 | 14.0 | 53.0 | 1 | 2.5 | 1.0 | 0.03 | 13 x 22 x 45 | 33.0 x 55.9 x 114.3 | 300 | 136.1 | 90 | 40.8 | \$1,973.00 |
| WS-45 | EV9980-11 | 45,000 | 12.0 | 54.4 | 16.0 | 60.6 | 1 | 2.5 | 1.5 | 0.04 | 37 x 22 x 68 | 94 x 55.9 x 172.7 | 335 | 152.0 | 125 | 56.7 | 2,016.00 |

DP = Differential Pressure

*When determining system space requirements, refer to spec sheet for physical arrangement.

CES 2850 Single Tank Softeners

- Designed for operations with low to medium volume soft water usage
- Ideal for full service restaurants and C-stores




| System | Part Number | Rated Capacity (grains) | Service Flow Rate | | | | Pipe Size | | Resin Volume Per Tank | | Dimensions (W x D x H) | | Brine Salt Capacity | | Ship Wt. | | List Price |
|---------------|-------------|-------------------------|--------------------------------|-------|------------------------------------|-------|-----------|-----|-----------------------|------|------------------------|----------------------|---------------------|-------|----------|-------|------------|
| | | | Continuous @ 15 PSI (1 BAR) DP | | Intermittent @ 25 PSI (1.7 BAR) DP | | | | | | | | lbs | kgs | lbs | kgs | |
| | | | gpm | lpm | gpm | lpm | | | | | | | | | | | |
| CES-2850M-68 | EV9983-21 | 68,000 | 27.0 | 102.2 | 35.0 | 132.5 | 1.5 | 3.8 | 2.0 | 0.06 | 37 x 23 x 63 | 93.4 x 58.4 x 160.0 | 425 | 192.8 | 200 | 90.7 | \$2,988.00 |
| CES-2850M-102 | EV9983-22 | 102,000 | 32.0 | 121.1 | 42.0 | 159.0 | 1.5 | 3.8 | 3.0 | 0.08 | 45 x 28 x 74 | 114.3 x 71.1 x 188.0 | 750 | 340.2 | 290 | 131.5 | 3,407.00 |
| CES-2850M-136 | EV9983-23 | 136,000 | 34.0 | 128.7 | 44.0 | 166.6 | 1.5 | 3.8 | 4.0 | 0.11 | 46 x 28 x 74 | 116.8 x 71.1 x 188.0 | 750 | 340.2 | 360 | 163.3 | 3,617.00 |
| CES-2850M-171 | EV9983-24 | 171,000 | 37.0 | 181.7 | 48.0 | 181.7 | 1.5 | 3.8 | 5.0 | 0.14 | 49 x 28 x 77 | 124.5 x 71.1 x 195.6 | 750 | 340.2 | 450 | 204.1 | 4,878.00 |

DP = Differential Pressure

*When determining system space requirements, refer to spec sheet for physical arrangement.

Hardness Removal From 7,500 to 750,000 Grains

We offer a full line of commercial water softeners, from small- to medium-sized systems for point-of-use applications, to large softeners with flow rates of 165 gallons per minute and more than 750,000 grains of hardness removal capacity. The large systems are ideally suited for retail superstores and other full line, point-of-entry applications. Visit www.everpure.com for more softener product information.



- 100,000 grains of hardness removal
- Flow rates up to 20 GPM
- 750,000 grains of hardness removal
- Flow rates up to 165 GPM



Scale Control

For warewashers and booster heaters. Inhibits limescale build-up and reduces corrosion. Features metering flow through head, high temperature housing and transparent HT-10 cartridge containing Hydroblend™ compound effective up to 200°F, 15 gpm. Maximum feeder inlet temperature: 170°F.



Kleenware® HTS-11 Scale Control System

Deliming

Plumbs into hot water line providing easy deliming of equipment. Uses ScaleKleen™ scale remover. Includes high temperature 10" housing, 2.2 lbs. ScaleKleen scale remover hardness test strip and dip tube.



| System | Part Number | Dimensions (H x W x D) | | Pack Size | Ship Wt. | | List Price |
|-----------------------------|-------------|------------------------|--------------------|-----------|----------|-----|------------|
| | | in | cm | | lb | kg | |
| Kleenware HTS-11 | EV9799-11 | 12.5 x 4.75 x 4.75 | 21.8 x 12.1 x 12.1 | 1 | 7 | 3.2 | \$529.00 |
| HT-10 Replacement Cartridge | EV9799-22 | 10 x 2.5 | 25.4 x 2.5 | 6 | 4 | 1.8 | 429.00 |
| HFC-10 Deliming System | EV9100-91 | 12.5 x 5.5 x 5.5 | 21.8 x 14.0 x 14.0 | 1 | 9 | 4.1 | 196.00 |

Note: Refer to page 40 for Replacement Cartridges and page 43 for Replacement Parts.

High levels of dissolved (ferrous) iron and manganese (>5 ppm) can damage your softening resin. To prolong the lifespan of your water softener when these materials are excessively present, Everpure® recommends a prefilter. Also, use salt that contains an iron-fighting additive or use a resin cleaner on a regular basis.

When to consider Reverse Osmosis.

For any foodservice operation in need of water treatment due to high levels of Total Dissolved Solids (TDS) in its water, a reverse osmosis system is an effective – yet often costly – necessity. In fact, reverse osmosis is by far the most practical and effective solution for removing TDS from water and consistently achieving high quality ingredient water.

How does one know if the TDS content in the water is high enough to require a reverse osmosis (RO) solution?

- It imparts objectionable taste
- It prevents conventional forms of scale control from providing acceptable results
- It negatively impacts the “recipe”
- Or simply test the water; RO should be considered when TDS levels in excess of 300 ppm are present

Note: Water production is dependent upon incoming water temperature and line pressure. Consult your Everpure® representative for assistance in correct system selection and design.

Reverse Osmosis solutions can be greener with Everpure® MRS-600HE systems

Need RO water, but feeling guilty about the “non-green” waste-to-drain aspect? The high output/high efficiency MRS-600HE and MRS-600HE-II configurable systems turn the tables on conventional reverse osmosis operation – more water is produced, less goes down the drain.


Both units produce pure RO water or blended (reduced dissolved mineral) filtered water for multiple foodservice applications, allowing custom tailorization of the final TDS

content. The MRS-600HE includes a second output, allowing it to produce both pure RO water AND blended water.

Reverse Osmosis has become the most preferred method for reducing TDS content in foodservice operations. It consumes little or no electricity and does not require dangerous chemicals. To visualize the dramatic difference in efficiency between the MRS-600HE and conventional systems, check-out the illustrations below.


MRS-600HE Systems

With an average recovery of 78%, the MRS-600HE systems dispose of about 1/4 of a cup of water for each cup of coffee brewed.



Conventional RO Systems

By contrast, conventional RO systems offer 20% recovery, sending four cups of water to the drain for each cup of coffee produced.



A conventional RO system can require 5 volumes of water to produce 1 volume of water that can be dispensed. The remaining four volumes are discharged to drain. The MRS-600HE systems waste only a small fraction of the total volume, thus reversing the ratio of waste-to-product water relationship.

MRS-600HE and MRS-600HE-II Reverse Osmosis Systems

High output/high efficiency configurable reverse osmosis systems rated at 600 gallons per day nominal. Depending on model selected, delivers reverse osmosis and/or blended filtered water for multiple foodservice applications. For use with coffee brewers, espresso machines, steamers, combi ovens, and ice machines. Ideal for specialty coffee.

MRS-600HE High Efficiency Reverse Osmosis System Featuring dual headed pump and integrated 6-gallon tank

Dual output design provides both low TDS water (pure RO water) and blended water (filtered tap water and RO water mix)

Inlet and outlet connections are smartly located along the top of the unit, allowing quick and easy connection to the distribution piping


6-gallon total capacity RO water storage tank provides ample reserve volume for instantaneous demands

Unique dual headed pump boosts output and overall system efficiency

2SR-BW Cartridge inhibits scale formation, extending the life of the MR-600 RO Cartridge

Microprocessor-based control with digital display provides system status and operator interface

MR-600 RO Cartridge delivers 2 times the daily production volume of conventional RO membranes of similar size



MRS-600HE Without Cover

MRS-600HE-II High Efficiency Reverse Osmosis System Featuring on-board filtration and inlet and permeate boost pumps

Permeate boost pump reduces back pressure on RO membrane and maximizes system output and efficiency

Inlet and outlet connections are smartly located along the top of the unit, allowing for quick and easy connection to the distribution piping


Microprocessor-based control with digital display provides system status and operator interface

Inlet boost pump increases supply pressure for consistent water production

Triple bank of pre-filtration cartridges reduces sediment, oxidizers and scale, offering maximum RO module protection

Dual post-filtration cartridges remove sediments, taste, odors and other undesirable water attributes prior to exiting the system

MR-600 RO Cartridge delivers 2 times the daily production volume of conventional RO membranes of similar size




MRS-600HE-II Without Cover

MRS-600HE requires the addition of a remote sub-micron sediment and carbon filtration system. The Everpure® Coldrink® Series, CB20-302E or CB20-312E are suitable pre-treatment systems.

MRS-600HE-II includes sub-micron sediment and carbon filtration, but does not include a storage tank. Contact Everpure for assistance when configuring a complete system package.

| System | Part Number | Dimensions (H x W x D) | | Ship Wt. | | List Price |
|---------------------|-------------|------------------------|--------------------|----------|------|------------|
| | | in | cm | lb | kg | |
| MRS-600HE-II System | EV9970-54 | 32 x 23 x 13.6 | 81.3 x 58.4 x 34.5 | 85 | 38.6 | \$4,699.00 |
| MRS-600HE System | EV9970-38 | 32 x 23 x 13.6 | 81.3 x 58.4 x 34.5 | 85 | 38.6 | 4,319.00 |



Replacement Cartridges

| Product | Part Number | Pack Size | Ship Wt. | | List Price |
|-------------------------------|-------------|-----------|----------|-----|------------|
| | | | lb | kg | |
| MR-600 Cartridge | EV9627-13 | 1 | 4 | 1.8 | \$764.00 |
| 2SR-BW Cartridge | EV9627-14 | 1 | 4 | 1.8 | 115.00 |
| MC² Cartridge (2 req.) | EV9612-56 | 1 | 2 | 0.9 | 98.70 |
| 7FS-BW Cartridge (3 req.) | EV9627-16 | 1 | 4 | 1.8 | 160.00 |
| GS-215RO-H In-Line Postfilter | EV9627-15 | 1 | 4 | 1.8 | 50.20 |

20 to 350 Gallon per Day RO Systems

- For a fresh, clean, pure back-of-house water source.
- Improve equipment life and performance by removing 90%+ of all dissolved solids that cause scale build-up.
- Protect against taste- and odor-causing contaminants while removing dirt, particulates and dissolved minerals.
- Reduce limescale build-up that can cause excessive machine downtime and increased maintenance costs. Plus, scale reduction reduces energy costs.
- Sanitary cartridge replacement is simple, quick and clean. Internal filter parts are never exposed to handling or contamination.
- CC models introduce a small amount of hardness minerals back into the treated water. This controlled re-mineralization is desirable for coffee and other applications that require some hardness to achieve optimum results.
- The BL Series features an adjustable blend valve, which allows custom tailoring of the dissolved mineral content in the treated water. With this feature, a controlled amount of raw water is mixed with the reverse osmosis water to create a blend containing the desired level of TDS (Total Dissolved Solids). After blending, the water passes through a sub-micron carbon filter. This final filtration step removes tastes and odors, and insures delivery of ingredient quality water.

Up to 20 GPD

MRS-20 w/3 gallon storage tank



Up to 100 GPD

MRS-100CC

Shown with optional prefilter; order tank separately.



Note: CC model includes calcite feeder cartridge which adds minerals back into water; BL model includes blend valve and sub-micron filter cartridge which allows setting a blend of filtered and RO water.

Up to 225 GPD

MRS-225CC

Shown with optional prefilter; order tank separately.



Note: CC model includes calcite feeder cartridge which adds minerals back into water; BL model includes blend valve and sub-micron filter cartridge which allows setting a blend of filtered and RO water.

Up to 350 GPD

MRS-350

Shown with optional prefilter; order tank separately.



All powered models available in 230 and 240VAC. Contact Everpure® for details.

20 to 350 Gallon per Day RO Systems

| System | Part Number | Dimensions (H x W x D) | | Ship Wt. | | List Price |
|--------------------------------|-------------|------------------------|-----------------------|----------|------|------------|
| | | in | cm | lb | kg | |
| MRS-20 w/3 gallon storage tank | EV9797-91 | 27 x 22.5 x 11.5 | 68.6 x 57.2 x 29.2 | 35 | 15.9 | \$1,359.00 |
| MRS-100* | EV9970-07 | 30 x 15 x 8 | 76.2 x 38.1 x 20.3 | 30 | 13.6 | 1,729.00 |
| MRS-100CC | EV9970-10 | 34 x 15 x 8 | 86.4 x 38.1 x 20.3 | 35 | 15.9 | 1,839.00 |
| Optional 10" Prefilter Kit* | EV9795-81 | Adds 5.5" to width | Adds 14.0 cm to width | 5 | 2.3 | 155.00 |
| MRS-225* | EV9970-08 | 30 x 15 x 8 | 76.2 x 38.1 x 20.3 | 30 | 13.6 | 1,729.00 |
| MRS-225CC | EV9970-09 | 34 x 15 x 8 | 86.4 x 38.1 x 20.3 | 35 | 15.9 | 1,899.00 |
| MRS-350 | EV9970-17 | 38 x 15 x 8 | 96.5 x 38.1 x 20.3 | 32 | 14.5 | 2,009.00 |
| MRS-350CC* | EV9970-18 | 38 x 15 x 8 | 96.5 x 38.1 x 20.3 | 30 | 13.6 | 2,119.00 |
| MRS-350BL* | EV9970-20 | 38 x 15 x 8 | 96.5 x 38.1 x 20.3 | 37 | 16.8 | 2,209.00 |
| Optional 10" Prefilter Kit* | EV9795-81 | Adds 5.5" to width | Adds 14.0 cm to width | 5 | 2.3 | 155.00 |

*Not shown.



Tanks do not include fittings and tubing.

Tanks

| Storage @ 30-50 psi with 28 psi pre-charge (nominal tank size) | Part Number | Inlet/Outlet | Dimensions (H x W x D) | | Ship Wt. | | List Price |
|--|-------------|--------------|------------------------|---------------------|----------|------|------------|
| | | | in | cm | lb | kg | |
| 1.2 gal. (3 gal.) | EV3102-75 | 1/4" MNPT | 15 x 11 x 11 | 38.1 x 27.9 x 27.9 | 9 | 4.1 | \$ 169.00 |
| 4.3 gal. (15 gal.) | CH30834-1 | 1" MNPT | 27 x 16 x 16 | 68.6 x 40.6 x 40.6 | 20 | 9.1 | 420.00 |
| 5.8 gal. (20 gal.) | CH30839-1 | 1" MNPT | 33 x 16 x 16 | 83.8 x 40.6 x 40.6 | 24 | 10.9 | 459.00 |
| 8.7 gal. (30 gal.) | CH30853-1 | 1" MNPT | 44 x 16 x 16 | 111.8 x 40.6 x 40.6 | 28 | 12.7 | 665.00 |
| 11.9 gal. (40 gal.) | CH30865-1 | 1" MNPT | 57 x 16 x 16 | 144.8 x 40.6 x 40.6 | 35 | 15.9 | 793.00 |
| 25.6 gal. (80 gal.) | CH31054-1 | 1-1/4" MNPT | 56 x 25 x 25 | 142.2 x 63.5 x 63.5 | 63 | 28.6 | 1,150.00 |

Replacement Cartridges



| Application | Model | System | Part Number | Pack Size | Ship Wt. | | List Price |
|------------------|-----------------|-----------------------------|-------------|-----------|----------|-----|------------|
| | | | | | lb | kg | |
| Carbon Prefilter | 4CB5 | MRS-20 | EV9617-16 | 6 | 13 | 5.9 | \$ 82.40 |
| | 6TO-BW | MRS-100/100CC/MRS-225/225CC | EV9607-41 | 1 | 3 | 1.4 | 118.00 |
| | 7TO-BW | MRS-350/350CC/350BL | EV9627-04 | 1 | 4 | 1.8 | 125.00 |
| | 7FS-BW | MRS-600HE-II | EV9627-16 | 1 | 5 | 2.3 | 160.00 |
| RO Module | MR-20 | MRS-20 | EV9273-69 | 1 | 3 | 1.4 | 212.00 |
| | MR-100 | MRS-100/100CC | EV9627-11 | 1 | 3 | 1.4 | 483.00 |
| | MR-225 | MRS-225/225CC | EV9627-03 | 1 | 3 | 1.4 | 500.00 |
| | MR-350 | MRS-350/350CC/350BL | EV9627-07 | 1 | 4 | 1.8 | 669.00 |
| Feeder | MR-600 | MRS-600HE, MRS-600HE-II | EV9627-13 | 1 | 4 | 1.8 | 764.00 |
| | 7CC-BW | MRS-100CC/225CC/350CC | EV9627-05 | 1 | 4 | 1.8 | 127.00 |
| Postfilter | 2SR-BW | MRS-600HE | EV9627-14 | 1 | 3 | 1.4 | 115.00 |
| | GS-215-RO | MRS-600HE | EV9627-15 | 1 | 2 | 0.9 | 50.20 |
| | MC ² | MRS-600HE-II | EV9612-56 | 1 | 2 | 0.9 | 98.70 |

Water Boost Systems

As foodservice establishments continue to expand their beverage offerings to keep pace with consumer demand, the increased water usage that accompanies that expansion can adversely impact operational performance. Add in the effects associated with inconsistent city water flow and pressure, and the results can be inconsistent drink quality, poor beverage dispenser performance and premature expiration of filter cartridge life.

SHURflo® Water Boost Systems can help maximize equipment and operational performance with minimal investment. These systems are designed specifically for applications where low, fluctuating or absent water pressure pose a problem. The pump and accumulator tank assist in maintaining an even water pressure to one or more dispensing valve or faucets, maximizing filter cartridge life, and ensuring consistent delivery of high quality drinks to your customers.

System sizing guidelines:

Water Boosts are available in a number of sizes (mini, medium and maxi) with a variety of connections to accommodate nearly any system. Which system is right for you? First, determine incoming water pressure as close to the point of dispense as possible. If water pressure is below 50 psi (3.4 bar), your location could benefit from a SHURflo Water Boost System.

| Annual VPO Syrup (Gallons) | Annual Water Consumption (Gallons) | Number of Dispensers | | |
|----------------------------|------------------------------------|----------------------|--------------------|------------------|
| | | One | Two | Three |
| 0 - 500 | 0 - 2000 | Medium Water Boost | Medium Water Boost | Maxi Water Boost |
| 500 - 1000 | 2000 - 4000 | Medium Water Boost | Medium Water Boost | Maxi Water Boost |
| 1000 - 1500 | 4000 - 6000 | Medium Water Boost | Medium Water Boost | Maxi Water Boost |
| 1500+ | 6000+ | Medium Water Boost | Maxi Water Boost | Maxi Water Boost |

Note: VPO = Volumes per outlet. This is the number of gallons of fountain syrup a location uses in one year. Syrup is generally packed in either 2.5 or 5 gallon BIBs. If an operator does not know the total number of gallons, perhaps the total number of boxes is known.


Mini Water Boost Systems



| Part Number | Description | PSI | Volts | Tank | | Inlet/Outlet | Dimensions (H x W x D) | | Ship Wt. | | List Price |
|-------------|-------------|-----|-------|------|-------|--------------|------------------------|--------------------|----------|-----|------------|
| | | | | oz | ml | | in | cm | lb | kg | |
| 804-001 | 115 VAC | 60 | 115 | 21 | 621.0 | 3/8" Barb | 10 x 10.3 x 4.6 | 25.4 x 26.2 x 11.7 | 8 | 3.6 | \$392.00 |
| 804-002 | 115 VAC | 90 | 115 | 21 | 621.0 | 3/8" Barb | 10 x 10.3 x 4.6 | 25.4 x 26.2 x 11.7 | 8 | 3.6 | 369.00 |

Note: Contact factory for 230 VAC options

Medium Boost Systems



| Part Number | Description | PSI | Volts | Tank | | Inlet/Outlet | Dimensions (H x W x D) | | Ship Wt. | | List Price |
|-------------|-------------|-----|-------|------|-------|--------------|------------------------|------------------|----------|-----|------------|
| | | | | gal | litre | | in | cm | lb | kg | |
| 804-023 | 115 VAC | 90 | 115 | 2 | 7.6 | 3/8" Barb | 13 x 10 x 10 | 33 x 25.4 x 25.4 | 14 | 6.4 | \$627.00 |
| 804-029 | 115 VAC | 90 | 115 | 2 | 7.6 | 3/8" Barb | 13 x 10 x 10 | 33 x 25.4 x 25.4 | 14 | 6.4 | 661.00 |

Note: Contact factory for 230 VAC options

Maxi Boost Systems



| Part Number | Description | PSI | Volts | Tank | | Inlet/Outlet | Dimensions (H x W x D) | | Ship Wt. | | List Price |
|-------------|-------------|-----|-------|------|-------|--------------|------------------------|------------------|----------|-----|------------|
| | | | | gal | litre | | in | cm | lb | kg | |
| 804-037 | 115 VAC | 90 | 115 | 6 | 22.7 | 3/8" Barb | 16 x 11 x 19 | 40.6 x 28 x 48.3 | 19 | 8.6 | \$851.00 |
| 804-026 | 115 VAC | 90 | 115 | 6 | 22.7 | 1/2" Barb | 16 x 11 x 19 | 40.6 x 28 x 48.3 | 19 | 8.6 | 858.00 |

Note: Contact factory for 230 VAC options

Integrated Water Boost and Filtration Systems



| Part Number | Description | PSI | Volts | Tank | | Inlet/ Outlet | Dimensions | | Ship Wt. | | List Price |
|-------------|-----------------------------------|-----|-------|------|-------|------------------|--------------|--------------------|----------|-----|------------|
| | | | | gal | litre | | in | cm | lb | kg | |
| WB2-LVPO-01 | Water Boost and Filtration System | 90 | 115 | 2 | 7.6 | 3/8" Barb | 16 x 20 x 18 | 40.6 x 71.1 x 45.7 | 21 | 9.5 | \$870.00 |

Note: Contact factory for 230V options.

Replacement Cartridges/Parts

| Part Number | Description | PSI | Volts | List Price |
|---------------|------------------------------|-----|-------|------------|
| 88025-933-237 | Water Boost Replacement Pump | 60 | 115 | \$259.00 |
| 8025-933-399 | Water Boost Replacement Pump | 90 | 115 | 348.00 |




| Part Number | Description | Chlorine | T&O | Micron | Rated Capacity | | Flow Rate | | Pack Size | Ship Wt. | | List Price |
|--------------|--|----------|-----|--------|----------------|--------|-----------|------|-----------|----------|------|------------|
| | | | | | gal | litre | gpm | lpm | | lb | kg | |
| 94-399-00 | LVPO F1 Cartridge | Yes | Yes | 5.0 | 6,000 | 22,712 | 3 | 11.4 | 12 | 28 | 12.7 | \$100.00 |
| 94-897-00-SS | Quick Pump Connection Kit (includes (2) swivel 1/2" NPTF ball valves and (2) 3/8" Barb x 1/2" NPTM Fittings) | | | | | | | | 1 Kit | 2 | 0.9 | 96.00 |

What's your filter size?

Everpure replacement filter cartridges are manufactured in 5 different height configurations. Each cartridge has a size designation of:

- 2-size = 10.25" high
- 4-size = 14.5" high
- 6-size = 17" high
- 7-size = 20.75" high
- X-size = 25" high

- For example,
- 2-size = OCS² Cartridge
 - 4-size = BH² Cartridge
 - 6-size = OW200L Cartridge
 - 7-size = MC² Cartridge
 - X-size = XC² Cartridge



QL1 Single Head



QL3B Single Head



QL Series

| System | Part Number | Shut-Off Valve | Mounting Bracket | Connection | Flushing Valve | Pressure Gauge(s) | Pack Size | Ship Wt. | | List Price |
|------------------|-------------|----------------|------------------|------------|----------------|-------------------|-----------|----------|-----|------------|
| | | | | | | | | lb | kg | |
| QL1 Single Head | EV9256-17 | N | Y | 3/8" JG | N | N | 24 | 14 | 6.4 | \$ 44.30 |
| | EV9256-18 | N | Y | 3/8" NPT | N | N | 24 | 14 | 6.4 | 42.30 |
| | EV9256-20 | N | Y | 1/4" JG | N | N | 24 | 14 | 6.4 | 44.30 |
| QL3B Single Head | EV9259-24 | Y | Y | 3/8" NPT | N | N | 12 | 7 | 3.2 | 62.90 |

QC7I/Insurice Single Head



QC7I/Insurice Twin Parallel Head



QC7I/Insurice Triple Parallel Head



QC7I/Insurice Quad Parallel Head



QC7I/Insurice Manifolds

| System | Part Number | Shut-Off Valve | Mounting Bracket | Connection | Flushing Valve | Pressure Gauge(s) | Pack Size | Ship Wt. | | List Price |
|----------------------|-------------|----------------|------------------|------------|----------------|-------------------|-----------|----------|-----|------------|
| | | | | | | | | lb | kg | |
| Single Head | EV9272-41 | N | Y | 3/8" NPT | Y | N | 2 | 3 | 1.7 | \$252.00 |
| Twin Parallel Head | EV9272-22 | Y | Y | 3/4" NPTG | Y | Y | 1 | 6 | 2.7 | 446.00 |
| Triple Parallel Head | EV9272-23 | Y | Y | 3/4" NPT | Y | Y | 1 | 7 | 3.2 | 633.00 |
| Quad Parallel Head | EV9336-11 | Y | Y | 3/4" NPT | Y | Y | 1 | 10 | 4.5 | 902.00 |

Twin Series Head Series Plumbed



Twin Series Head Series Plumbed

Twin Series Head required when the 7SO, 7TO, 7OF and 7NE cartridges are used with an MC² fine filter cartridge.

| System | Part Number | Shut-Off Valve | Mounting Bracket | Connection | Flushing Valve | Pressure Gauge(s) | Pack Size | Ship Wt. | | List Price |
|----------------------------------|-------------|----------------|------------------|------------|----------------|-------------------|-----------|----------|-----|------------|
| | | | | | | | | lb | kg | |
| Twin Series Head; Series Plumbed | EV9272-24 | Y | Y | 3/4" NPT | Y | N | 1 | 4 | 1.8 | \$228.00 |

Coldrink/Insurice Single 20" PF Manifold



Coldrink/Insurice Twin 20" PF Manifold



Coldrink/Insurice Triple 10" PF Manifold



Coldrink/Insurice Quad 10" PF Manifold




NEW! Coldrink/Insurice PF Manifolds

| System | Part Number | Shut-Off Valve | Mounting Bracket | Inlet Connection | Outlet Connection | Flushing Valve | Pressure Gauge(s) | Pack Size | Ship Wt. | | List Price |
|---|-------------|----------------|------------------|------------------|-------------------|----------------|-------------------|-----------|----------|-----|------------|
| | | | | | | | | | lb | kg | |
| Coldrink/Insurice Single 10" PF Manifold* | EV9293-01 | Y | Y | 3/4" NPT | 3/8" NPT | Y | Y | 1 | 10 | 4.5 | \$ 347.80 |
| Coldrink/Insurice Single 20" PF Manifold | EV9293-21 | Y | Y | 3/4" NPT | 3/8" NPT | Y | Y | 1 | 12 | 5.4 | 411.00 |
| Coldrink/Insurice Twin 10" PF Manifold* | EV9293-02 | Y | Y | 3/4" NPT | 3/8" NPT | Y | Y | 1 | 13 | 5.9 | 541.80 |
| Coldrink/Insurice Twin 20" PF Manifold | EV9293-22 | Y | Y | 3/4" NPT | 3/8" NPT | Y | Y | 1 | 14 | 6.4 | 605.00 |
| Coldrink/Insurice Triple 10" PF Manifold | EV9293-03 | Y | Y | 3/4" NPT | 3/8" NPT | Y | Y | 1 | 16 | 7.3 | 728.80 |
| Coldrink/Insurice Triple 20" PF Manifold* | EV9293-23 | Y | Y | 3/4" NPT | 3/8" NPT | Y | Y | 1 | 17 | 7.7 | 792.00 |
| Coldrink/Insurice Quad 10" PF Manifold* | EV9293-04 | Y | Y | 3/4" NPT | 3/8" NPT | Y | Y | 1 | 18 | 8.2 | 997.80 |
| Coldrink/Insurice Quad 20" PF Manifold | EV9293-24 | Y | Y | 3/4" NPT | 3/8" NPT | Y | Y | 1 | 20 | 9.1 | 1,061.00 |


*Not shown.

See REFERENCE section for Manifold System Configurations Ordering Guide.

High Flow CSR 10" PF Twin Manifold



High Flow CSR 10" PF Triple Manifold



High Flow CSR 10" PF Quad Manifold



NEW! High Flow CSR Manifolds

| System | Part Number | Scale Reduction | Shut-Off Valve | Mounting Bracket | Inlet Connection | Outlet Connection | Flushing Valve | Pressure Gauge(s) | Pack Size | Ship Wt. | | List Price |
|---------------------------------------|-------------|-----------------|----------------|------------------|------------------|-------------------|----------------|-------------------|-----------|----------|------|------------|
| | | | | | | | | | | lb | kg | |
| High Flow CSR 10" PF Twin Manifold | EV9294-02 | Y | Y | Y | 3/4" NPT | 3/4" NPT | Y | Y | 1 | 19 | 8.6 | \$ 781.80 |
| High Flow CSR 20" PF Twin Manifold* | EV9294-22 | Y | Y | Y | 3/4" NPT | 3/4" NPT | Y | Y | 1 | 20 | 9.1 | 845.00 |
| High Flow CSR 10" PF Triple Manifold | EV9294-03 | Y | Y | Y | 3/4" NPT | 3/4" NPT | Y | Y | 1 | 22 | 10.0 | 968.80 |
| High Flow CSR 20" PF Triple Manifold* | EV9294-23 | Y | Y | Y | 3/4" NPT | 3/4" NPT | Y | Y | 1 | 22 | 10.0 | 1,032.00 |
| High Flow CSR 10" PF Quad Manifold | EV9294-04 | Y | Y | Y | 3/4" NPT | 3/4" NPT | Y | Y | 1 | 23 | 10.4 | 1,237.80 |
| High Flow CSR 20" PF Quad Manifold* | EV9294-24 | Y | Y | Y | 3/4" NPT | 3/4" NPT | Y | Y | 1 | 24 | 10.9 | 1,301.00 |

*Not shown.

See REFERENCE section for Manifold System Configurations Ordering Guide

Costguard® System selection guide

The Everpure® Costguard line of value-priced filtration systems are designed for rigorous foodservice applications. The housings feature inlet/outlet shut-off valves, gauges, mounting bracket and hardware. The filter cartridges are NSF certified for performance and are a standard size that fits most 10" and 20" slimline design systems.

STEP ONE: Select flow rate, capacity, application, and cartridge features required:

| System | Model | Part Number | Capacity | | Pack Size | Ship Wt. | | List Price |
|--|-----------|-------------|----------|--------|-----------|----------|-----|------------|
| | | | gallons | litres | | lb | kg | |
| <i>Chlorine, T & O Reduction</i> | | | | | | | | |
| Coffee and Ice; Includes Scale Inhibition | CGT-10S* | EV9108-13 | 5,000 | 18,927 | 12 | 12 | 5.4 | \$23.50 |
| | CGT-20S* | EV9108-33 | 10,000 | 37,854 | 6 | 17 | 7.7 | 39.00 |
| Fountain | CGT-10 | EV9108-11 | 5,000 | 18,927 | 12 | 12 | 5.4 | 17.90 |
| | CGT-20* | EV9108-32 | 10,000 | 37,854 | 6 | 17 | 7.7 | 29.30 |
| <i>Chlorine, T & O and Particulate Reduction</i> | | | | | | | | |
| Coffee and Ice; Includes Scale Inhibition | CG5-10S* | EV9108-17 | 6,000 | 22,710 | 12 | 15 | 6.8 | 25.70 |
| | CG5-20S* | EV9108-27 | 12,000 | 45,425 | 6 | 18 | 8.2 | 43.90 |
| Fountain | CG5-10* | EV9108-15 | 6,000 | 22,710 | 12 | 14 | 6.4 | 19.70 |
| | CG5-20* | EV9108-25 | 12,000 | 45,425 | 6 | 17 | 7.7 | 34.10 |
| <i>Chlorine, T & O, Particulate and Cyst Reduction</i> | | | | | | | | |
| Coffee and Ice; Includes Scale Inhibition | CG53-10S* | EV9108-57 | 6,000 | 22,710 | 12 | 14 | 6.8 | 28.50 |
| | CG53-20S* | EV9108-67 | 12,000 | 45,425 | 6 | 15 | 8.2 | 52.00 |
| Fountain | CG53-10 | EV9108-53 | 6,000 | 22,710 | 12 | 14 | 6.4 | 22.60 |
| | CG53-20* | EV9108-63 | 12,000 | 45,425 | 6 | 15 | 7.7 | 42.10 |

Cartridge Capacity:
10" Cartridge – Up to 2 GPM;
20" Cartridge – 2-4 GPM



*Not shown.

STEP TWO: Select appropriate housing:

| System | Part Number | Connection | Pack Size | Ship Wt. | | List Price |
|----------------------|-------------|------------|-----------|----------|-----|------------|
| | | | | lb | kg | |
| CGS-10 Single | EV9100-10 | 3/8" FPT | 1 | 5 | 2.3 | \$139.00 |
| CGS-12 Dual Series | EV9100-12 | 1/2" FPT | 1 | 8 | 3.6 | 227.00 |
| CGS-20 Single | EV9100-20 | 3/8" FPT | 1 | 7 | 3.2 | 206.00 |
| CGS-22 Dual Series | EV9100-22 | 1/2" FPT | 1 | 12 | 5.4 | 361.00 |
| CGS-23 Parallel | EV9100-23 | 3/8" FPT | 1 | 13 | 5.9 | 361.00 |
| CGS-55 Single Series | EV9100-50 | 1/2" FPT | 1 | 20 | 9.1 | 496.00 |

10" Housings



CGS-10 Single



CGS-12 Dual Series

20" Housings



CGS-20 Single



CGS-22 Dual Series



CGS-23 Parallel



CGS-55 Single Series

Filtration Systems for Steamer and Combi-Oven Applications



SC10-11 System



SC10-21 System

| System | Part Number | Pack Size | Ship Wt. | | List Price |
|--|-------------|-----------|----------|-----|------------|
| | | | lb | kg | |
| SC10-11 (Twin Series Header Configuration, CG5-10 10" carbon block cartridge, SS-10 ScaleStick® cartridge) | EV9797-82 | 1 | 9 | 4.1 | \$450.00 |
| SC10-21 (Twin Series Header Configuration, CG5-20 20" carbon block cartridge, SS-10 ScaleStick cartridge) | EV9797-83 | 1 | 10 | 4.5 | 495.00 |
| CG5-10 Replacement Cartridge* | EV9108-15 | 12 | 14 | 6.4 | 19.70 |
| CG5-20 Replacement Cartridge* | EV9108-25 | 6 | 17 | 7.7 | 34.10 |
| SS-10 Replacement Cartridge* | EV9799-02 | 12 | 5 | 2.3 | 86.60 |

*Not shown.

Cartridges for Combination Systems



| Application | Description | Part Number | Pack Size | Ship Wt. | | List Price |
|----------------------------|--|-------------|-----------|----------|-----|------------|
| | | | | lb | kg | |
| Coarse Prefilter | EC210 | EV9534-26 | 6 | 5 | 2.3 | \$ 12.20 |
| Fine Filter | MC ² | EV9612-56 | 1 | 2 | 0.9 | 98.70 |
| High Capacity Fine Filter | XC ² (33% more capacity) | EV9613-10 | 1 | 3 | 1.4 | 123.00 |
| Scale Reduction | SS-IMF | EV9799-32 | 12 | 4 | 1.8 | 72.40 |
| Spacer for SS-IMF | SS-IMF 10" Housing Adapter | EV3114-69 | 1 | 1 | 0.5 | 5.00 |
| Triple-MC ² Kit | EC210 (1 ea), MC ² (3 ea) SS-IMF w/spacer (1 ea) | EV9970-42 | 1 | 12 | 5.4 | 347.00 |
| Quad-MC ² Kit | EC210 (1 ea), MC ² (4 ea) SS-IMF w/spacer (1 ea) | EV9628-28 | 1 | 14 | 6.4 | 434.00 |
| Quad-XC ² Kit | EC210 (1 ea), XC ² (4 ea) SS-IMF w/spacer (1 ea) | EV9628-29 | 1 | 15 | 6.8 | 520.00 |

1/2-Micron Precoat Cartridges Featuring Micro-Pure® II

| Product | Part Number | Size | Capacity | | Coffee | Combination | Drinking Water | Fountain | Ice | Pack Size | Ship Wt. | | List Price |
|----------------------------|-------------|------|----------|---------|--------|-------------|----------------|----------|-----|-----------|----------|------|------------|
| | | | gallons | litres | | | | | | | lb | kg | |
| OCS ² | EV9618-02 | 2 | 1,500 | 5,678 | • | | | | | 1 | 7 | 3.2 | \$ 64.00 |
| OW2-Plus | EV9634-06 | 2 | 1,000 | 3,785 | | | • | | | 6 | 7 | 3.2 | 85.00 |
| BH ² | EV9612-50 | 4 | 3,000 | 11,356 | • | | | | | 1 | 12 | 5.4 | 90.70 |
| OW4-Plus | EV9635-06 | 4 | 2,000 | 7,571 | | | • | | | 6 | 12 | 5.4 | 102.00 |
| OW200L | EV9619-06 | 6 | 480 | 1,817 | | | • | | | 6 | 16 | 7.3 | 103.00 |
| MC ² | EV9612-56 | 7 | 9,000 | 34,069 | | • | • | • | | 1 | 17 | 7.7 | 98.70 |
| MH ² | EV9613-21 | 7 | 9,000 | 34,069 | • | | | | | 1 | 17 | 7.7 | 126.00 |
| i2000 ² | EV9612-22 | 7 | 9,000 | 34,069 | | | | • | | 1 | 17 | 7.7 | 111.00 |
| XC ² | EV9613-10 | X | 12,000 | 45,425 | | • | • | • | | 1 | 23 | 10.4 | 123.00 |
| i4000 ² | EV9612-32 | X | 12,000 | 45,425 | | | | • | | 1 | 23 | 10.4 | 126.00 |
| Triple MC ² Kit | EV9970-42 | 7 | 27,000 | 102,206 | | • | | | | 3 | 9 | 4.1 | 347.00 |
| Quad MC ² Kit | EV9628-28 | 7 | 36,000 | 136,275 | | • | | | | 4 | 9 | 4.1 | 434.00 |
| Quad XC ² Kit | EV9628-29 | X | 48,000 | 181,680 | | • | | | | 4 | 12 | 5.4 | 520.00 |

*Rated chemical filtration capacity. Mechanical (sediment) filtration capacity is dependent on incoming water quality.

1/2-Micron 7CLM Chloramine Reduction Cartridge

| Product | Part Number | Size | Capacity | | Combination | Drinking Water | Fountain | Pack Size | Ship Wt. | | List Price |
|---------|-------------|------|---------------|-----------------|-------------|----------------|----------|-----------|----------|-----|------------|
| | | | gallons | litres | | | | | lb | kg | |
| 7CLM | EV9693-01 | 7 | 3,600 - 8,000 | 13,626 - 30,280 | • | • | • | 1 | 3.0 | 1.4 | \$165.71 |

5-Micron Carbon Block

| Product | Part Number | Size | Capacity | | Coffee | Combination | Fountain | Ice | Steam | Pack Size | Ship Wt. | | List Price |
|---------|-------------|------|----------|--------|--------|-------------|----------|-----|-------|-----------|----------|-----|------------|
| | | | gallons | litres | | | | | | | lb | kg | |
| 2CB5-S | EV9617-22 | 2 | 3,000 | 11,355 | • | | | | | 6 | 10 | 4.5 | \$ 59.80 |
| 2CB5-K | EV9617-06 | 2 | 3,000 | 11,355 | • | | | | | 6 | 10 | 4.5 | 62.10 |
| 4CB5 | EV9617-16 | 4 | 6,000 | 22,710 | | | • | | • | 6 | 13 | 5.9 | 75.80 |
| 4CB5-S | EV9617-26 | 4 | 6,000 | 22,710 | • | | | • | | 6 | 13 | 5.9 | 82.40 |
| 4CB5-K | EV9617-36 | 4 | 6,000 | 22,710 | • | | • | • | | 6 | 13 | 5.9 | 88.40 |
| 7CB5 | EV9618-11 | 7 | 10,000 | 37,850 | | • | • | | • | 1 | 18 | 8.2 | 105.00 |
| 7CB5-S | EV9618-21 | 7 | 10,000 | 37,850 | • | | | • | | 1 | 18 | 8.2 | 113.00 |
| 7CB5-K | EV9617-76 | 7 | 10,000 | 37,850 | • | • | • | • | | 6 | 18 | 8.2 | \$121.00 |

*Rated chemical filtration capacity. Mechanical (sediment) filtration capacity is dependent on incoming water quality.

Sediment Prefilter Cartridges (drop-ins)



*Product size not to scale

| Size | Model | Micron | Housing | Part Number | Pack Size | Ship Wt. | | List Price |
|-------------------|-----------|--------|--------------|-------------|-----------|----------|-----|------------|
| | | | | | | lb | kg | |
| 10" Slimline | EC110 | 10 | E-10 | EV9534-12 | 12 | 5 | 2.3 | \$ 6.50 |
| 20" Slimline | EC210 | 10 | E-20 | EV9534-26 | 6 | 5 | 2.3 | 12.20 |
| 10" ECP1 | ECP1-10 | 1 | E-10 | 255481-43 | 24 | 9 | 4.1 | 12.90 |
| 20" ECP1 | ECP1-20 | 1 | E-20 | 255485-43 | 14 | 10 | 4.5 | 26.60 |
| 20" ECP1 Big Bowl | ECP1-20BB | 1 | Parallel 202 | 255493-43 | 6 | 10 | 4.5 | 45.70 |
| 20" x 4" Big Bowl | DGD5005 | 50 & 5 | Parallel 202 | 155358-43 | 6 | 12 | 5.4 | 51.10 |
| 20" x 4" Big Bowl | DGD2501 | 25 & 1 | Parallel 202 | 155360-130 | 6 | 13 | 5.9 | 57.20 |

Softening and Scale Reduction Cartridges (drop-ins)



*Product shown in order listed;
Product size not to scale

| Model | Technology | Housing | Part Number | Pack Size | Ship Wt. | | List Price |
|--------|---------------------------|------------------------|-------------|-----------|----------|------|------------|
| | | | | | lb | kg | |
| SO-10 | Ion Exchange | A-10/11 | EV9105-41 | 6 | 10 | 4.5 | \$ 33.00 |
| SO-20 | Ion Exchange | A-20 | EV9105-42 | 6 | 21 | 9.5 | 52.00 |
| SO-204 | Ion Exchange | SO-24 | EV9105-45 | 4 | 24 | 10.9 | 103.00 |
| SS-IMF | Hydroblend™ Polyphosphate | IMF SR-X (w/spacer) | EV9799-32 | 12 | 4 | 1.8 | 72.40 |
| SS-10 | Hydroblend Polyphosphate | SR-X | EV9799-02 | 12 | 5 | 2.3 | 86.60 |
| SS-XL | Hydroblend Polyphosphate | SR-X | EV9799-42 | 6 | 6 | 2.7 | 283.00 |
| HT-10 | Hydroblend Polyphosphate | HTS-10/11 | EV9799-22 | 6 | 4 | 1.8 | 429.00 |

MRS System Replacement Cartridges



*Product size not to scale

| Application | Model | System | Part Number | Pack Size | Ship Wt. | | List Price |
|------------------|-----------------|-------------------------|-------------|-----------|----------|-----|------------|
| | | | | | lb | kg | |
| Carbon Prefilter | 4CB5 | MRS-20 | EV9617-16 | 6 | 13 | 5.9 | \$ 82.40 |
| | 6TO-BW | MRS-100/100CC/225/225CC | EV9607-41 | 1 | 3 | 1.4 | 118.00 |
| | 7TO-BW | MRS-350/350CC/350BL | EV9627-04 | 1 | 4 | 1.8 | 125.00 |
| | 7FS-BW | MRS-600HE-II | EV9627-16 | 1 | 5 | 2.3 | 160.00 |
| RO Module | MR-20 | MRS-20 | EV9273-69 | 1 | 3 | 1.4 | 212.00 |
| | MR-100 | MRS-100/100CC | EV9627-11 | 1 | 3 | 1.4 | 433.00 |
| | MR-225 | MRS-225/225CC | EV9627-03 | 1 | 3 | 1.4 | 500.00 |
| | MR-350 | MRS-350/350CC/350BL | EV9627-07 | 1 | 4 | 1.8 | 669.00 |
| Feeder | MR-600 | MRS-600HE, MRS-600HE-II | EV9627-13 | 1 | 4 | 1.8 | 764.00 |
| | 7CC-BW | MRS-100CC/225CC/350CC | EV9627-05 | 1 | 4 | 1.8 | 127.00 |
| Postfilter | 2SR-BW | MRS-600HE | EV9627-14 | 1 | 3 | 1.4 | 115.00 |
| | GS-215RO-H | MRS-600HE | EV9627-15 | 1 | 2 | 0.9 | 50.20 |
| | MC ² | MRS-600HE-II | EV9612-56 | 1 | 2 | 0.9 | 98.70 |

3M/Cuno Series 5000 and 8000 Systems Replacement Cartridges



*Product shown in order listed

| Model | Micron | Technology | Capacity | | Performance & Features | Part Number | Pack Size | Ship Wt. | | List Price |
|-----------|--------|-----------------------------------|----------|--------|---|-------------|-----------|----------|-----|------------|
| | | | gallons | litres | | | | lb | kg | |
| EFS5002-K | 5 | Carbon Block with Bacteriostat | 4,000 | 15,140 | Chlorine Reduction, Taste & Odor Reduction, Particulate Reduction, Scale Reduction, Microbial Control | EV9751-11 | 6 | 10 | 45 | \$71.20 |
| EFS8002 | 5 | Carbon Block | 10,000 | 37,850 | Chlorine Reduction, Taste & Odor Reduction, Particulate Reduction | EV9781-10 | 6 | 14 | 6.4 | 73.60 |
| EFS8002-S | 5 | Carbon Block with Scale Inhibitor | 10,000 | 37,850 | Chlorine Reduction, Taste & Odor Reduction, Particulate Reduction, Scale Reduction | EV9781-12 | 6 | 14 | 6.4 | 79.30 |

Specialty Cartridges

| Problem | Technology | Model | Cartridge Size | Capacity | | Part Number | Pack Size | Ship Wt. | | List Price |
|---|---------------------------|-------|------------------|----------------------------|---------|-------------|-----------|----------|-----|------------|
| | | | | gallons | litres | | | lb | kg | |
| Extraordinary Taste & Odor, High Turbidity | Granular Activated Carbon | 7T0 | 7 | 30,000 | 113,550 | EV9607-56 | 6 | 17 | 7.7 | \$120.00 |
| Extraordinary Taste & Odor, High Turbidity | Dual Stage GAC | 7DBG | 7 | — | — | EV9607-00 | 1 | 3 | 1.4 | 148.00 |
| High Mineral Content (Low volume application) | Demineralizing | 7DM | 7 | 1,600 grains | | EV9607-01 | 1 | 3 | 1.4 | 173.00 |
| High Mineral Content (Low volume application) | Ion Exchange Resin | 7SO | 7 | 2,000 grains | | EV9607-04 | 1 | 3 | 1.4 | 133.00 |
| Taste & Odor and Mineral Reduction | 3-Stage Blending | ESO 6 | 6 | See Individual Spec Sheets | | EV9607-10 | 1 | 4 | 1.8 | 139.00 |
| | | ESO 7 | 7 | | | 2.3 | | | | |
| Acidic (Low pH) Water | Buffering | 7NE | 7 | — | — | EV9607-02 | 1 | 5 | 2.7 | 150.00 |
| Iron & Sulfur | Oxidizing | 7OF | 7 | — | — | EV9607-0 | 1 | 6 | 2.7 | 165.00 |
| Chloramine | Granular Activated Carbon | CC1E | 4" x 20" Drop-In | 15,000 | 56,775 | EV9105-02 | 1 | 4 | 1.8 | 287.00 |

| System | Part Number | Rated Capacity (gallons) | Flow Rate (gpm) | Ship Wt. | | List Price |
|---------------------|-------------|--------------------------|-----------------|----------|------|------------|
| | | | | lb | kg | |
| Big Blue Housing | 150467 | see chart to right | | 27.9 | 12.7 | \$115.00 |
| RFFE-20BB Cartridge | 155263-03 | see chart to right | | 39.0 | 17.7 | 154.00 |

Approximate Life of RFFE-20BB Cartridge Systems*

| Iron Level in Water | Capacity | |
|---------------------|----------|---------|
| | gallons | litres |
| 3 ppm | 26,000 | 98,410 |
| 2 ppm | 40,000 | 151,400 |
| 1 ppm | 80,000 | 302,800 |
| 0.5 ppm | 160,000 | 605,600 |

**Test results were obtained by using the RFFE-20BB in combination with an RFC-20BB cartridge.*



Big Blue and RFFE-20BB

Everpure® Cartridge Tracking System

This on-line database program was developed to help dealers organize information about their customers' cartridges when monitoring service calls and scheduling cartridge changes. It allows viewing of current cartridge tracking details and generates lists alerting you when cartridges need changing. With ECTS, you never miss an opportunity to offer great service.

ECTS

Login to Everpure's On-Line Cartridge Tracking System



Everpure products are featured in:




The benefits of Everpure® Ultrafiltration Systems.

- High quality ingredient water
- Bacteria and virus protection
- Automatic, self-cleaning, high capacity filtration
- Maximized carbon filter life
- Extended cartridge change intervals

See individual system specifications for performance claims.

Ultrafiltration Membranes provide high capacity flow rates while allowing effective blocking of undesirables such as particles, bacteria, viruses, and cysts. Suitable for poor quality or high turbidity areas that face frequent cartridge changeouts or short-life issues.



HSD 440P Automatic Self-Flushing Ultrafilter

- Filters particles as small as 0.025-micron with bacteria and virus reduction
- Multi-programmable, self-flushing controller allows for several year's use between hollow fiber cartridge replacement and minimal water waste
- Hollow fiber configuration traps fine particles and permits accumulated materials to be flushed away periodically
- Idea for high volume applications and/or high turbidity areas
- Low maintenance

| System | Part Number | Maximum Flow Rate | | Dimensions (H x W x D) | | Pack Size | Ship Wt. | | List Price |
|----------------------------|-------------|-------------------|------|------------------------|---------------------|-----------|----------|------|------------|
| | | gpm | lpm | in | cm | | lb | kg | |
| HSD 440P, 120V | EV9344-00 | 10 | 37.9 | 52 x 10 x 6.75 | 132.1 x 25.4 x 17.1 | 1 | 35 | 15.9 | \$3,969.00 |
| HSD 440P, 230V (Europe) | EV9344-10 | 10 | 37.9 | 52 x 10 x 6.75 | 132.1 x 25.4 x 17.1 | 1 | 35 | 15.9 | 3,969.00 |
| HSD 440P, 230V (Australia) | EV9344-15 | 10 | 37.9 | 52 x 10 x 6.75 | 132.1 x 25.4 x 17.1 | 1 | 35 | 15.9 | 3,969.00 |
| Replacement HSD Cartridge* | EV9344-70 | 10 | 37.9 | — | — | 1 | 10 | 4.5 | 1,912.00 |

*Not shown.



Homespring™ High Capacity Ultrafiltration System

The Homespring automatic, self-cleaning, high-capacity filter with ultrafiltration membrane technology maximizes the life of carbon filters and extends cartridge change intervals.

- Removes bacteria, parasites, cysts and viruses
- Removes colloids, turbidity and organics as small as 0.015-micron
- High capacity carbon filter for chlorine, taste & odor reduction
- 130,000 gallons (492,103 litres) capacity; 11 gpm (41.6 lpm) peak flow rate
- Low maintenance and requires minimal water pressure to operate efficiently

| System | Part Number | Rated Capacity | | Maximum Flow Rate | | Dimensions (H x W x D) | | Pack Size | Ship Wt. | | List Price |
|--|-------------|----------------|---------|-------------------|-----|------------------------|---------------------|-----------|----------|------|------------|
| | | gallon | litre | gpm | lpm | in | cm | | lb | kg | |
| Homespring, GAC Prefilter, RoHS-DC | 3030217 | 130,000 | 492,104 | 11 | 42 | 74 x 18 x 24 | 118.0 x 45.7 x 61.0 | 1 | 84 | 38.1 | \$7,356.00 |
| Homespring, SS Prefilter, RoHS-DC | 4000299 | — | — | 11 | 42 | 74 x 18 x 24 | 118.0 x 45.7 x 61.0 | 1 | 84 | 38.1 | 7,056.00 |
| Homespring, California, GAC Prefilter DC | 3035501 | 130,000 | 492,104 | 11 | 42 | 74 x 18 x 24 | 118.0 x 45.7 x 61.0 | 1 | 84 | 38.1 | 7,356.00 |
| Homespring, California, SS Prefilter DC | 3035500 | — | — | 11 | 42 | 74 x 18 x 24 | 118.0 x 45.7 x 61.0 | 1 | 84 | 38.1 | 7,056.00 |
| Replacement Carbon Filter Cartridge* | 3024924 | 130,000 | 492,104 | — | — | — | — | 1 | 9 | 4.1 | 180.00 |
| Replacement Stainless Steel Filter Cartridge | 3024923 | — | — | — | — | — | — | 1 | 5 | 2.3 | 180.00 |
| UF211 Quad Replacement Filter* | 3024925 | — | — | — | — | 52 x 10 x 6.75 | 132.1 x 25.4 x 17.1 | 1 | ** | ** | 56.70 |

*Not shown.

**Call factory for information.

Accessories



Surge Tanks

| Product | Description | Part Number | List Price |
|---------------------------|--|-------------|------------|
| Surge Tank | Allows for 9-gallon (34.1 litres) reserve of filtered water; includes interconnecting fittings and tubing | EV933-50 | 579.00 |
| Extra Capacity Surge Tank | Allows for 12-gallon (45.4 litres) reserve of filtered water; includes interconnecting fittings and tubing | EV933-51 | 829.00 |

Replacement Parts

| Product | Part Number | List Price |
|--|-------------|------------|
| <i>E-Series Prefilters and SR-X Systems</i> | | |
| Wrench | 150295-06 | \$ 8.20 |
| O-Ring #241 | 1511200 | 3.40 |
| Clear 20" Replacement Bowl | 153195-60 | 120.00 |
| Clear 10" Replacement Bowl | 153194-06 | 59.10 |
| Black Head | 154981-06 | 33.80 |
| Opaque 20" Replacement Bowl | 153200-06 | 53.80 |
| Opaque 10" Replacement Bowl | 153197-06 | 30.30 |
| Dip Tube Assembly | EV3080-40 | 15.40 |
| <i>Series K Prefilters (Old Style)</i> | | |
| O-Ring #240 | EV3071-19 | 6.30 |
| Clear 10" Replacement Bowl with O-Ring | EV3070-19 | 97.90 |
| Clear 20" Replacement Bowl with O-Ring | EV3070-18 | 177.00 |
| Opaque 10" Blue Replacement Bowl with O-Ring | EV3089-65 | 106.00 |
| Opaque 20" Blue Replacement Bowl with O-Ring | EV3108-16 | 123.00 |
| White Prefilter Head | EV3060-32 | 84.10 |
| Replacement Pressure Relief | EV3071-20 | 23.00 |
| <i>IMF (Old Style Feeder)</i> | | |
| Replacement O-Ring #240 | EV3071-19 | 97.90 |
| Opaque Blue Replacement Bowl with O-Ring | EV3089-65 | 106.00 |
| IMF Replacement Bowl with O-Ring | EV3081-65 | 106.00 |
| IMF White Head | EV3084-25 | 95.20 |
| Replacement Pressure Relief | EV3071-20 | 23.00 |
| <i>ARX (Old Style Feeder)</i> | | |
| Replacement O-Ring #240 | EV3071-19 | 6.30 |
| 10" Replacement Bowl with O-Ring | EV3070-19 | 97.90 |
| Opaque 10" Blue Replacement Bowl with O-Ring | EV3089-65 | 106.00 |
| White AR-X Replacement Head | EV3080-44 | 85.20 |
| Dip Tube Assembly | EV3080-40 | 15.40 |
| Replacement Pressure Relief | EV3071-20 | 23.00 |

| Product | Part Number | List Price |
|--|-------------|------------|
| <i>Tubing All Tubing available per foot; 100 ft. minimum</i> | | |
| 1/4" O.D. Blue Tubing | A0860119 | \$ 1.20 |
| 1/4" O.D. Red Tubing | EV3050-61 | 1.80 |
| 3/8" Black Tubing | EV3103-26 | 1.50 |
| Tubing 1/2" O.D. x 3/8" I.D. Clear | EV3114-31 | 1.50 |
| 3/8" Blue Tubing | EV5446-00 | 1.50 |
| <i>Tools</i> | | |
| SW-1A Wrench for Slim Line Bowls | 150539 | 4.97 |
| Wrench for E-Series Prefilters and SR-X Systems | 150295-06 | 8.20 |
| Wrench for Big Bowls Systems | 144368 | 8.20 |
| <i>Miscellaneous</i> | | |
| 1/2 GPM Flow Control for OW-Series | EV3081-32 | 37.20 |
| 3/4" Flush Kit for CB20-302 | EV3096-20 | 78.50 |
| 1/2" Flush Kit for CB20-312 | EV3111-50 | 145.00 |
| O-ring for HFC-10 | 158096 | 13.80 |
| 3/4" Ball Valve, One Piece Manifold | EV3114-07 | 53.80 |
| 3/4" Coupling, One Piece Manifold | EV3114-08 | 19.40 |
| End cap 3/4" NPTI with 3/8" JG Fittings | EV3112-50 | 24.80 |
| End cap 3/4" NPTI with 1/2" JG Fittings | EV3112-51 | 26.00 |
| Valve Stem Assembly for OL3 Heads | EV5896-00 | 9.20 |
| Low Pressure Alarm (LPA) Box | EV3027-05 | 318.00 |
| Low Pressure Alarm (LPA) Pressure Switch | EV3016-41 | 72.40 |
| Low Pressure Alarm (LPA) Switch Cover | EV3016-50 | 3.80 |

Ice Machines sizing guide

EVP-1-2-3

EVP-1-2-3

Ice Makers

Flake and Cube Models

High and Low Flow Rate Machines:

Most problems with ice makers are water related (70% by manufacturers' estimates). Clean up the water and clean up most maintenance problems!

Chief Offenders:

- **Dirt:** Wears pumps, blocks solenoids, pits evaporators.
- **Chlorine*:** Gas corrodes stainless parts, surfaces rust.
- **Scale Buildup:** Coats evaporator, slows harvest, lowers production, increases energy usage.

Solution:

Everpure Insurice Systems:

- Provide excellent flow rates for even largest machines.
- Remove dirt particles down to 1/2-micron in size.
- Reduces chlorine, prevents rusting of stainless parts.
- Reduces lime scale buildup that will cause poor ice production and freeze-up.

Sizing Ice Machines by Brand and Series/Capacity:

- If you know the manufacturer and the "size" of the ice maker, **EVP 1-2-3** will point you to the correct filter system or replacement cartridge.

These sizing recommendations are merely general guidelines. For exact sizing by Manufacturer and model number, please contact Everpure Technical Service: servicespecialist@pentair.com or 800.942.1153.

EV9324-21 Insurice® Single PF-i2000² System

Built-in prefilter removes sediment and coarse dirt particles



- **Cubers: <650 lbs/day**
IMI Cornelius, Manitowoc, Follett, Ice-O-Matic
- **Flakers: <1500 lbs/day**
IMI Cornelius, Manitowoc, Follett, Ice-O-Matic, Scotsman

Replacement Cartridges

- EV9634-26 EC210 Prefilter (1 ea)
- EV9312-22 i-2000²

Micro-Pure® II[†]

System available without prefilter: EV9324-01 Insurice Single

EV9324-22 Insurice Twin PF-i2000² System

Built-in prefilter removes sediment and coarse dirt particles



- **Cubers: 650–1200 lbs/day**
IMI Cornelius, Manitowoc, Follett, Ice-O-Matic, Scotsman
- **Cubers: up to 650 lbs/day**
Hoshizaki
- **Flakers: 1500–2500 lbs/day**
IMI Cornelius, Manitowoc, Follett, Ice-O-Matic, Scotsman

Replacement Cartridges

- EV9534-26 EC-210 Prefilter (1 ea)
- EV9312-22 i-2000² (2 ea)

Micro-Pure® II[†]

System available without prefilter: EV9324-02 Insurice Twin

EV9325-23 Insurice Triple PF-i4000² System

Built-in prefilter removes sediment and coarse dirt particles



- **Cubers: 1200–1600 lbs/day**
IMI Cornelius, Manitowoc, Follett, Ice-O-Matic, Scotsman
- **Cubers: 900–1250 lbs/day**
Hoshizaki, Vogt
- **Flakers: 2500–3500 lbs/day**
IMI Cornelius, Manitowoc, Follett, Ice-O-Matic, Scotsman

Replacement Cartridges

- EV9634-26 EC-210 Prefilter (1 ea)
- EV9612-32 i-4000² (3 ea)

Micro-Pure® II[†]

System available without prefilter: EV9325-03 Insurice Triple

EV9325-04 Insurice Quad-i4000² System

Optional prefilter available



- **Cubers: >1600 lbs/day**
IMI Cornelius, Manitowoc, Follett, Ice-O-Matic, Scotsman
- **Cubers: >1300–2400 lbs/day**
Hoshizaki, Vogt
- **Flakers: >3500 lbs/day**
IMI Cornelius, Manitowoc, Follett, Ice-O-Matic, Scotsman

Replacement Cartridges

- EV9534-26 EC-210 Prefilter (1 ea)
- EV9612-32 i-4000² (4 ea)

Micro-Pure® II[†]

Optional prefilter prolongs filter life in dirty water areas: EV3114-34 Prefilter Bracket • EV9795-90 E-Series 20" prefilter

[†]Micro-Pure II – A precoat filter with AgION® antimicrobial compound that inhibits the growth of bacteria. As water passes through the filter, the carbon adsorbs chlorine, off-tastes and odors, and AgION works to inhibit any bacterial growth.

*For chloramine removal, contact Everpure Technical Service For assistance with any ice maker not listed here, call Everpure at 800.942.1153

Coffee Equipment sizing guide

EVP-1-2-3

EVP-1-2-3

Coffee Equipment

Specialty coffees have been the fastest growing segment of the foodservice industry for the last several years. Various blends, flavored coffees and the espresso products have "raised the bar" on coffee offerings. It's no longer just "regular or decaf"?

But one fact remains constant - coffee is **98.7% WATER!** To make good coffee or espresso you **MUST** start with clean, filtered, taste-and odor-free WATER!

Everpure® filters remove dirt, chlorine, off-tastes and odors providing you with superior "ingredient quality" water.

Much more can be said, but let's just make it as easy as **EVP 1-2-3!!**

Reverse Osmosis

Hardness and Coffee


- For hardness of 12 grains and lower you can utilize Precoat (MH, BH, etc), Claris™ or Reverse Osmosis.
- For hardness above 12 grains, you should only use Reverse Osmosis.

The above recommendations are based on a balance of coffee volume and water quality. An excess of either or both warrants a Reverse Osmosis solution.

†Micro-Pure II – A precoat filter with AglON® antimicrobial compound that inhibits the growth of bacteria. As water passes through the filter, the carbon adsorbs chlorine, off-tastes and odors, and AglON works to inhibit any bacterial growth.


These sizing recommendations are merely general guidelines. For exact sizing by Manufacturer and model number, please contact Everpure Technical Service: servicespecialist@pentair.com or 800.942.1153.

Brewers 0.5 GPM and under

| | | |
|---|--|--|
|  | System <ul style="list-style-type: none"> EV9725-60 QL2 - OCS² | Number of 1/2-gallon pots of coffee in a six month period <ul style="list-style-type: none"> 3,000 Capacity <ul style="list-style-type: none"> 1,500 gallons |
| | Replacement Cartridges <ul style="list-style-type: none"> EV9618-02 OCS² | |


Micro-Pure® II †

Brewers 0.5 GPM – 1.0 GPM

| | | |
|---|--|--|
|  | System <ul style="list-style-type: none"> EV9272-00 QL3 - BH² | Number of 1/2-gallon pots of coffee in a six month period <ul style="list-style-type: none"> 6,000 Capacity <ul style="list-style-type: none"> 3,000 gallons |
| | Replacement Cartridge <ul style="list-style-type: none"> EV9612-50 BH² | |


Micro-Pure® II †

Brewers 1.0 GPM – 1.67 GPM

| | | |
|--|---|---|
|  | System <ul style="list-style-type: none"> QC71 Single - MH² | Number of 1/2-gallon pots of coffee in a six month period <ul style="list-style-type: none"> 18,000 Capacity <ul style="list-style-type: none"> 9,000 gallons |
| | Head <ul style="list-style-type: none"> EV9272-41 QC71 Single | |
| | Cartridge <ul style="list-style-type: none"> EV9613-21 MH² | |


Micro-Pure® II †

Brewers 1.67 GPM and above

| | | |
|---|---|--|
|  | System <ul style="list-style-type: none"> QC71 Twin - MH² | For 5, 15-gallon urns <ul style="list-style-type: none"> 18,000 gallons Capacity <ul style="list-style-type: none"> 18,000 gallons |
| | Head <ul style="list-style-type: none"> EV9272-22 QC71 Twin | |
| | Cartridge <ul style="list-style-type: none"> EV9613-21 MH² (2 ea) | |

Micro-Pure® II †

Water Treatment for Coffee and Espresso

| | | |
|---|--|--|
|  | Systems <ul style="list-style-type: none"> EV4339-14 Claris™ XXL[‡] EV4339-23 Claris Head 3/8-inch QCF* | <ul style="list-style-type: none"> up to 25-30 gallons per day brewed coffee and espresso |
| | Cartridge and head are sold separately. *Also available in 1/4-inch QCF and 3/8-inch BSP ‡Note: If chloride or silica is present in influent water supply, consult factory prior to installing filtration. | |

Espresso sizing guide

EVP-1.2.3

EVP-1.2.3

Espresso

Reverse Osmosis

Hardness and Espresso

- For hardness of 12 grains and lower you can utilize Precoat (MH, BH, etc), ESO, Claris™ or Reverse Osmosis.
- For hardness between 12 and 20 grains, you can utilize either a Claris or Reverse Osmosis solution.
- For hardness above 20 grains, you should only use Reverse Osmosis.

The above recommendations are based on a balance of coffee volume and water quality. An excess of either or both warrants a Reverse Osmosis solution.

Why would I chose Claris over ESO?

- Higher performance filtration.
- Blending valve allows for customized water quality.
- Five-stage (vs three-stage on the ESO) filtration.

For locations that would like to use a single filtration solution for their coffee and espresso equipment, consider using the Claris family of products.

These sizing recommendations are merely general guidelines. For exact sizing by Manufacturer and model number, please contact Everpure Technical Service: servicespecialist@pentair.com or 800.942.1153.

Water Treatment for Espresso



Systems:

- EV9607-25 ESO 7
- EV4339-11 Claris M
- EV4339-12 Claris L
- EV4339-13 Claris XL
- EV4339-14 Claris XXL

Heads:

- EV9272-41 QC7I Single (for ESO cartridge)
- EV4339-23 Claris Head 3/8th QCF* (for Claris cartridges)

Cartridge and head are sold separately.

*Claris head also available in 1/4-inch QCF and 3/8-inch BSP

†Note: If chloride or silica is present in influent water supply, consult factory prior to installing filtration.

- See table below for applying the ESO and Claris to Espresso.

Claris Systems — Scale prevention and hardness can be adjusted to meet specific water recipes

ESO Systems — Scale Prevention

| | Espresso | | |
|-----------------------|-------------------|-------------------------|--------------------------------|
| | Low Volume | Medium Volume | High Volume |
| | 150 shots per day | 150 - 300 shots per day | 301-500 shots per day |
| 8 Grains of Hardness | ESO 7 Twin | ESO 7 Twin | ESO 7 Triple |
| | Claris M | Claris L | Claris XL |
| 12 Grains of Hardness | ESO 7 Twin | ESO 7 Triple | Claris XXL or R.O. recommended |
| | Claris L | Claris XL | Claris XXL |

Fountain Drinks sizing guide

EVP-1-2-3

EVP-1-2-3

Fountain Drinks Carbonated Only

You may never be called on to size a filter system for fountain drinks, but here are a few simple tips:

Question #1: Is the customer serving carbonated beverages only, or are they selling both carbonated and non-carbonated beverages?

Question #2: Is the customer using an ambient carbonator(s) or cold carbonator(s)?

Question #3: How many carbonators is the customer using?

If you know these three things, the rest is as easy as EVP 1-2-3!

Fountain beverages represent one of the highest profit items in any foodservice operation today. From convenience stores to fine dining, fountain drinks are present. A fountain drink is approximately **83% water!** And that doesn't include the ice! So, for great tasting fountain drinks that customers will repeatedly order, use an Everpure filter system to assure quality and good taste. It's as easy as EVP 1-2-3!

These sizing recommendations are merely general guidelines. For exact sizing by Manufacturer and model number, please contact Everpure Technical Service: servicespecialist@pentair.com or 800.942.1153.





Inconsistent or low water pressure can cause premature filter expiration and poor quality drinks. For locations with low or inconsistent water pressure you should consider a SHURflo® Water Boost System.



| Water Boost Sizing | Annual VPO Syrup | Annual Water Consumption | 1 dispenser | 2 dispensers | 3 dispensers |
|---------------------|---------------------|----------------------------|----------------------------|----------------------------|-------------------------|
| | 0 – 500 gallons | 0 – 2500 gallons | 2-gallon Medium WB 804-023 | 2-gallon Medium WB 804-023 | 6-gallon Max WB 804-037 |
| 500 – 1000 gallons | 2500 – 5000 gallons | 2-gallon Medium WB 804-023 | 2-gallon Medium WB 804-023 | 6-gallon Max WB 804-037 | |
| 1000 – 1500 gallons | 5000 – 7500 gallons | 2-gallon Medium WB 804-023 | 2-gallon Medium WB 804-023 | 6-gallon Max WB 804-037 | |
| 1500 + gallons | 7500+ gallons | 2-gallon Medium WB 804-023 | 6-gallon Medium WB 804-037 | 6-gallon Max WB 804-037 | |





Ambient Carbonator (Carbonated Beverages Only)

Micro-Pure® II†

| 1 Carbonator | 2 Carbonators | 3 Carbonators | 4 Carbonators |
|---|--|---|---|
|  |  |  |  |
| Coldrink Single EV9328-01 | Coldrink Twin EV9328-02 | Coldrink Triple EV9328-03 | QC71 Quad* MC ² Head: EV9336-11 Cartridges: EV9612-56 |
| Cartridges ▪ EV9534-26 (1 ea) ▪ EV9612-56 (1 ea) | Cartridges ▪ EV9534-26 (1 ea) ▪ EV9612-56 (2 ea) | Cartridges ▪ EV9534-26 (1 ea) ▪ EV9612-56 (3 ea) | Cartridges ▪ EV9534-26 (4 ea) |

Cold Carbonator (Carbonated Beverages Only)

Micro-Pure® II†

| 1 Carbonator | 2 Carbonators | 3 Carbonators | 4 Carbonators |
|--|---|--|--|
|  |  |  |  |
| Coldrink Twin EV9328-02 | Coldrink Triple EV9328-03 | QC71 Quad* MC ² Head: EV9336-11, Cartridges: EV9612-56 | Dual High Flow Coldrink S-MC2 EV9337-44 |
| Cartridges ▪ EV9534-26 (1 ea) ▪ EV9612-56 (2 ea) | Cartridges ▪ EV9534-26 (1 ea) ▪ EV9612-56 (3 ea) | Cartridges ▪ EV9534-26 (4 ea) | Cartridges ▪ EV9534-26 (2 ea) ▪ EV9612-56 (8 ea) |

*Optional prefilter available

Replacement Cartridges

- EV9534-26 EC-210 Prefilter
- EV9612-56 MC²
- EV9613-10 XC²

†Micro-Pure II – A precoat filter with AgIION® antimicrobial compound that inhibits the growth of bacteria. As water passes through the filter, the carbon adsorbs chlorine, off-tastes and odors, and AgIION works to inhibit any bacterial growth.

Fountain Drinks sizing guide

EVP-1-2-3

EVP-1-2-3

Fountain Drinks Carbonated and Non-Carbonated

You may never be called on to size a filter system for fountain drinks, but here are a few simple tips:

Question #1: How many carbonators are there?

Question #2: How many bag-in-box units are used monthly?

If you know these two things, the rest is as easy as EVP 1-2-3!

Fountain beverages represent one of the highest profit items in any foodservice operation today. From convenience stores to fine dining, fountain drinks are present. A fountain drink is approximately **83% water!** And that doesn't include the ice! So, for great tasting fountain drinks that customers will repeatedly order, use an Everpure filter system to assure quality and good taste. It's as easy as EVP 1-2-3!

These sizing recommendations are merely general guidelines. For exact sizing by Manufacturer and model number, please contact Everpure Technical Service: servicespecialist@pentair.com or 800.942.1153.

Ambient Carbonator (Carbonated and Non-Carbonated Beverages)

Micro-Pure® II†

| 1 Carbonator | 2 Carbonators | 3 Carbonators | 4 Carbonators |
|--|--|--|--|
| | | | |
| Coldrink Twin EV9328-02 | Coldrink Triple EV9328-03 | QC71 Quad *MC ² Head: EV9336-11 Cartridges: EV9612-56 | Dual High Flow Coldrink S-MC2 EV9337-44 |
| Cartridges | Cartridges | Cartridges | Cartridges |
| <ul style="list-style-type: none"> EV9534-26 (1 ea) EV9612-56 (2 ea) | <ul style="list-style-type: none"> EV9534-26 (1 ea) EV9612-56 (3 ea) | <ul style="list-style-type: none"> EV9534-26 (4 ea) | <ul style="list-style-type: none"> EV9534-26 (2 ea) EV9612-56 (8 ea) |

Cold Carbonator (Carbonated and Non-Carbonated Beverages)

Micro-Pure® II†



| 1 Carbonator | 2 Carbonators | 3 Carbonators | 4 Carbonators |
|--|--|--|--|
| | | | |
| Coldrink Twin EV9328-02 | Coldrink Triple EV9328-03 | QC71 Quad *MC ² Head: EV9336-11 Cartridges: EV9612-56 | Dual High Flow Coldrink S-MC2 EV9337-44 |
| Cartridges | Cartridges | Cartridges | Cartridges |
| <ul style="list-style-type: none"> EV9534-26 (1 ea) EV9612-56 (2 ea) | <ul style="list-style-type: none"> EV9534-26 (1 ea) EV9612-56 (3 ea) | <ul style="list-style-type: none"> EV9534-26 (4 ea) | <ul style="list-style-type: none"> EV9534-26 (2 ea) EV9612-56 (8 ea) |

Replacement Cartridges

- EV9534-26 EC-210 Prefilter
- EV9612-56 MC²
- EV9613-10 XC²

*Optional prefilter available

Inconsistent or low water pressure can cause premature filter expiration and poor quality drinks. For locations with low or inconsistent water pressure you should consider a SHURflo® Water Boost System.



| Water Boost Sizing | Annual VPO Syrup | Annual Water Consumption | 1 dispenser | 2 dispensers | 3 dispensers |
|--------------------|---------------------|--------------------------|-------------------------------|-------------------------------|----------------------------|
| | 0 – 500 gallons | 0 – 2500 gallons | 2-gallon Medium WB 804-023 | 2-gallon Medium WB 804-023 | 6-gallon Max WB 804-037 |
| | 500 – 1000 gallons | 2500 – 5000 gallons | 2-gallon Medium WB 804-023 | 2-gallon Medium WB 804-023 | 6-gallon Max WB 804-037 |
| | 1000 – 1500 gallons | 5000 – 7500 gallons | 2-gallon Medium WB 804-023 | 2-gallon Medium WB 804-023 | 6-gallon Max WB 804-037 |
| | 1500 + gallons | 7500+ gallons | 2-gallon Medium WB 804-023 | 6-gallon Medium WB 804-037 | 6-gallon Max WB 804-037 |

†Micro-Pure® II – A precoat filter with AgION® antimicrobial compound that inhibits the growth of bacteria. As water passes through the filter, the carbon adsorbs chlorine, off-tastes and odors, and AgION works to inhibit any bacterial growth.

Steamers, Combi Ovens sizing guide

EVP-1-2-3

Steamers and Combi Ovens

Steamers generally fall into two categories: electric and gas operated. Everpure® offers solutions for the smallest to the largest commercial steam equipment. Easy as EVP 1-2-3!

Steam cooking equipment is a major part of any medium to high volume foodservice operation today. Steamers are one of the most problematic pieces of kitchen equipment. They are subject to corrosion, scale build-up on controls, boiler walls, heating elements, etc. When a steamer is down, the kitchen is severely limited in production capacity and food quality.


Keep 'em steaming with KleenSteam!

**For Tank Sizing, please contact Everpure Technical Service at servicespecialist@pentair.com or 800.942.1153.


These sizing recommendations are merely general guidelines. For exact sizing by Manufacturer and model number, please contact Everpure Technical Service: servicespecialist@pentair.com or 800.942.1153.

Boiler Steam Ovens up to 12 Grains of Hardness


EV9797-50 KleenSteam CT

| | | |
|---|--|---|
|  | <p>Compatible With</p> <ul style="list-style-type: none"> Gas boiler systems up to 125K BTU Electric Boiler systems up to 18 kW | <p>Water Requirements</p> <ul style="list-style-type: none"> < 12.0 grains/gallon hardness <p>System</p> <ul style="list-style-type: none"> EV9797-50 KleenSteam CT <p>Replacement Cartridges</p> <ul style="list-style-type: none"> EV9617-16 4CB5 Carbon EV9799-02 SS-10 ScaleStick |
|---|--|---|

EV9797-21 KleenSteam II Single


| | | |
|---|---|--|
|  | <p>Compatible With</p> <ul style="list-style-type: none"> Gas boiler systems 125 – 175K BTU Electric boiler systems 18 – 48 kW | <p>Water Requirements</p> <ul style="list-style-type: none"> < 12.0 grains/gallon hardness <p>System</p> <ul style="list-style-type: none"> EV9797-21 KleenSteam II Single <p>Replacement Cartridges</p> <ul style="list-style-type: none"> EV9618-11 7CB5 Carbon EV9799-22 SS-10 ScaleStick |
|---|---|--|

EV9797-22 KleenSteam II Twin

| | | |
|--|--|--|
|  | <p>Compatible With</p> <ul style="list-style-type: none"> Gas boiler systems 175K BTU & greater Electric boiler systems 48 kW & greater | <p>Water Requirements</p> <ul style="list-style-type: none"> < 12.0 grains/gallon hardness <p>System</p> <ul style="list-style-type: none"> EV9797-22 KleenSteam II Twin <p>Replacement Cartridges</p> <ul style="list-style-type: none"> EV9618-11 (2 ea) 7CB5 Carbon EV9799-22 (1 ea) SS-10 ScaleStick |
|--|--|--|

Direct Injection Steam up to 12 Grains of Hardness


EV4339-14 Steam with a Single System

| | | |
|---|---|--|
|  | <p>System</p> <ul style="list-style-type: none"> Claris XXL[‡] EV4339-14 Claris Head 3/8-inch QCF* EV4339-23 Cartridge and head are sold separately. <p>Compatible With</p> <ul style="list-style-type: none"> Rapid Flash Steamers 2 kW-3 kW Proofers, small flash steamers 4 kW-10kW Medium flash steam and combi 11 kW – 24 kW | <p>* Also available in 1/4-inch QCF and 3/8-inch BSP.</p> <p>[‡] Note: If chloride or silica is present in influent water supply, consult factory prior to installing filtration.</p> |
|---|---|--|

Boiler and Direct Injection Steam greater than 12 Grains of Hardness

EV9970-20 MRS-350-BL with Tank

For use in hard water areas and with boilerless steamers

| | | |
|---|---|---|
|  | <p>Compatible With</p> <ul style="list-style-type: none"> Gas boiler systems 175K BTU & greater (requires 40 gallon tank) Gas boiler systems greater than 175K BTU (requires 80 gallon tank) Electric boiler systems up to 48 kW (requires 40 gallon tank) Electric Boiler systems 48 kW & greater (requires 80 gallon tank) All Boilerless Systems: For tank sizing, contact Everpure Technical Service | <p>Water Requirements</p> <ul style="list-style-type: none"> > 12.0 grains/gallon hardness <p>System</p> <ul style="list-style-type: none"> EV9970-20 MRS-350 BL with appropriate sized tank; order tank separately** <p>Replacement Cartridges</p> <ul style="list-style-type: none"> EV9627-04 7TO-BW (1 ea) EV9627-07 MR-350 (1 ea) EV9668-24 BW-4400 (1 ea) <p>Tanks</p> <ul style="list-style-type: none"> CH30865-1 40 gallon tank CH31054-1 80 gallon tank |
|---|---|---|

Warewashing sizing guide

EVP-1.2.3

EVP-1.2.3

Warewashing

Here's the easiest spec of all... one size fits all! From the under-counter models to the Flight Line conveyers, KleenWare® "keeps 'em washing"!

Dish machines (warewashing equipment) are an integral part of foodservice kitchen packages. From the smallest under-counter units to rack and conveyor models, warewashing equipment has to work properly for the kitchen to function.

Everpure® KleenWare® systems protect the booster heaters, spray arms and interior cavities of these machines and keeps them "on line" and working properly.

Under-Counter and Door Type Machines



System

- EV9799-11 KleenWare HTS-11 (1 ea)

Requirements & Specifications

- Mounts on hot water line to booster heater
- Up to 15 GPM flow rate, effective to 200°F
- Inhibits limescale build-up-reduces corrosion
- Simple, effective Hydroblend™ technology

Replacement Cartridges

- EV9799-22 HT-10 Cartridge (1 ea)

Usually lasts up to 6 months depending on volume

Rack Conveyor and Flight Line Machines



System

- EV9799-11 KleenWare HTS-11 (1 ea)

Requirements & Specifications

- Self-metering head feeds proper amount of Hydroblend™ to booster heater
- High temperature housing effective up to 200°F
- Flow rate up to 15 GPM for largest machines

Replacement Cartridges

- EV9799-22 HT-10 Cartridge (1 ea)

Should last 4-6 months depending on volume

EV9799-22 HT-10 Replacement Cartridge



Specifications

- Scale control system featuring Hydroblend™
- Inhibits mineral deposits
- Provides corrosion protection

Should last 4-6 months depending on volume

These sizing recommendations are merely general guidelines. For exact sizing by Manufacturer and model number, please contact Everpure Technical Service: servicespecialist@pentair.com or 800.942.1153.

Combination Systems sizing guide

EVP-1-2-3

Combination Systems

Great tasting soda and coffee, ice makers that stay clean and producing FCB machines with no "off tastes", steamers that stay on line, all good reasons to use Everpure® High Flow Systems. Models support up to 7 GPM flow rates and most feature built-in prefilters.

Everpure High Flow Combination Filter Systems are capable of serving multiple pieces of foodservice equipment from one central filtration system. Ice makers, coffee equipment, espresso, fountain beverages, drinking water and steam equipment all benefit from Everpure's pure, clean "ingredient quality" water.

From a small C-Store to a full size restaurant, great water is as easy as EVP 1-2-3!

A general rule of thumb is that each MC² or XC² has a flow rate of 1.67 GPM. Total the system flow rate demand and determine how many filters you need for your system.

| # of Filters | Flow Rate GPM |
|--------------|---------------|
| 1 | 1.67 |
| 2 | 3.33 |
| 3 | 5.6 |
| 4 | 6.67 |

†Micro-Pure II – A precoat filter with AgION® antimicrobial compound that inhibits the growth of bacteria. As water passes through the filter, the carbon adsorbs chlorine, off-tastes and odors, and AgION works to inhibit any bacterial growth.

These sizing recommendations are merely general guidelines. For exact sizing by Manufacturer and model number, please contact Everpure Technical Service: servicespecialist@pentair.com or 800.942.1153.

EV9328-06 Everpure High Flow CSR Triple-MC² System



System available with low pressure alarm (EV9328-05)

Micro-Pure® II †

System

- EV9328-06 CSR Triple-MC²

Requirements & Specifications

- Micro-Pure® II media with anti-microbial protection inhibits potential bacterial growth
- Built-in prefilter removes sediment and prolongs MC² cartridge life
- Shut-off valve, inlet and outlet pressure gauges, flushing valve
- Supports 2 carbonators, 1200 Series ice maker; 3-4 carbonators, and high volume coffee equipment
- SR-X scale reduction feeder for ice and coffee

Replacement Cartridges

- EV9534-26 EC-210 Prefilter (1 ea)
- EV9612-56 MC² (3 ea)
- EV9799-32 SS-IMF (1 ea)

EV9437-10 Everpure High Flow CSR Quad-MC² System



System available with low pressure alarm (EV9437-11)

Micro-Pure® II †

System

- EV9437-10 CSR Quad-MC²

Requirements & Specifications

- Micro-Pure II media with anti-microbial protection inhibits potential bacterial growth
- Built-in prefilter removes sediment and prolongs MC² cartridge life
- Built-in shut-off valve, inlet and outlet gauges and flushing valve
- Flow rate up to 6.7 GPM
- Supports 2 carbonators, 1200 Series ice maker; 3-4 carbonators, and high volume coffee equipment

Replacement Cartridges

- EV9534-26 EC-210 Prefilter (1 ea)
- EV9612-56 MC² (4 ea)
- EV9799-32 SS-IMF (1 ea)

EV9347-20 Everpure High Flow CSR Plus-XC²



System available with low pressure alarm (EV9347-21)

Micro-Pure® II †

System

- EV9347-20 CSR Plus-XC²

Requirements & Specifications

- Micro-Pure II media with anti-microbial protection inhibits potential bacterial growth
- High capacity, high volume system with XC cartridges
- Surge tank provides reserve of filtered water for peak usage
- Supports 2 carbonators, 1200 Series ice maker; 3-4 carbonators, and high volume coffee equipment
- XC cartridges provide 40% more life than MC²s
- Up to 6.7 GPM flow rates

Replacement Cartridges

- EV9534-26 Prefilter (1 ea)
- EV9613-10 XC² (4 ea)
- EV9799-32 SS-IMF (1 ea)

Manifold System Configurations Ordering Guide

Everpure® Manifolds are available in a variety of pre-configured setups. You are able to mix and match between Everpure's wide range of cartridges and various manifolds to create a single, twin, triple or quad system that meets your specific needs. Follow these three quick and easy steps to determine the best fit for your application.

STEP 1: IDENTIFY YOUR APPLICATION and CORRESPONDING FILTER CARTRIDGE

Below are some of the typical Everpure applications and corresponding filter cartridge options. For additional assistance, please contact Everpure Technical Service at 800.942.1153 or servicespecialist@pentair.com.

| Application | Fountain/Combination Systems | Ice | Coffee | Espresso |
|--------------------------|------------------------------|--------------------|-----------------|----------|
| Filter Cartridge Options | MC ² | I2000 ² | BH ² | ES06 |
| | XC ² | I4000 ² | 4H | ES07 |
| | 4C | 7CB5-S | — | — |
| | 7CB5 | — | — | — |

STEP 2: SELECT YOUR FLOW RATE OR CAPACITY REQUIREMENTS

Determine your desired flow rate and capacity to determine the number of cartridges required for your system. For example, if you need a flow rate of 5 gallons per minute (GPM) and 24,000 gallons of capacity, a 2 (twin) manifold would be the ideal to match your need.

Configured System Flow Rates

| | | Typical Everpure Cartridge Flow Rates in GPM (LPM) | | | |
|----------------------|------------|--|------------|-------------|-------------|
| | | 0.5 (1.9) | 1.0 (3.8) | 1.67 (6.3) | 2.5 (9.5) |
| Number of Cartridges | 1 (Single) | 0.5 (1.9) | 1.0 (3.8) | 1.67 (6.3) | 2.5 (9.5) |
| | 2 (Twin) | 1.0 (3.8) | 2.0 (7.6) | 3.34 (12.6) | 5.0 (19.0) |
| | 3 (Triple) | 1.5 (5.7) | 3.0 (11.4) | 5.01 (18.9) | 7.5 (28.5) |
| | 4 (Quad) | 2.0 (7.6) | 4.0 (15.1) | 6.68 (25.2) | 10.0 (38.0) |

Configured System Capacities

| | | Typical Everpure Cartridge Capacities in Gallons (Liters) | | | |
|----------------------|------------|---|-----------------|------------------|------------------|
| | | 3,000 (11,356) | 6,000 (22,712) | 9,000 (34,068) | 12,000 (45,425) |
| Number of Cartridges | 1 (Single) | 3,000 (11,356) | 6,000 (22,712) | 9,000 (34,068) | 12,000 (45,425) |
| | 2 (Twin) | 6,000 (22,712) | 12,000 (45,425) | 18,000 (68,137) | 24,000 (90,849) |
| | 3 (Triple) | 9,000 (34,068) | 18,000 (68,137) | 27,000 (102,206) | 36,000 (136,274) |
| | 4 (Quad) | 12,000 (45,425) | 24,000 (90,849) | 36,000 (136,274) | 48,000 (181,699) |

STEP 3: DETERMINE IF YOU NEED PRE-FILTRATION OR POST-FILTRATION

WHEN DO I NEED PRE-FILTRATION?

- Pre-filtration is always recommended to ensure you receive the best performance from your filtration system. But in areas where there is little concern around suspended solids, turbidity or particulates, you may choose to opt for a system without a prefilter.

WHEN DO I NEED POST-TREATMENT?

- Post-treatment is designed to reduce the likelihood of scale buildup. You should consider post-filtration any time your system is delivering water to more than one application. Post-filtration is highly recommended when you are running pieces of equipment that either heat water, such as coffee, espresso, or chill water, such as an ice machine, or drinking water and fountain drink equipment.

Pick the desired number of cartridges/heads



Pre-filtration
(Available in 10" or 20" system sizes)

Post-treatment
(Scale prevention systems available in multiple sizes)

1 (Single) 2 (Twin) 3 (Triple) 4 (Quad)
*Not shown.

Examples:



Single system with pre-filtration only (no post-treatment)



Quad system only (no pre-filtration or post-treatment)

Manifold System Configurations Ordering Guide (cont'd.)

MAKE YOUR FINAL PRODUCT SELECTION

Manifolds

| Filtration/Pre-Filtration/Post-Treatment | Part Number | Description |
|--|------------------------------------|--|
| Filtration Only (No Pre-Filtration or Post-Filtration) | EV927241 | QC7I Single Manifold |
| | EV927222 | QC7I Twin Manifold |
| | EV927223 | QC7I Triple Manifold |
| | EV933611 | QC7I Quad Manifold |
| Filtration Plus Pre-Filtration (Either 10" or 20" prefilter included) | EV929301 | Coldrink/Insurice Single 10" PF Manifold |
| | EV929302 | Coldrink/Insurice Twin 10" PF Manifold |
| | EV929303 | Coldrink/Insurice Triple 10" PF Manifold |
| | EV929304 | Coldrink/Insurice Quad 10" PF Manifold |
| | EV929321 | Coldrink/Insurice Single 20" PF Manifold |
| | EV929322 | Coldrink/Insurice Twin 20" PF Manifold |
| | EV929323 | Coldrink/Insurice Triple 20" PF Manifold |
| Filtration Plus Pre-Filtration and Post-Treatment (Includes prefilter and scale reduction cartridge) | EV929324 | Coldrink/Insurice Quad 20" PF Manifold |
| | EV929402 | High Flow CSR 10" PF Twin Manifold |
| | EV929403 | High Flow CSR 10" PF Triple Manifold |
| | EV929404 | High Flow CSR 10" PF Quad Manifold |
| | EV929422 | High Flow CSR 20" PF Twin Manifold |
| | EV929423 | High Flow CSR 20" PF Triple Manifold |
| EV929424 | High Flow CSR 20" PF Quad Manifold | |

Note: PF = Prefilter

Cartridges

| Application | Part Number | Description | Micron | Flow Rate in GPM (LPM) | Capacity in Gallons (Litres) |
|-------------------------|-------------|-------------|--------|------------------------|------------------------------|
| Fountain or Combination | EV961256 | MC2 | 0.5 | 1.67 (6.3) | 9,000 (34,068) |
| | EV961310 | XC2 | 0.5 | 1.67 (6.3) | 12,000 (45,425) |
| | EV961811 | 7CB5 | 5.0 | 2.50 (9.5) | 10,000 (37,854) |
| Ice | EV961222 | i20002 | 0.5 | 1.67 (6.3) | 9,000 (34,068) |
| | EV961232 | i40002 | 0.5 | 1.67 (6.3) | 12,000 (45,425) |
| | EV961821 | 7CB5-S | 5.0 | 2.50 (9.5) | 10,000 (37,854) |
| Coffee | EV961250 | BH2 | 0.5 | 1.67 (6.3) | 3,000 (11,356) |
| | EV961321 | MH2 | 0.5 | 1.67 (6.3) | 9,000 (34,068) |
| Espresso | EV960710 | ES06 | n/a | 0.5 (5.7) | 4,100* |
| | EV960725 | ES07 | n/a | 0.5 (5.7) | 5,300* |

*Grains reduction.

Everpure® Part Number Harmonization Cross Reference

| New Part Number | Description | Obsolete Part Number | New Part Number | Description | Obsolete Part Number |
|-----------------|------------------------------------|----------------------|-----------------|--------------------------------|----------------------|
| 15415 | FITTING, INSERT, 1/2", TUBE | EV311973 | 153200-06 | HOUSING FILTER 20" OPAQUE | EV311255 |
| 18603 | KIT, FITTING, 1700 BRINE | EV311974 | 154195-06 | CAP BK HFPP W/PR 3/4 BULK 18/C | EV310108 |
| 41034 | TRANSFORMER 120VAC/24VAC 108VA | EV311654 | 154981-06 | CAP 3G 3/4" IB W/PR EV 60/C | EV311237 |
| 41049 | TRANSFORMER 230VAC | EV312786 | 155014-43 | CART P5 SED IND SHR 24/C | EV910908 |
| 60014 | SAFETY BRINE VALVE ASSY, 2310 | EV311960 | 155015-43 | CART P25 SED IND SHR 24/C | EV910910 |
| 60038 | SAFETY BRINE VALVE, 2350 | EV311961 | 155016-43 | P5-20 IND SHR UPC 20/C | EV910912 |
| 60614 | METER ASSY, 1 1/2" INLN, NPT, ELEC | EV312100 | 155030-43 | CART P5-478 IND SHR 24/C | EV910809 |
| 60616 | METER ASSEM, 2", ELECTRONIC | EV311937 | 155169-43 | CART CBC-5 IND/LABEL 24/C | EV910806 |
| 61580 | TUBE & DISTRIBUTOR ASSY, HF32MM | EV312366 | 155170-43 | CG53-104 4PK | EV910803 |
| 143089 | BOLT LAG | EV309711 | 155225-43 | P1 SPUN POLYPROPYLENE 20PK | EV910907 |
| 143558 | FRICTION WASHER SST | EV035029 | 155226-43 | P25-20 IND SHR UPC 20/C | EV910913 |
| 143568 | O-RING .54ID X .103CS | EV087083 | 155248-43 | CART PCC212 IND BOX 6/C | EV910581 |
| 144357 | BALL VALVE 3/8" NPT, MXF | EV311444 | 155249-43 | CART GAC20-BB IND SHR+BOX 4/C | EV910842 |
| 144821 | TUBE, WHITE 22 MM, 6-1/2" LG | EV311556 | 155263-03 | CART RFE20-BB IND BOX4/C | EV910846 |
| 144983 | BALL VALVE FOR CGS-55 | EV311446 | 155304-43 | P1-20 SPUN POLYPROPYLENE 20PK | EV910911 |
| 150061 | MTG BKT KIT, CS ZN UPC BB & HD | EV310952 | 155312-43 | CART CBC20-BB IND SHR 4/C | EV910843 |
| 150295 | SW-2 PLASTIC WRENCH, STD BULK | EV310953 | 155358-43 | CART DGD 5005-20 IND SHR 6/C | EV910837 |
| 150295 | SW-2 PLASTIC WRENCH, STD BULK | EV309935 | 155360-130 | CART EC-204 IND SHR(1 MIC) 6/C | EV910840 |
| 150441 | SO-24 NO CARTRIDGE FILTER 1/C | EV309693 | 155583-43 | EP-20BB IND SHR W/LABEL 4/C | EV910845 |
| 150467 | 20" BIG BLUE, HFPP W/PR, 3/4" 4/C | EV910450 | 155634-43 | CART EPM-10 IND/LABEL 12/C | EV910916 |
| 150578 | MTG BKT KIT 3/4" MB MC-1A UPC | EV311126 | 155635-43 | CART EPM-20 IND/LABEL 6/C | EV910971 |
| 151120 | O-RING BUNA-N#241 STD UPC BULK | EV311240 | 155967-43 | CRFC20-BB 6/C | EV910847 |
| 151122 | O-RING BUNA-N BB UPC BULK | EV309709 | 181-201 | ACCUM TANK NYL/BUTYL | EV310413 |
| 153018 | #10 SMP, SL, CL, SA | EV309258 | 19121-08 | METER CABLE ASSEM, 35" | EV312150 |
| 153049 | #10 SMP, SL, WH, PP | EV309257 | 19121-10 | METER CABLE ASSY, NT, 303.5" | EV311938 |
| 153080 | #20 BIG WHITE SUMP (AM) | EV309841 | 255494-43 | ECP5-20BB IND SHR 6/C | EV910841 |
| 153081 | 20" HOUSING | EV309332 | 255589-67 | EV9100-00 GS6ALS-B | EV910066 |
| 154166 | CAP, BLACK HFPP W/PR 1" | EV309351 | 357144-67 | QC HEAD ASM W/O SHUT OFF 48/C | EV910720 |
| 154171 | CAP, BLK W/PR 1/2" | EV310116 | 357296-06 | MANIFOLD SINGLE EVP QCP 3/8" | EV312639 |
| 154503 | CAP BLACK NYLON 1/2" | EV309502 | 5909-5202N | DP FSG FW 230V SW 60 | EV312187 |
| 155003 | CART COUPLER | EV310954 | 60002-34 | AIR CHECK, #500, 34" LONG | EV311962 |
| 156218 | V-BAND, ASSY, SPARE | EV301093 | 60009-00 | AIR CHECK, #900, COMMERCIAL | EV311963 |
| 158096 | O-RING KIT | EV310214 | 60028-30 | FLOAT ASSY, 2300, 30", WHITE | EV311965 |
| 158149 | 3/8" #10 SL WHITE W/PR 12/C | EV910414 | 60068-30 | FLOAT ASSY, 2310, W/30" ROD | EV311964 |
| 158195 | 1/2" #10 SL BL & BLK W/PR 12/C | EV910422 | 60625-01 | METER ASSY, 2" INLN, NPT, ELEC | EV312513 |
| 158214 | 1/2" #10 SL CL & BL W/PR 12/C | EV910423 | 60795-00 | DISTR ASSEM, 1" x 72", STD | EV311976 |
| 150294-27 | SW-1 (SL) WRENCH DIY 6/C | EV309259 | 61564-40 | MIXING VALVE ASSY, COMMERCIAL | EV311939 |
| 150295-06 | SW-2 WRENCH, BULK 50/C | EV311241 | 61595-03 | CART KIT, HSD 440 | EV311769 |
| 153033-06 | #20 WHITE SUMP BULK 8/C | EV309932 | 8005-991-820 | PUMP, BOOSTER, 24VAC | EV312230 |
| 153194-06 | #10 SMP 3G CL SA 12/C | EV311239 | 8008-992-388 | DOUBLE HEADED PUMP | EV312818 |
| 153195-06 | #20 SMP 3G CL SA 8/C | EV311238 | 804-037 | 115 VAC 6 GAL MAXI WBS | EV311263 |
| 153197-06 | #10 SMP 3G-ST BL PP 12/C | EV311256 | 804-038 | 230 VAC 6 GAL MAXI WBS | EV311264 |

(Continued on next page)

Everpure® Part Number Harmonization Cross Reference (cont'd.)

| New Part Number | Description | Obsolete Part Number | New Part Number | Description | Obsolete Part Number |
|-----------------|--|----------------------|-----------------|---------------------------------|----------------------|
| 8095-942-349 | PUMP, BOOSTER, 230V, SHURFLO | EV312058 | EV312938 | ADAPTOR, TAP, 3/8" | EV312731 |
| CH10566 | FLANGE 6" x 4"-8 UN | EV311953 | EV910541 | SO-10 COSTGUARD CART 6/C | 355271-130 |
| CH10848 | 3060 BRINE TK BLACK W/CVR | EV311981 | EV961210 | MD-CE CART | 255350 |
| CH10849 | HUB & LATERAL ASSEM, 30" | EV311982 | RTA-HB75 | ADAPTER 3/4" HOSE BARBXQD & ORG | EV311909 |
| CH12201 | DST KIT 24" COMP TK TOP | EV312399 | RTA-TI1215TM | DST KIT TOP MNT HUB & | EV311977 |
| CH15013-2 | BRINE WELL, 4" | EV311966 | RTA-UMA-75 | 3/4" ADAPTER: UNION | EV311908 |
| CH15031-1 | SOFT OVERFLOW 90 DEG | EV311968 | SH141013 | POLY BAG 4" x 6" x .004" THICK | 141013 |
| CH15031-2 | OVERFLOW BK NUT | EV311969 | SH141022 | POLY BAG 8" x 14" x .004" THICK | 141022 |
| CH15528 | HUB & LATERAL ASSEM, 30"-3" | EV312400 | SH141167 | BAG POLY 7-7/8" x 22", 3 MIL | EV306847 |
| CH15529 | HUB & LATERAL ASSEM, 36"-3" | EV312401 | SH142975 | LABEL "INLET" BLACK ON WHITE | 142975 |
| CH16323 | CAP, BRINE WELL, 4" | EV311967 | SH142975 | LABEL, INLET | EV309915 |
| CH30834-1 | ROmate 15 | DEV311569 | SH142976 | LABEL, OUTLET BLACK ON WHITE | 142976 |
| CH30839-1 | ROmate 20 | DEV311570 | SH142976 | LABEL, OUTLET BLACK ON WHITE | EV309916 |
| CH30853-1 | ROmate 30 | DEV311571 | SH143273 | O-RING, BB BUNA-N 70 DURO (AP) | 143273 |
| CH30865-1 | ROmate 40 | DEV311572 | SH143396 | 1" HEX NIPPLE (AM) | 143396 |
| CH31054-1 | ROmate 80 | DEV311573 | SH143409 | HEX NIPPLE, NYLON 3/4" MPT (AM) | 143409 |
| CH33046 | TANK, BRINE, 39" x 48" | EV311957 | SH144229 | CART COUPLER | 144229 |
| CH33047 | TANK, BRINE, 39" x 68" | EV311958 | SH144259 | MTG BKT, 3BB WHITE (AP) | EV310090 |
| CH33049 | TANK, BRINE, 50" x 60" | EV311959 | SH144259 | MTG BKT, 3BB WHITE | 144259 |
| CH33053 | 2440 BLK BRINE TANK & COVER | EV311955 | SH144368 | SPANNER WRENCH, SW-4 (20" BB) | EV309353 |
| CH33406 | 2472 COMP 6" TF NAT SMC BASE | EV312397 | SH144368 | SPANNER WRENCH | 144368 |
| CH33412 | 3072 COMP 6" TF NAT EXT BASE | EV311951 | SH144369 | GAUGE, AMETEK 2" (NSF) | EV309440 |
| CH34302 | 1840 BRINE TANK ASSY NO GRID | EV311954 | SH144900 | PLATED BALL VALVE, 1/2" NPT | EV311445 |
| CH34303 | 3048 BRINE TK BLACK W/CVR | EV311956 | SH145743 | IDENTIFICATION LABEL, 4" x 2" | 145743 |
| CH34304 | 3060 BRINE TK BLACK W/CVR | EV312158 | SH154197 | CAP HFPP WH3/4 MILL | 154197 |
| CH34342 | TANK, MINERAL, 36" x 72" W/BASE, 6" FL | EV311952 | SH154199 | CAP HFPP WH 3/4 MILL TAP-IN | 154199 |
| CH34343 | TANK, MINERAL, 42" x 72" W/BASE, 6" FL | EV312398 | SH154563 | CAP HFPP WH 3/4 MILL TAP-OUT | 154563 |
| CH5665 | DST KIT 14-16" TOP MOUNT | EV311978 | SH244007 | MOUNTING CLIP | EV311586 |
| CH5666 | DST KIT 18" COMP 21" FRP | EV311979 | SH257384 | GASKET, SANTOPRENE, 5/32" | EV310149 |
| CH5676 | HUB & LATERAL ASSEM, 42"-3" | EV312402 | | | |

Micro-Pure® Generation 1: Obsolete Part Numbers

| Obsolete Part Number | Description | Replacement Part Number | Description |
|----------------------|----------------------|---------------------------------|-------------------------|
| EV961801 | OCS Cartridge 1 pk | EV961802 | OCS(2) Cartridge 1 pk |
| EV961806 | OCS Cartridge 6 pk | EV961807 | OCS(2) Cartridge 6 pk |
| EV961812 | OCS Cartridge 12 pk | No 12 pack substitute available | |
| EV961200 | BH Cartridge 1 pk | EV961250 | BH(2) Cartridge 1 pk |
| EV961201 | BH Cartridge 6 pk | EV961251 | BH(2) Cartridge 6 pk |
| EV961301 | MH Cartridge 1 pk | EV961321 | MH(2) Cartridge 1 pk |
| EV961306 | MH Cartridge 6 pk | EV961326 | MH(2) Cartridge 6 pk |
| EV961206 | MC Cartridge 1 pk | EV961256 | MC(2) Cartridge 1 pk |
| EV961205 | MC Cartridge 6 pk | EV961255 | MC(2) Cartridge 6 pk |
| EV961309 | XC Cartridge 1 pk | EV961310 | XC(2) Cartridge 1 pk |
| EV961396 | XC Cartridge 6 pk | EV961397 | XC(2) Cartridge 6 pk |
| EV961221 | i2000 Cartridge 1 pk | EV961222 | i2000(2) Cartridge 1 pk |
| EV961226 | i2000 Cartridge 6 pk | EV961227 | i2000(2) Cartridge 6 pk |
| EV961231 | i4000 Cartridge 1 pk | EV961232 | i4000(2) Cartridge 1 pk |
| EV961236 | i4000 Cartridge 6 pk | EV961237 | i4000(2) Cartridge 6 pk |

MRS Combi Reverse Osmosis Systems: Obsolete Part Numbers

| No. | Obsolete Part Number | Description |
|-----|----------------------|---|
| 1 | EV997101 | 225 GPD RO with 15 Gallon Storage Tank – 115 Volt |
| 2 | EV997102 | 225 GPD RO with 30 Gallon Storage Tank – 115 Volt |
| 3 | EV997103 | 225 GPD RO with 50 Gallon Storage Tank – 115 Volt |
| 4 | EV997104 | 225 GPD RO with Booster Pump & 15 Gallon Storage Tank – 115 Volt |
| 5 | EV997105 | 225 GPD RO with Booster Pump & 30 Gallon Storage Tank – 115 Volt |
| 6 | EV997106 | 225 GPD RO with Booster Pump & 50 Gallon Storage Tank – 115 Volt |
| 7 | EV997107 | 225 GPD RO with Sub-Micron Filtration & 15 Gallon Storage Tank – 115 Volt |
| 8 | EV997108 | 225 GPD RO with Sub-Micron Filtration & 30 Gallon Storage Tank – 115 Volt |
| 9 | EV997109 | 225 GPD RO with Sub-Micron Filtration & 50 Gallon Storage Tank – 115 Volt |
| 10 | EV997110 | 225 GPD RO with Booster Pump, Sub-Micron Filtration & 15 Gallon Storage Tank – 115 Volt |
| 11 | EV997111 | 225 GPD RO with Booster Pump, Sub-Micron Filtration & 30 Gallon Storage Tank – 115 Volt |
| 12 | EV997112 | 225 GPD RO with Booster Pump, Sub-Micron Filtration & 50 Gallon Storage Tank – 115 Volt |
| 13 | EV997121 | 350 GPD RO with 15 Gallon Storage Tank – 115 Volt |
| 14 | EV997122 | 350 GPD RO with 30 Gallon Storage Tank – 115 Volt |
| 15 | EV997123 | 350 GPD RO with 50 Gallon Storage Tank – 115 Volt |
| 16 | EV997124 | 350 GPD RO with Booster Pump & 15 Gallon Storage Tank – 115 Volt |
| 17 | EV997125 | 350 GPD RO with Booster Pump & 30 Gallon Storage Tank – 115 Volt |
| 18 | EV997126 | 350 GPD RO with Booster Pump & 50 Gallon Storage Tank – 115 Volt |
| 19 | EV997127 | 350 GPD RO with Sub-Micron Filtration & 15 Gallon Storage Tank – 115 Volt |
| 20 | EV997128 | 350 GPD RO with Sub-Micron Filtration & 30 Gallon Storage Tank – 115 Volt |
| 21 | EV997129 | 350 GPD RO with Sub-Micron Filtration & 50 Gallon Storage Tank – 115 Volt |
| 22 | EV997130 | 350 GPD RO with Booster Pump, Sub-Micron Filtration & 15 Gallon Storage Tank – 115 Volt |
| 23 | EV997131 | 350 GPD RO with Booster Pump, Sub-Micron Filtration & 30 Gallon Storage Tank – 115 Volt |
| 24 | EV997132 | 350 GPD RO with Booster Pump, Sub-Micron Filtration & 50 Gallon Storage Tank – 115 Volt |
| 25 | EV997141 | 450 GPD RO with 15 Gallon Storage Tank – 115 Volt |
| 26 | EV997142 | 450 GPD RO with 30 Gallon Storage Tank – 115 Volt |
| 27 | EV997143 | 450 GPD RO with 50 Gallon Storage Tank – 115 Volt |
| 28 | EV997144 | 450 GPD RO with Booster Pump & 15 Gallon Storage Tank – 115 Volt |

(Continued on next page)

MRS Combi Reverse Osmosis Systems: Obsolete Part Numbers (cont'd.)

| No. | Obsolete Part Number | Description |
|-----|----------------------|---|
| 29 | EV997145 | 450 GPD RO with Booster Pump & 30 Gallon Storage Tank – 115 Volt |
| 30 | EV997146 | 450 GPD RO with Booster Pump & 50 Gallon Storage Tank – 115 Volt |
| 31 | EV997147 | 450 GPD RO with Sub-Micron Filtration & 15 Gallon Storage Tank – 115 Volt |
| 32 | EV997148 | 450 GPD RO with Sub-Micron Filtration & 30 Gallon Storage Tank – 115 Volt |
| 33 | EV997149 | 450 GPD RO with Sub-Micron Filtration & 50 Gallon Storage Tank – 115 Volt |
| 34 | EV997150 | 450 GPD RO with Booster Pump, Sub-Micron Filtration & 15 Gallon Storage Tank – 115 Volt |
| 35 | EV997151 | 450 GPD RO with Booster Pump, Sub-Micron Filtration & 30 Gallon Storage Tank – 115 Volt |
| 36 | EV997152 | 450 GPD RO with Booster Pump, Sub-Micron Filtration & 50 Gallon Storage Tank – 115 Volt |
| 37 | EV997161 | 575 GPD RO with 15 Gallon Storage Tank – 115 Volt |
| 38 | EV997162 | 575 GPD RO with 30 Gallon Storage Tank – 115 Volt |
| 39 | EV997163 | 575 GPD RO with 50 Gallon Storage Tank – 115 Volt |
| 40 | EV997164 | 575 GPD RO with Booster Pump & 15 Gallon Storage Tank – 115 Volt |
| 41 | EV997165 | 575 GPD RO with Booster Pump & 30 Gallon Storage Tank – 115 Volt |
| 42 | EV997166 | 575 GPD RO with Booster Pump & 50 Gallon Storage Tank – 115 Volt |
| 43 | EV997167 | 575 GPD RO with Sub-Micron Filtration & 15 Gallon Storage Tank – 115 Volt |
| 44 | EV997168 | 575 GPD RO with Sub-Micron Filtration & 30 Gallon Storage Tank – 115 Volt |
| 45 | EV997169 | 575 GPD RO with Sub-Micron Filtration & 50 Gallon Storage Tank – 115 Volt |
| 46 | EV997170 | 575 GPD RO with Booster Pump, Sub-Micron Filtration & 15 Gallon Storage Tank – 115 Volt |
| 47 | EV997171 | 575 GPD RO with Booster Pump, Sub-Micron Filtration & 30 Gallon Storage Tank – 115 Volt |
| 48 | EV997172 | 575 GPD RO with Booster Pump, Sub-Micron Filtration & 50 Gallon Storage Tank – 115 Volt |
| 49 | EV997181 | 700 GPD RO with 15 Gallon Storage Tank – 115 Volt |
| 50 | EV997182 | 700 GPD RO with 30 Gallon Storage Tank – 115 Volt |
| 51 | EV997183 | 700 GPD RO with 50 Gallon Storage Tank – 115 Volt |
| 52 | EV997184 | 700 GPD RO with Booster Pump & 15 Gallon Storage Tank – 115 Volt |
| 53 | EV997185 | 700 GPD RO with Booster Pump & 30 Gallon Storage Tank – 115 Volt |
| 54 | EV997186 | 700 GPD RO with Booster Pump & 50 Gallon Storage Tank – 115 Volt |
| 55 | EV997187 | 700 GPD RO with Sub-Micron Filtration & 15 Gallon Storage Tank – 115 Volt |
| 56 | EV997188 | 700 GPD RO with Sub-Micron Filtration & 30 Gallon Storage Tank – 115 Volt |
| 57 | EV997189 | 700 GPD RO with Sub-Micron Filtration & 50 Gallon Storage Tank – 115 Volt |
| 58 | EV997190 | 700 GPD RO with Booster Pump, Sub-Micron Filtration & 15 Gallon Storage Tank – 115 Volt |
| 59 | EV997191 | 700 GPD RO with Booster Pump, Sub-Micron Filtration & 30 Gallon Storage Tank – 115 Volt |
| 60 | EV997192 | 700 GPD RO with Booster Pump, Sub-Micron Filtration & 50 Gallon Storage Tank – 115 Volt |
| 61 | EV997201 | 225 GPD RO with 15 Gallon Storage Tank – 230 Volt |
| 62 | EV997202 | 225 GPD RO with 30 Gallon Storage Tank – 230 Volt |
| 63 | EV997203 | 225 GPD RO with 50 Gallon Storage Tank – 230 Volt |
| 64 | EV997204 | 225 GPD RO with Booster Pump & 15 Gallon Storage Tank – 230 Volt |
| 65 | EV997205 | 225 GPD RO with Booster Pump & 30 Gallon Storage Tank – 230 Volt |
| 66 | EV997206 | 225 GPD RO with Booster Pump & 50 Gallon Storage Tank – 230 Volt |
| 67 | EV997207 | 225 GPD RO with Sub-Micron Filtration & 15 Gallon Storage Tank – 230 Volt |
| 68 | EV997208 | 225 GPD RO with Sub-Micron Filtration & 30 Gallon Storage Tank – 230 Volt |
| 69 | EV997209 | 225 GPD RO with Sub-Micron Filtration & 50 Gallon Storage Tank – 230 Volt |
| 70 | EV997210 | 225 GPD RO with Booster Pump, Sub-Micron Filtration & 15 Gallon Storage Tank – 230 Volt |
| 71 | EV997211 | 225 GPD RO with Booster Pump, Sub-Micron Filtration & 30 Gallon Storage Tank – 230 Volt |
| 72 | EV997212 | 225 GPD RO with Booster Pump, Sub-Micron Filtration & 50 Gallon Storage Tank – 230 Volt |
| 73 | EV997221 | 350 GPD RO with 15 Gallon Storage Tank – 230 Volt |
| 74 | EV997222 | 350 GPD RO with 30 Gallon Storage Tank – 230 Volt |
| 75 | EV997223 | 350 GPD RO with 50 Gallon Storage Tank – 230 Volt |
| 76 | EV997224 | 350 GPD RO with Booster Pump & 15 Gallon Storage Tank – 230 Volt |
| 77 | EV997225 | 350 GPD RO with Booster Pump & 30 Gallon Storage Tank – 230 Volt |

(Continued on next page)

MRS Combi Reverse Osmosis Systems: Obsolete Part Numbers (cont'd.)

| No. | Obsolete Part Number | Description |
|-----|----------------------|---|
| 78 | EV997226 | 350 GPD RO with Booster Pump & 50 Gallon Storage Tank – 230 Volt |
| 79 | EV997227 | 350 GPD RO with Sub-Micron Filtration & 15 Gallon Storage Tank – 230 Volt |
| 80 | EV997228 | 350 GPD RO with Sub-Micron Filtration & 30 Gallon Storage Tank – 230 Volt |
| 81 | EV997229 | 350 GPD RO with Sub-Micron Filtration & 50 Gallon Storage Tank – 230 Volt |
| 82 | EV997230 | 350 GPD RO with Booster Pump, Sub-Micron Filtration & 15 Gallon Storage Tank – 230 Volt |
| 83 | EV997231 | 350 GPD RO with Booster Pump, Sub-Micron Filtration & 30 Gallon Storage Tank – 230 Volt |
| 84 | EV997232 | 350 GPD RO with Booster Pump, Sub-Micron Filtration & 50 Gallon Storage Tank – 230 Volt |
| 85 | EV997241 | 450 GPD RO with 15 Gallon Storage Tank – 230 Volt |
| 86 | EV997242 | 450 GPD RO with 30 Gallon Storage Tank – 230 Volt |
| 87 | EV997243 | 450 GPD RO with 50 Gallon Storage Tank – 230 Volt |
| 88 | EV997244 | 450 GPD RO with Booster Pump & 15 Gallon Storage Tank – 230 Volt |
| 89 | EV997245 | 450 GPD RO with Booster Pump & 30 Gallon Storage Tank – 230 Volt |
| 90 | EV997246 | 450 GPD RO with Booster Pump & 50 Gallon Storage Tank – 230 Volt |
| 91 | EV997247 | 450 GPD RO with Sub-Micron Filtration & 15 Gallon Storage Tank – 230 Volt |
| 92 | EV997248 | 450 GPD RO with Sub-Micron Filtration & 30 Gallon Storage Tank – 230 Volt |
| 93 | EV997249 | 450 GPD RO with Sub-Micron Filtration & 50 Gallon Storage Tank – 230 Volt |
| 94 | EV997250 | 450 GPD RO with Booster Pump, Sub-Micron Filtration & 15 Gallon Storage Tank – 230 Volt |
| 95 | EV997251 | 450 GPD RO with Booster Pump, Sub-Micron Filtration & 30 Gallon Storage Tank – 230 Volt |
| 96 | EV997252 | 450 GPD RO with Booster Pump, Sub-Micron Filtration & 50 Gallon Storage Tank – 230 Volt |
| 97 | EV997261 | 575 GPD RO with 15 Gallon Storage Tank – 230 Volt |
| 98 | EV997262 | 575 GPD RO with 30 Gallon Storage Tank – 230 Volt |
| 99 | EV997263 | 575 GPD RO with 50 Gallon Storage Tank – 230 Volt |
| 100 | EV997264 | 575 GPD RO with Booster Pump & 15 Gallon Storage Tank – 230 Volt |
| 101 | EV997265 | 575 GPD RO with Booster Pump & 30 Gallon Storage Tank – 230 Volt |
| 102 | EV997266 | 575 GPD RO with Booster Pump & 50 Gallon Storage Tank – 230 Volt |
| 103 | EV997267 | 575 GPD RO with Sub-Micron Filtration & 15 Gallon Storage Tank – 230 Volt |
| 104 | EV997268 | 575 GPD RO with Sub-Micron Filtration & 30 Gallon Storage Tank – 230 Volt |
| 105 | EV997269 | 575 GPD RO with Sub-Micron Filtration & 50 Gallon Storage Tank – 230 Volt |
| 106 | EV997270 | 575 GPD RO with Booster Pump, Sub-Micron Filtration & 15 Gallon Storage Tank – 230 Volt |
| 107 | EV997271 | 575 GPD RO with Booster Pump, Sub-Micron Filtration & 30 Gallon Storage Tank – 230 Volt |
| 108 | EV997272 | 575 GPD RO with Booster Pump, Sub-Micron Filtration & 50 Gallon Storage Tank – 230 Volt |
| 109 | EV997281 | 700 GPD RO with 15 Gallon Storage Tank – 230 Volt |
| 110 | EV997282 | 700 GPD RO with 30 Gallon Storage Tank – 230 Volt |
| 111 | EV997283 | 700 GPD RO with 50 Gallon Storage Tank – 230 Volt |
| 112 | EV997284 | 700 GPD RO with Booster Pump & 15 Gallon Storage Tank – 230 Volt |
| 113 | EV997285 | 700 GPD RO with Booster Pump & 30 Gallon Storage Tank – 230 Volt |
| 114 | EV997286 | 700 GPD RO with Booster Pump & 50 Gallon Storage Tank – 230 Volt |
| 115 | EV997287 | 700 GPD RO with Sub-Micron Filtration & 15 Gallon Storage Tank – 230 Volt |
| 116 | EV997288 | 700 GPD RO with Sub-Micron Filtration & 30 Gallon Storage Tank – 230 Volt |
| 117 | EV997289 | 700 GPD RO with Sub-Micron Filtration & 50 Gallon Storage Tank – 230 Volt |
| 118 | EV997290 | 700 GPD RO with Booster Pump, Sub-Micron Filtration & 15 Gallon Storage Tank – 230 Volt |
| 119 | EV997291 | 700 GPD RO with Booster Pump, Sub-Micron Filtration & 30 Gallon Storage Tank – 230 Volt |
| 120 | EV997292 | 700 GPD RO with Booster Pump, Sub-Micron Filtration & 50 Gallon Storage Tank – 230 Volt |
| 121 | EV311546 | INSTALL KIT MRS WALL |
| 122 | EV311547 | INSTALL KIT MRS TANK 15 Gallon |
| 123 | EV311548 | INSTALL KIT MRS TANK 30 Gallon |
| 124 | EV311548 | INSTALL KIT MRS TANK 50 Gallon |

Standard Terms and Conditions of Sale

The Terms and Conditions of Sale appearing below govern the sale of goods and/or services sold or supplied by Pentair Residential Filtration, LLC, Pentair Filtration Solutions, LLC, and Porous Media Corporation, referred to herein as “**Seller**” while the purchaser is referred to herein as “**Buyer**”. The parties agree that even if these Terms and Conditions of Sale do not accompany every product sold by Seller, these Terms and Conditions of Sale shall govern all sales made by Seller until such time as new terms and conditions are provided by Seller to Buyer.

1. Acceptance. Buyer’s order is accepted upon the following terms and conditions. If the terms stated in Buyer’s order are inconsistent with these terms, this shall constitute a counteroffer and Buyer shall be deemed to have accepted Seller’s terms unless it notifies Seller to the contrary in writing within three (3) days after receiving Seller’s acknowledgment. There is a Fifty Dollar (\$50.00) minimum order requirement; orders less than \$50.00 will be charged the minimum \$50.00. No additions to or modifications of any of the terms and conditions hereof shall be effective unless made in writing and signed by both parties. These Terms and Conditions constitute the entire agreement between the Seller and Buyer for the purchase and sale of the goods and/or services identified on Seller’s acknowledgement of Buyer’s purchase order and supercede all other proposals and quotations.

2. Description of Goods. The only specifications that are a part of this Agreement are those written specifications acknowledged in writing by Seller and which Seller has initialed and attached to the applicable acknowledgement of Buyer’s purchase order.

3. Cancellation. Cancellation of orders by Buyer can only be made with Seller’s prior written consent. If the product is being built to Buyer’s specification, Buyer is responsible for all expenses incurred by Seller, including any raw materials and other non-cancelable commitments, or a minimum 25% cancellation charge, whichever is greater. Domestic orders: Orders canceled less than 5 days prior to the scheduled delivery date shall be finished and billed at contract price. Export orders: Orders canceled less than 10 days prior to the scheduled delivery date shall be finished and billed at contract price.

4. Quotations and Prices. Orders will be billed at the price in effect at the time of order, unless otherwise specified in the quotation. All orders require a valid customer PO number and written confirmation prior to acceptance by Seller. Quotations are valid for thirty (30) days unless otherwise specified and represent no obligation until the purchase order is acknowledged and accepted by Seller. The price and performance of orders are subject to resource availability and costs within the control of Seller at the time of manufacture. Seller reserves the right to cancel or adjust prices and delivery without notice. Unless otherwise stated in writing by Seller, all prices quoted shall be exclusive of and Buyer shall pay the cost of transportation, insurance, taxes (including, without limitation, any sales, use, or similar tax), license fees, customs fees, duties and other charges related thereto. All clerical errors are subject to correction. Any price discrepancy on orders will require a revised PO from Buyer.

5. Payment. Subject to the provisions of Seller’s credit policy, payment terms are net 30 days from date of invoice unless otherwise noted on the invoice. Thereafter, interest shall accrue on unpaid amounts at the lesser of the maximum rate allowable under law or at the rate of 1.5% per month. All payments must be made in US funds. Buyer shall be liable for Seller’s costs of collection, including, without limitation, reasonable attorneys’ fees.

6. Delivery/Shipments and Export Controls. Delivery and Shipment – Shipping date(s) proposed by Seller constitutes only an estimate on the part of Seller. Buyer’s PO must specify preferred carrier or order will be shipped via best way, pre-pay and added to the invoice. Delivery of goods to a carrier at Seller’s plant or other shipping point shall constitute delivery. Title to goods purchased hereunder, as well as the risk of loss, shall pass to Buyer at the point of delivery to the carrier or other entity specified per Incoterms 2000. Buyer shall make claims for loss or damage to goods while in transit against the carrier. Additional charges will be incurred by Buyer for special processing for export orders and drop shipments outside of the United States of America. To the extent applicable, Buyer agrees to comply with relevant hazardous materials shipping regulations when reselling any good classified as a hazardous material. Seller reserves the right to make partial shipments. Buyer agrees to comply with all U.S. export controls and regulations and will not sell, ship to, or otherwise involve Seller’s goods with any banned country or denied party on any banned list in violation of U.S. export controls and regulations. Buyer shall notify Seller if any goods ordered are intended for use in a military application. If Buyer provides components, molds, or other technology bearing a classification other than EAR-99, Buyer shall notify Seller prior to providing such items.

7. Inspection/Returns. Upon receipt of the goods, Buyer shall promptly and without delay examine the goods as to their condition, quality and quantity. Unless the Buyer notifies Seller in writing to the contrary within eight (8) business days from the date of receipt of the goods, the goods shall be deemed to have been duly received and accepted as to condition, quality and quantity, without apparent damage. Authorization and shipping instructions for the return of any saleable goods must first be obtained from Seller, otherwise return shipments will be refused. The return of goods is limited to no longer than one (1) year from the date of purchase, verified by invoice. Goods built to Buyer’s or an end user’s specifications and special orders cannot be returned. Transportation charges on returned goods must be pre-paid and are Buyer’s responsibility. Goods may be returned for credit only. Returned goods must be carefully packed so as to reach Seller without damage. A 25% restocking charge will be deducted from any credit memorandum issued for returned goods. If goods are returned due to some fault of Seller, full credit will be issued, including whatever transportation costs Buyer may have incurred, provided the return has been authorized by Seller in writing and is in accordance with the packing and shipping instructions provided by Seller.

8. Warranties. Unless otherwise provided in a warranty for the specific product purchased, Seller hereby warrants that all goods purchased hereunder shall be free from material defects in material and workmanship for a period of one (1) year from the date of shipment to Buyer. If within such one-year period, such goods shall be proven to be materially defective to Seller’s reasonable satisfaction, then such defective goods shall be repaired or replaced at Seller’s sole option. In the event the goods cannot be repaired or replaced, Seller shall issue a credit to Buyer for the purchase price of the defective goods. Such repair, replacement, or refund shall constitute a fulfillment of all liabilities in respect of such goods. The warranty for all goods sold by Seller but manufactured by others shall be the warranty provided by such manufacturer for such goods. Seller shall take all commercially reasonable efforts (other than the payment of money) to provide the manufacturer’s warranty to Buyer. THE FOREGOING WARRANTIES ARE EXCLUSIVE AND ARE IN LIEU OF ALL OTHER EXPRESS OR

(Continued on next page)

Standard Terms and Conditions of Sale (cont'd.)

IMPLIED WARRANTIES WHATSOEVER (EITHER IN FACT OR BY OPERATION OF LAW), INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE. Seller is not liable for damage to goods, property or persons arising out of the improper installation of such goods; modification, repair or tampering of such goods by anyone other than Seller; misuse of the goods; or utilization of the goods under conditions exceeding specifications for such goods.

9. Limitation of Liability. SELLER SHALL HAVE NO LIABILITY TO ANY PERSON FOR PUNITIVE, INDIRECT, SPECIAL, INCIDENTAL, CONTINGENT OR CONSEQUENTIAL DAMAGES OF ANY DESCRIPTION OR LOSS OF USE, REVENUE OR PROFITS, WHETHER ARISING OUT OF WARRANTY OR OTHER CONTRACT, NEGLIGENCE OR OTHER TORT, OR OTHERWISE.

10. Insurance. Seller shall obtain and maintain appropriate insurance coverage with limits sufficient to cover the liabilities outlined in these terms and conditions. Seller will provide a basic certificate of insurance evidencing coverage at request of Buyer; however, in no event will Buyer be added as an additional insured on Seller's policies.

11. Tooling. Unless specifically provided in a writing executed by the Seller and the Buyer, any equipment (including, but not limited to, jigs, dies, tools, molds and patterns) made for the manufacture of customer specified goods or products shall be, and remain, the sole property of Seller notwithstanding that Buyer may have been charged for all or part of the cost therefor.

12. Engineering and Design Changes. Seller reserves the right to make design, specification and/or engineering changes to its products without prior notification to Buyer. Title to, and full and unrestricted ownership and right to use all designs, specifications and engineering information provided by Seller shall at all times be and remain vested in Seller.

13. Governing Law. Except where inconsistent with the express provisions of these Terms and Conditions, any contract for the sale of goods and these Terms and Conditions of Sale, shall be governed by the construed in accordance with the Uniform Commercial Code as adopted in the State of Minnesota. This Agreement shall be deemed to have been made in and shall be construed in accordance with and governed by the laws of the State of Minnesota, without regard to the conflict of law provisions thereof, and shall be subject to the exclusive jurisdiction of the state and federal courts sitting in the State of Wisconsin. The United Nations Convention on Contracts for the International Sale of Goods shall not apply.

14. Force Majeure. Seller shall not be under obligation or have any liability that may arise out of any delay in its performance or nonperformance caused directly or indirectly by fire, explosion, accidents, strikes, embargoes, floods, epidemics, quarantine restrictions, unusually severe weather, labor shortage, war, act of or authorized by any government, inability to obtain suitable material, equipment, fuel power or transportation, or act of God or arising from contingencies, occurrences or causes beyond the reasonable control of Seller. In the event of delay due to any of the foregoing, the estimated shipping date shall be extended for a period equal to the time lost by reason of such delay. Quantities sold hereunder affected by any of the foregoing circumstances may be eliminated without liability, but these Terms and Conditions shall otherwise remain unaffected.

15. Attorney's Fees. In the event either party is required to bring an action in connection with the goods sold under these Terms or Conditions of Sale or any action in connection with collection of amounts due to Seller hereunder, the prevailing party shall be entitled to recover all of its costs and expenses including reasonable attorneys' fees.

Everpure® Cross Reference Guide

Everpure® Costguard® replacement filter cartridges are of a standard width and length that will fit most sump style filtration systems. For your assistance some common makes and models are shown.

Competitive Cross Reference Guide for 10" Standard Housings

| Media | Everpure® | Bunn® | Cornelius® | Cuno® | Aqua-Pure® | EcoLab® | Manitowoc® | NuCalgon® | PureMark® | Selecto® | Shurflo® |
|-----------------|-----------|------------------|----------------------|-----------------|----------------|-----------|--------------------|-----------|----------------------|----------|------------------------|
| Sediment | 155225-43 | — | COR101 | AP1003 | AP1001 | — | — | — | PFS101 | — | — |
| | 155014-43 | ED-S-1 SS-10 | COR105 COR120 | CFS110 | AP010 AP110 | 9320-1135 | K-00069 K-00173 | 4712-87 | PFS105 | 101-230 | SF31-SEDS 15-052-00 |
| | EV9534-12 | — | COR150 CFS111 | CFS124 AP111 | AP124 | — | — | PFS150 | PFS120 | — | 15-055-00 |
| Granular Carbon | EV9108-11 | C-10 ED-TL-1 | — | CFS117 | AP017 | — | — | — | PFS17 | — | SF31-TO 15-053-00 |
| | EV9108-13 | CP10 ED-TL-1 | COR10AS | CFS117s | APS117 | — | — | — | PFS175 | — | SF31-TOS 15-054-00 |
| Carbon Block | EV9108-15 | — | COR10B1 COR10B5 | — | — | 9320-1002 | — | 4711-87 | PFS10B1 PFS10B5 | 101-200 | 15-056-10 |
| | EV9108-17 | — | COR10B1s COR10B5s | — | — | 9320-1010 | — | 4716-87 | PFS10B1s PFS10B5s | — | 15-056-10 |
| | EV9108-53 | — | COR10B1p | — | 9320-1044 | 9320-1028 | — | — | PFS10B1p | 101-210 | 15-028-12 |
| | EV9108-57 | — | COR10B1sP | — | 9320-1051 | 9320-1036 | — | — | PFS10B1sp | — | — |
| Softening | EV9105-41 | WS-10 ED-H-1 | — | — | — | 9320-1176 | — | — | — | — | 15-054-30 |
| Scale Reduction | 155248-43 | P12-10 ED-L-1 | COR-10sIMF | CFS420IMF | AP420 | 9320-1150 | — | 4715-87 | PFS10sIMF | 101-260 | 15-054-20 |

Competitive Cross Reference Guide for 20" Standard Housings

| Media | Everpure® | Bunn® | Cornelius® | Cuno® | Aqua-Pure® | EcoLab® | Manitowoc® | NuCalgon® | PureMark® | Selecto® | Shurflo® |
|-----------------|-----------|-----------------|----------------------|---------------------------|----------------------|-----------|------------|-------------------|----------------------|----------|-----------|
| Sediment | 155304-43 | — | COR201 | — | — | 9320-1143 | — | — | PFS201 | — | — |
| | 155016-43 | ED-S-2 | COR205 COR220 | CFS110-C20 CFS8504-C20 | AP110-2C | — | — | — | PFS205 | 101-230 | 15-052-03 |
| | EV9534-26 | — | COR250 | CFS124-C20 | AP111-2C AP124-2C | — | — | — | PFS220 PFS250 | — | 15-055-03 |
| Granular Carbon | EV9108-32 | C-20 ED-T-2 | — | CFS017-C20 | — | — | — | — | PFS27 | — | — |
| | EV9108-33 | CP20 ED-TL-2 | COR20AS | CFS017S-C20 | — | — | K-00070 | C-0070 4610-26 | PFS27s | — | — |
| Carbon Block | EV9108-25 | — | COR20B1 COR20B5 | — | — | 9320-1069 | — | — | PFS20B1 PFS20B5 | 101-200 | 15-062-00 |
| | EV9108-27 | — | COR20B1s COR20B5s | — | — | 9320-1077 | K-00174 | — | PFS20B1s PFS20B5s | — | — |
| | EV9108-63 | — | COR20B1p | — | — | 9320-1101 | — | — | PFS20B1p | 101-210 | — |
| | EV9108-67 | — | COR20B1sP | — | — | 9320-1119 | — | — | PFS20B1sp | — | — |
| Softening | EV9105-42 | WS-20 ED-H-2 | — | — | — | 9320-1184 | — | — | — | — | — |

Selecto® Cartridge Kit Cross Reference Guide

| Selecto® Kit Part No. | Everpure® Part No. | Selecto® Kit Part No. | Everpure® Part No. | Selecto® Kit Part No. | Everpure® Part No. | Selecto® Kit Part No. | Everpure® Part No. |
|-----------------------|--------------------|-----------------------|--------------------|-----------------------|--------------------|-----------------------|--------------------|
| 109-0010 | 155014-43 (1 ea.) | 109-0020 | 155014-43 (1 ea.) | 109-0040 | 155249-43 (1 ea.) | 109-0060 | 155312-43 (2 ea.) |
| | 155170-43 (1 ea.) | | 155312-43 (1 ea.) | | 155312-43 (1 ea.) | | |
| 109-0012 | 155170-43 (2 ea.) | 109-0030 | 155014-43 (1 ea.) | 109-0050 | 155249-43 (1 ea.) | — | — |
| | | | 155312-43 (1 ea.) | | 155312-43 (2 ea.) | | |
| | | | 155248-43 (1 ea.) | | | | |

(Continued on next page)

Everpure® Cross Reference Guide (cont'd.)

Competitive Cross Reference Guide for Big Bowl Housings

| Media | Everpure® | Bunn® | Cuno® | Aqua-Pure® | Selecto® | Shurflo® | Vulcan® |
|-----------------------|------------|------------------|----------|----------------------------------|--------------------|------------------------|-----------|
| 10"BB Sediment | 155357-43 | — | — | AP810 AP811 AP814 | — | 15-052-01 15-054-01 | — |
| 10"BB Carbon Block | 155170-43 | — | — | — | 101-290 | 15-040-00 | 854306-4 |
| 20"BB Sediment | 155360-130 | S5-30 | — | CFS211-2 CFS212-2 CFS214-2 | AP811-2 AP814-2 | 15-052-02 | — |
| | 255494-43 | — | CFS210-2 | AP810-2 | — | 15-054-02 | — |
| 20"BB Granular Carbon | 155249-43 | C-30 | — | — | 101-300 | 15-053-02 | — |
| | 155312-43 | — | — | — | 101-298 | 15-041-00 | 854306-13 |
| 20"BB Carbon Block | 155583-43 | — | CFS215-2 | AP815-2 | — | — | 854306-13 |
| 20"BB Softening | EV9105-45 | WS-30 ED-HB-2 | CFS5400C | — | — | — | — |

Bunn® is a trademark of Bunn-O-Matic Corporation. Cornelius® is a trademark of The Cornelius Company. Aqua-Pure® and Cuno® are trademarks of Cuno, Inc. Ecolab® is a trademark of Ecolab, Inc. Manitowoc® is a trademark of Manitowoc Company, Inc. NuCalgon is a trademark of Nu-Calgon Wholesaler, Inc. Selecto® is a trademark of Selecto, Inc. Shurflo® is a trademark of Shurflo Pump Manufacturing System. Vulcan® is a trademark of Vulcan-Hart Corporation.

Everpure® Foodservice Price List/Index

| Part Number | Description | 2011 List Price Each | Page Number | Part Number | Description | 2011 List Price Each | Page Number |
|-------------|--------------------------------|----------------------|-------------|--------------|--------------------------------|----------------------|----------------|
| 150295 | SW-2 PLASTIC WRENCH,STD BULK | \$ 6.50 | — | 255481-42 | CARTRIDGE, ECP1-10, 24/C | \$ 12.90 | — |
| 150467 | 20"BIG BLUE,HFPP W/PR,3/4" 4/C | 115.00 | 41, 55 | 255481-43 | CARTRIDGE, ECP1-20, 14/C | 26.60 | 40 |
| 151120 | O-RING BUNA-N#241 STD UPC BULK | 3.40 | — | 255493-43 | CARTRIDGE, ECP1-20BB, 6/C | 45.70 | 40 |
| 153049 | #10 SMP, SL, WH, PP | 40.20 | — | 255589-67 | GS6ALS-B | 17.80 | 55 |
| 153081 | #20 SL WHITE SUMP (AM) | 62.70 | — | 8008-992-388 | DOUBLE HEADED PUMP | 594.00 | — |
| 158096 | O-RING PKG #237 SILICONE UPC | 13.80 | — | 8025-933-237 | PMP 115V 60PSI NO/BY W/BP | 259.00 | 35 |
| 3023356 | HOMESPRING UF211 SYS DEMO | 1,649.00 | — | 8025-933-399 | STNDRD BEV. W/ QD CLIPS | 348.00 | 35 |
| 3024923 | FILTER REPLACEMENT UF211 SS | 180.00 | 42 | 804-001 | M-WATER BOOST SYST 60 PSI | 392.00 | 34 |
| 3024924 | FILTER REPLACEMENT UF211 | 180.00 | 42 | 804-002 | M-WATER BOOST SYST 90 PSI | 369.00 | 34 |
| 3024925 | FILTER REPLACEMENT UF211 QUAD | 56.70 | 42 | 804-023 | MED. WBS W/PMP | 627.00 | 34, 47, 48 |
| 3030217 | HOMESPRING UF211S SS 230V ROHS | 7,356.00 | 42 | 804-026 | 115VAC 6 GAL MAXI WBS | 858.00 | 34 |
| 3035500 | HOMESPRING GAC CALIF SS PRE- | 7,056.00 | 42 | 804-037 | 115 VAC 6 GAL MAXI WBS | 851.00 | 34, 47, 48, 55 |
| 3035501 | HOMESPRING GAC CALIF CARBON | 7,356.00 | 42 | 83-001-01 | BOTTLED WATER 120 VAC | 307.00 | 17 |
| 4000299 | HOMESPRING SYS GAC PREFILTER | 7,056.00 | 42 | 94-399-00 | LVPO F1 REPLACEMENT 12PK | 100.00 | 35, 11 |
| 150295-06 | SW-2 WRENCH, BULK 50/C | 8.20 | — | 94-470-00 | LVPO-F2 REPLACEMENT 12PK | 110.00 | 11 |
| 153194-06 | #10 SMP 3G CL SA 12/C | 59.10 | — | 94-470-01 | LVPO-F3 REPLACEMENT 12PK | 115.00 | 11 |
| 153195-06 | #20 SMP 3G CL SA 8/C | 120.00 | — | 94-470-02 | LVPO F4 12PK REPL. FILTER | 165.00 | 11 |
| 153197-06 | #10 SMP 3G-ST BL PP | 30.30 | — | 94-479-00 | SHURGUARD LVPO F2 ASSY | 139.00 | 10 |
| 153200-06 | #20 SMP 3G-ST BL PP | 53.80 | — | 94-751-00 | SHURGUARD LVPO F1 ASSY | 127.00 | 10 |
| 154981-06 | CAP 3G 3/4" IB W/PR EV 60/C | 33.80 | — | 94-751-01 | SHURGUARD LVPO F3 ASSY | 156.00 | 10 |
| 155014-43 | CART P5 SED IND SHR 24/C | 5.60 | — | 94-751-02 | SHURGUARD LVPO F4 ASSY | 200.00 | 10 |
| 155015-43 | CART P25 SED IND SHR 24/C | 5.50 | — | A0860119 | TUBING 1/4" PE BLUE | 1.20 | — |
| 155016-43 | P5-20 IND SHR UPC 20/C | 11.40 | — | CH30834-1 | 1623 RO15 QUICK CONNECT | 420.00 | 33 |
| 155226-43 | P25-20 IND SHR UPC 20/C | 11.10 | — | CH30839-1 | 1628 RO20 QUICK CONNECT | 459.00 | 33 |
| 155263-03 | CART RFFE20-BB IND BOX4/C | 154.00 | 41, 55 | CH30853-1 | 1640 RO30 QUICK CONNECT | 665.00 | 33 |
| 155304-43 | P1-20 IND SHR UPC 20/C | 12.60 | — | CH30865-1 | 1653 RO40 QUICK CONNECT | 793.00 | 33 |
| 155358-43 | CART DGD 5005-20 IND SHR 6/C | 51.10 | 17, 40, 55 | CH31054-1 | 2450 RO80 QUICK CONNECT | 1,150.00 | 33 |
| 155360-130 | CART EC-204 IND SHR(1 MIC) 6/C | 57.20 | — | DEV701344 | SMARTWORKS WATER TEST KIT 25PK | 20.72 | — |
| 155634-43 | CART EPM-10 IND/LABEL 12/C | 10.80 | — | DEV701373 | STANDARD A WATER ANALYSIS | 228.57 | — |
| 181-201 | ACCUM TANK NYL/BUTYL | 57.40 | — | | | | |

(Continued on next page)

Everpure® Foodservice Price List/Index (cont'd.)

| Part Number | Description | 2011 List Price Each | Page Number | Part Number | Description | 2011 List Price Each | Page Number |
|-------------|--------------------------------|----------------------|-------------|-------------|--------------------------------|----------------------|-------------|
| DEV980015 | EVP WATER TEST KIT 1PK (NTL) | \$294.29 | — | EV306411 | T-HANDLE 5/16 SS | \$ 60.20 | — |
| EV087157 | O-RING, ARP#115, NITRILE | 0.80 | — | EV306520 | TANK ACCUMULATOR 9 GAL W/FTGS | 786.00 | — |
| EV087192 | O-RING, APR#120, NITRILE | 1.10 | — | EV306552 | QUAD KUP ASSEMBLY | 21.40 | — |
| EV087327 | BAG POLY 3 X 8 3MIL | 0.80 | — | EV306572 | V-BAND CLAMP 5/16 SS | 125.00 | — |
| EV092900 | SHELL ASSY T9 | 446.00 | — | EV306573 | V-BAND ASSY T9/T20 | 343.00 | — |
| EV094400 | GASKET SQ. CUT T-9/20 | 12.10 | — | EV306585 | TAPPING VALVE | 46.20 | — |
| EV095300 | T9 MPC WRAPPED | 56.40 | — | EV306676 | VALVE,BALL, 1/2" NPTI,BRASS | 54.20 | — |
| EV095620 | TEE, ELEMENT, T9 | 21.10 | — | EV306731 | LOW COST HEAD BODY "BW" | 26.30 | — |
| EV096701 | 1/2" UNION NUT T9 | 32.50 | — | EV306818 | BACK MNT BRASS GAUGE 0-125 PSI | 64.10 | — |
| EV096703 | 1/2" UNION BODY | 30.00 | — | EV306854 | QUAD HI FLOW XC (2) HEAD ASSY | 1,409.00 | — |
| EV096705 | 1/2" UNION TAILPIECE T9 | 29.00 | — | EV307018 | 20" P/F REPL BOWL&O-RING | 177.00 | — |
| EV201200 | T20 TOP W/NUTS | 947.00 | — | EV307019 | 10" P/F REPL BOWL&ORING | 97.90 | — |
| EV201252 | T20 TOP W/UNION BODIES | 703.00 | — | EV307119 | REPLACEMENT O-RING | 6.30 | — |
| EV205200 | T20 INLET TUBE FLARED | 16.00 | — | EV307120 | REPL.PRESS.RELIEF KIT | 23.00 | — |
| EV205300 | T20 MPC WRAPPED | 71.30 | — | EV307133 | K SERIES BKT W/SC FTG PK | 28.70 | — |
| EV205600 | T20 ELEMENT BAGGED | 328.00 | — | EV307170 | RV FAUCET REPL.FTG KIT | 76.70 | — |
| EV206701 | 3/4" UNION NUT | 61.60 | — | EV307384 | MALE BRANCH TEE PLATED | 45.60 | — |
| EV300800 | VALVE HANDLE BLACK MOLD | 2.30 | — | EV307420 | VALVE,BALL,3/8" NPTI,BRASS | 55.10 | — |
| EV300817 | ANTIFREEZE DIVERTER PRE-PACK | 46.50 | — | EV307826 | CAP MOLDED | 3.80 | — |
| EV300900 | VALVE STEM CELCON MOLD | 2.80 | — | EV307924 | OETIKER CLAMP | 3.40 | — |
| EV301000 | O-RING .5310D X .103CS | 0.90 | — | EV307925 | CONNECTOR GUEST 3/8 X 1/8 | 15.60 | — |
| EV301091 | RT-3 TOP ASSY | 317.00 | — | EV307926 | SHUT-OFF VALVE | 62.50 | — |
| EV301097 | RT-3 & RT-9 O-RING/UNION | 6.10 | — | EV307927 | CONNECTOR GUEST W/CHECK | 34.50 | — |
| EV301104 | RT-9 GASKET | 18.60 | — | EV307942 | DUAL RO HEADER | 432.00 | — |
| EV301106 | RT-9 TOP UNION | 73.50 | — | EV308040 | DIP TUBE REPL ASSEMBLY | 15.40 | — |
| EV301200 | SCREW,TAP,#8-16X7/8,PLTD | 0.80 | — | EV308044 | HEAD (PACKAGED) | 85.20 | — |
| EV301326 | GAUGE ACTIVATION KIT | 220.00 | — | EV308072 | BLANK CONNECTOR | 8.30 | — |
| EV301641 | PRESSURE SWITCH 9PSI | 72.40 | — | EV308081 | TAPPED CONNECTOR | 8.70 | — |
| EV301650 | CAP BLACK VINYL | 3.80 | — | EV308099 | O-RING, ARP#230, NITRILE | 2.10 | — |
| EV301940 | QUADCUP XTRNL 3.445I IMF | 16.80 | — | EV308130 | MALE CONNECTER,3/8"NPTX3/8"PI | 13.30 | — |
| EV302705 | A LPA II ASSY 115V | 318.00 | — | EV308132 | MALE CONNECTOR W/FC ASSY | 37.20 | 17, 43 |
| EV302913 | CTN PLN 20 X 14 X 9 | 19.10 | — | EV308157 | BW HEAD BODY & RING ASSY | 26.70 | — |
| EV303452 | BLK VALVE HANDLE/PL HEAD | 2.30 | — | EV308161 | SPACER, HEAD, W/STOPS | 4.00 | — |
| EV303700 | O-RING QC MEDIUM | 0.80 | — | EV308165 | 8" FILT HOUS W/ O' RING | 53.10 | — |
| EV303800 | O-RING QC SMALL | 0.80 | — | EV308168 | QC RESTRICTOR FITTING PACK | 69.90 | — |
| EV303958 | O-RING, #015 | 0.80 | — | EV308207 | BALL VALVE ASSY | 43.10 | — |
| EV304451 | RETAINING RING PLATED | 2.30 | — | EV308425 | IMF HEAD ASSEMBLY | 95.20 | — |
| EV304644 | BRKT POWDER COATED | 7.70 | — | EV308479 | FAUCET | 65.10 | — |
| EV304710 | TUBING, 3/4"ID X 1.031 OD, PVC | 8.00 | — | EV308594 | BY-PASS ASSEMBLY | 3.00 | — |
| EV305061 | TUBING 1/4, RED | 1.80 | — | EV308784 | DUAL HIGH FLOW MC(2) CART KIT | 946.00 | — |
| EV305384 | TWIN TUBING | 71.60 | — | EV308839 | HOSE 12' | 55.20 | — |
| EV305550 | FAUCET-LR | 93.50 | — | EV308842 | UNION TEE PLATED | 21.90 | — |
| EV305973 | SPACER, HEAD, W/O STOPS | 3.80 | — | EV308921 | MALE CONNECTOR | 11.60 | — |
| EV305979 | CAP | 1.20 | — | EV308965 | 10" BLUE FILT BOWL W/ OR | 106.00 | — |
| EV306014 | B-DUAL MNTING BRACKET | 62.20 | — | EV309378 | HEAD BODY - LEFT VER | 34.20 | — |
| EV306032 | STANDARD HEAD ASSY | 84.10 | — | EV309379 | LO COST HEAD-LEFT VER. | 36.80 | — |
| EV306107 | PLSTC HD.BODY QC W/RINGS | 30.90 | — | EV309383 | LO COST HEAD-RIGHT VER. | 34.70 | — |
| EV306136 | MALE CONNECTOR PLATED | 47.80 | — | EV309385 | HEAD BODY RIGHT VER.BW | 34.40 | — |
| EV306193 | HEAD,L.C,QC,RINGLET,3/8NPT | 26.80 | — | EV309391 | BW RO HEAD SUB ASSEMBLY | 52.20 | — |
| EV306332 | QL2 HEAD ASSY | 65.60 | — | EV309396 | DIVERTER ASSEMBLY BW | 39.20 | — |

(Continued on next page)

Everpure® Foodservice Price List/Index (cont'd.)

| Part Number | Description | 2011 List Price Each | Page Number | Part Number | Description | 2011 List Price Each | Page Number |
|-------------|--------------------------------|----------------------|-------------|-------------|--------------------------------|----------------------|-------------|
| EV309590 | CONNECTOR - NO FLOW | \$ 8.70 | — | EV311407 | VALVE,BALL 3/4"FNPT X 3/4"MNPT | \$ 53.80 | — |
| EV309620 | FLUSH VALVE KIT 3/4" | 78.50 | — | EV311408 | COUPLING, 3/4" FNPT | 19.40 | — |
| EV309977 | HEX NIPPLE 3/4" | 12.80 | — | EV311409 | GAUGE PRS 2" 1/8";, 160PSI SS | 92.90 | — |
| EV310077 | QC HD W/3/8" FPT & STOPS | 27.20 | — | EV311418 | REPL RO ASSB FOR MRS-20 | 1,505.00 | — |
| EV310093 | WATER METER | 291.00 | — | EV311431 | TUBING 1/2"O.D.X3/8"1.D.CLEAR | 1.50 | — |
| EV310201 | VALVE,BALL,3/8 NPTI X 3/8 PI | 44.80 | — | EV311434 | BRACKET PREFILTER KIT | 50.10 | 17, 44 |
| EV310259 | TUBE RIGID ABS BLACK | 8.50 | — | EV311435 | BRACKET POSTFILTER KIT | 74.20 | 17, 26 |
| EV310275 | B TANK ACCUMULATOR 3 GAL | 169.00 | 33 | EV311450 | VALVE,CHECK, 3/4" NPT FEMALE | 54.30 | — |
| EV310291 | UNION TEE | 23.60 | — | EV311469 | B SPACER SS-IMF | 5.00 | 39 |
| EV310310 | REDUCER | 14.40 | — | EV311479 | VALVE, TEMPERING, 1/2" NPT | 539.00 | — |
| EV310312 | FLOW RESTRICTOR CAPILLARY TUBE | 14.50 | — | EV311481 | PRESSURE SWITCH 1/8NPT 10PSI | 567.00 | — |
| EV310313 | ADAPTER STEM | 5.00 | — | EV311484 | VALVE SOLENOID | 194.00 | — |
| EV310326 | TUBING,3/8",BLACK,PE | 1.50 | — | EV311511 | BW PLUG W/O-RINGS | 13.50 | — |
| EV310362 | FLOW RESTRICTOR | 14.40 | — | EV311530 | VALVE, BALL, 1/4 NPTI X 3/8 PI | 39.10 | — |
| EV310388 | ELBOW, PLUG IN, 3/8 X 3/8 | 23.10 | — | EV311532 | PUMP,BOOSTER,80 GPH | 649.00 | — |
| EV310391 | CHECK VALVE | 49.20 | — | EV311533 | GAUGE PRES 2" 125PSI BK MNT | 124.00 | — |
| EV310410 | POWER SUPPLY | 179.00 | — | EV311534 | MRS CONTROL ASSY | 998.00 | — |
| EV310428 | FITTING KIT | 22.60 | — | EV311537 | BOX BRACKET SINGLE FOR OPM | 32.50 | — |
| EV310429 | CROSS 3/8 T PI | 41.70 | — | EV311543 | CART KIT MRS 225 GPD BASE | 950.00 | — |
| EV310449 | HOSE 1/2" X 3/4" PVC GREY | 16.10 | — | EV311584 | FLOW RESTRICTOR, 18 GPD | 16.50 | — |
| EV310591 | BUSHING,3/4 MNPT X 3/8 FNPT | 16.70 | — | EV311589 | ROM II & III FAUCET KIT | 190.00 | — |
| EV310606 | VALVE,BALL,3/8 NPTI X 3/8 PI | 41.50 | — | EV311626 | FUSE MDL 5A 250V SLOW BLOW | 11.50 | — |
| EV310619 | WATER BOTTLE 16 OZ | 5.10 | — | EV311634 | CART KIT MRS 350 GPD BASE | 1,584.00 | — |
| EV310718 | CLOSE NIPPLE 1/8" SS | 12.50 | — | EV311652 | FAUCET, AIR GAP | 146.00 | — |
| EV310816 | HOUSING 20" BLUE WITH O'RING | 123.00 | — | EV311655 | VALVE BALL, 1/4 NPTF X 3/8 PI | 28.90 | — |
| EV310823 | INSTALL ACCESS KIT MRS 20T | 226.00 | — | EV311673 | SWITCH LEVEL WITH CONNECTOR | 190.00 | — |
| EV310850 | GAUGE,PRS,2",1/8"LM,125 PSI SS | 53.20 | — | EV311674 | PUMP DELIVERY WITH CONNECTOR | 850.00 | — |
| EV310851 | OUTLET TEE MOLDED TOP MOUNT | 12.90 | — | EV311703 | QC STANDARD FITTING PACK | 142.00 | — |
| EV310852 | ELBOW 3/8" | 13.90 | — | EV311747 | PLUG 3/4" NPT SCHD 80 PVC | 11.50 | — |
| EV310855 | OUTLET TEE MOLDED BACK MOUNT | 14.50 | — | EV311835 | ADAPTER, STEM 3/8" | 5.70 | — |
| EV310876 | HEADER BYPASS PLUG ASSM | 34.10 | — | EV311842 | IN-UV-BAL 25/C | 69.00 | 11 |
| EV311096 | VALVE SOL 24VAC | 368.00 | — | EV311879 | REDUCER, NIPPLE, 3/4X3/8 | 11.70 | — |
| EV311125 | BUSHING, 1/4" X 1/8",PP,HEX | 6.00 | — | EV311891 | TANK, 19 GALLON, FLOTEC | 287.00 | — |
| EV311133 | UNIVERSAL FITTING W/RET-RING | 56.30 | — | EV311984 | MEDIA - CATION RESIN | 459.00 | — |
| EV311134 | CAP 3/4" NPT FOR O.P.M. | 7.70 | — | EV312135 | CONNECTOR, FAUCET, 1/4" | 11.10 | — |
| EV311145 | FLOW RESTRICTOR CAPILLARY 300 | 14.40 | — | EV312138 | BRKT, QL3B, POWDER COATED | 13.00 | — |
| EV311149 | INSTALL KIT FOR CB20-312E | 192.00 | — | EV312148 | FAUCET BASE SET, 8 COLORS | 172.00 | — |
| EV311150 | FLUSH VALVE KIT 1/2" | 145.00 | — | EV312185 | ELBOW, 3/4 NPT X 1/2 BARB PP | 17.10 | — |
| EV311151 | STEM ADAPTER 1/2" BSP X 22 MM | 38.40 | — | EV312186 | FITTING, 3/4 NPT X 1/2 BARB PP | 17.10 | — |
| EV311192 | VALVE BALL 3/8 PI X 3/8 PI | 36.90 | — | EV312206 | PUMP, 230 VAC BOOSTER, 80GPH | 708.00 | — |
| EV311203 | ADAPT, 1/4 NPTI X 3/8 PI | 20.90 | — | EV312208 | VALVE, SOLENOID, 230VAC | 290.00 | — |
| EV311242 | SCREW 5/16-18X5/8 HEX HD BLKZC | 2.30 | — | EV312224 | VALVE, 3WAY 3/4 NPT-MODIFIED | 150.00 | — |
| EV311243 | NUT 5/16-18 LOCK HEX PLTD BLK | 0.80 | — | EV312247 | VALVE,BALL, 3/4 FNPT X 3/4FNPT | 53.80 | — |
| EV311244 | WASHER FLAT 5/16 PLTD BLK | 0.80 | — | EV312248 | VALVE, BALL, 3/4FNPT X 3/8BARB | 53.80 | — |
| EV311250 | END CAP 3/4" WITH 3/8" JG FTG | 24.80 | — | EV312251 | NIPPLE, 1/2 X 3/8, PE | 2.70 | — |
| EV311251 | END CAP 3/4"NPTI W/1/2" JG FTG | 26.00 | — | EV312295 | ADAPTER, 3/4"MNPT X 3/4" MNPT | 4.80 | — |
| EV311253 | UV LAMP S463RL | 279.00 | — | EV312296 | VALVE, CHECK, NEOPERL | 11.50 | — |
| EV311254 | UV QUARTZ SLEEVE QS-463 | 112.00 | — | EV312339 | ADAPTER, AIR GAP RO WALL MOUNT | 41.20 | — |
| EV311394 | QC PLUG | 10.90 | — | EV312348 | CART KIT MRS 100 GPD BASE | 987.00 | — |
| EV311403 | QC PLUG W/O-RINGS | 12.80 | — | EV312349 | CART KIT MRS 225 GPD BASE W/CC | 1,112.00 | — |

(Continued on next page)

Everpure® Foodservice Price List/Index (cont'd.)

| Part Number | Description | 2011 List Price Each | Page Number | Part Number | Description | 2011 List Price Each | Page Number |
|-------------|---------------------------------|----------------------|-------------------------|-------------|--------------------------------|----------------------|-------------|
| EV312364 | ADAPTER, 3/8" MNPT X 1/4" FBSPP | \$ 20.90 | — | EV910001 | A-10 FILTER HOUSING 1PK | \$ 52.60 | 5 |
| EV312382 | CLAMP, DBL SNAP-GRIP, 1/2" HOSE | 1.20 | — | EV910002 | A-11 FILTER HOUSING 1PK | 45.40 | 5 |
| EV312427 | AIR FILTER, DISPOSABLE | 312.00 | — | EV910003 | A-20 FILTER HOUSING 1PK | 69.10 | 5 |
| EV312473 | CART KIT, MRS, 350, W/SUB-MIC | 1,722.00 | — | EV910006 | IN-10 INLINE W/FTG 6/C | 32.30 | 11 |
| EV312491 | REGULATOR, CO2, DISPOSABLE CART | 430.00 | — | EV910007 | IN-12 INLINE W/O FTG 6PK | 32.30 | 11 |
| EV312492 | REGULATOR, CO2, REFILLABLE CART | 498.00 | — | EV910008 | IN-10 INLINE FILTER 6/C | 25.50 | 11 |
| EV312493 | FLOW COMPENSATOR, CO2 | 183.00 | — | EV910010 | CGS-10 SYSTEM | 139.00 | — |
| EV312510 | SWITCH, LEVEL, SHIELDED | 517.00 | — | EV910012 | CGS-12 SYSTEM | 227.00 | — |
| EV312578 | KIT, SAMPLE PORT, BRASS | 101.00 | — | EV910020 | CGS-20 SYSTEM | 206.00 | — |
| EV312615 | CART KIT MRS 350 GPD BASE W/CC | 1,736.00 | — | EV910022 | CGS-22 SYSTEM | 361.00 | — |
| EV312621 | WTR BLOCK, EXUBERA PRO CT/JC | 110.00 | — | EV910023 | CGS23 20" PARALLEL PLUMBED HSG | 361.00 | — |
| EV312696 | CABLE ASSY, ARC SUPPRESSOR, LS | 54.30 | — | EV910024 | 202 PARALLEL PREFILTER | 975.00 | 17 |
| EV312753 | CO2 INLET CARBONATOR | 71.20 | — | EV910031 | CB20-124E 1/C | 268.00 | — |
| EV312756 | TRANSFORMER, SOLENOID 115V-24V | 279.00 | — | EV910032 | CB-302E WATER FILTER 1PK | 1,098.00 | 16 |
| EV312808 | VALVE, SOLENOID, 24 VDC | 227.00 | — | EV910034 | CB20-302E UNIT ONLY | 612.00 | — |
| EV312809 | ACCUMULATOR TANK, 6 GAL, 2PORT | 500.00 | — | EV910037 | CB20-312E (3 BOWL/SER/PAR) | 1,652.00 | 16 |
| EV312811 | SHROUD, MR-600, VAC FORM ABS | 318.00 | — | EV910050 | CGS-55 SYSTEM | 496.00 | — |
| EV312815 | POWER SUPPLY, 24VDC, 10AMP | 299.00 | — | EV910051 | CB20-124E WITH CARTRIDGES 1/C | 505.00 | 16 |
| EV312817 | CONTROLLER, ENVI-RO | 569.00 | — | EV910056 | CB20-124E W/EC204 PREFILTER | 434.00 | — |
| EV312824 | ADAPTER, 3/8" STEM X 1/2" BARB | 11.00 | — | EV910067 | IN-6PG-S 6 PK | 25.00 | 11 |
| EV312827 | RESTRICTOR, BLUE, 735 ML/MIN | 8.80 | — | EV910068 | IN-10CK 6/C | 26.60 | 11 |
| EV312828 | RESTRICTOR, WHITE, 1052 ML/MIN | 8.80 | — | EV910069 | IN-10CS 6/C | 16.40 | 11 |
| EV312829 | RESTRICTOR, GREY, 1577 ML/MIN | 8.80 | — | EV910070 | CB20-312E | 979.00 | — |
| EV312830 | RESTRICTOR, RED, 125 ML/MIN | 8.80 | — | EV910071 | IN-10CC 6/C | 26.60 | 11 |
| EV312831 | RESTRICTOR, BROWN, 189 ML/MIN | 8.80 | — | EV910072 | IN-10NS5 6/C | 21.60 | 11 |
| EV312832 | RESTRICTOR, GREEN, 525 ML/MIN | 8.80 | — | EV910073 | IN-10CL1 6/C | 42.30 | 11 |
| EV312833 | PLUG, 1/4" OD | 2.40 | — | EV910075 | IN-9CF-S 6/C | 45.90 | 11 |
| EV312839 | VALVE, CONTROL, 1/4 QC | 35.10 | — | EV910076 | IN-15CF 6/C | 45.90 | 11 |
| EV312840 | VALVE, CHECK, 1/4" QC | 48.10 | — | EV910077 | IN-15CF-S 6/C | 54.10 | 11 |
| EV433910 | CLARIS CART S | 162.00 | 2, 3 | EV910078 | IN-15CR 6/C | 50.70 | 11 |
| EV433911 | CLARIS CART M | 229.00 | 2, 3, 46 | EV910079 | IN-10 UV 12/C | 202.00 | 11 |
| EV433912 | CLARIS CART L | 293.00 | 2, 3, 46 | EV910086 | IN-12 INLINE W/FTG 6PK | 38.40 | 11 |
| EV433913 | CLARIS CART X L | 354.00 | 2, 3, 46 | EV910091 | HFC-10 1PK | 196.00 | 26, 29 |
| EV433914 | CLARIS CART XXL | 548.00 | 2, 3, 8, 23, 45, 46, 49 | EV910094 | SO-24 FILTER 1PK | 257.00 | 5 |
| EV433921 | CLARIS HEAD 3/8" BSP | 133.00 | 3, 8, 23 | EV910502 | CC1E REPLACEMENT CARTRIDGE 1PK | 287.00 | 16, 41 |
| EV433923 | CLARIS HEAD 3/8" QFC | 133.00 | 3, 8, 23, 45, 46, 49 | EV910521 | CC1E CC3E CARTRIDGE KIT | 572.00 | 16 |
| EV433925 | CLARIS HEAD 1/4" QFC | 133.00 | 3, 8, 23 | EV910534 | CB20-312E REPL CARTRIDGE KIT | 814.00 | 16 |
| EV433931 | CLARIS FLOW METER US | 252.00 | 3, 8, 23 | EV910535 | CB20-312E SPECIAL WAB KIT | 476.00 | — |
| EV4339-32 | CLARIS HOSE 10CM, 3/8" X 1/2" | 45.00 | 3, 8, 23 | EV910537 | CB20-302E SPECIAL WAB KIT | 277.00 | — |
| EV433940 | CLARIS TEST KIT | 45.00 | — | EV910541 | SO-10 COSTGUARD CART 6/C | 33.00 | 5 |
| EV4339-52 | CLARIS FLOW METER 700 LPM | 88.20 | 3, 8, 23 | EV910542 | SO-20 6PK | 52.00 | 5 |
| EV544600 | TUBING, 3/8", PE, BLUE | 1.50 | — | EV910545 | SO-204 CARTRIDGE 4PK | 106.00 | — |
| EV589600 | VALVE STEM SUB-ASSEMBLY | 9.20 | — | EV910700 | CARTRIDGE, QCP-10L 12/C | 52.40 | 10 |
| EV650020 | POCKET TDS METER HM TDS-3 1PK | 56.70 | — | EV910701 | CARTRIDGE, QCP-10GAC, 12PK | 50.40 | 10 |
| EV650021 | HF SYSTEM SANITIZING KIT | 295.00 | 26 | EV910702 | CARTRIDGE, QCP-10SED, 12/C | 54.20 | 10 |
| EV650022 | FILTER BOWL COVER SLEEVE 10" | 17.90 | 17 | EV910703 | CARTRIDGE, QCP-TSGAC, 12PK | 48.60 | 10 |
| EV650023 | FILTER BOWL COVER SLEEVE 20" | 35.62 | 17 | EV910721 | HEAD, QCP-SINGLE 1/4" JF, 48PK | 30.90 | 10 |
| | | | | EV910722 | HEAD, QCP-TWIN 1/4" JF, 24PK | 58.80 | 10 |
| | | | | EV910723 | HEAD, QCP-TRIPLE 1/4" JF, 16PK | 84.50 | 10 |
| | | | | EV910811 | CGT-10 12/C | 17.90 | — |

(Continued on next page)

Everpure® Foodservice Price List/Index (cont'd.)

| Part Number | Description | 2011 List Price Each | Page Number | Part Number | Description | 2011 List Price Each | Page Number |
|-------------|--------------------------------|----------------------|------------------|-------------|--------------------------------|----------------------|----------------------------|
| EV910813 | CGT-10S 12PK | \$ 23.50 | — | EV932421 | INSURICE SINGLE PF-I2000(2) | \$ 545.00 | 18, 19, 44 |
| EV910815 | CG5-10 12/C | 19.70 | — | EV932422 | INSURICE TWIN PF-I2000(2) | 808.00 | 18, 19, 44 |
| EV910817 | CG5-10S 12PK | 25.70 | — | EV932503 | INSURICE TRIPLE-I4000 (2) | 960.00 | 19, 44 |
| EV910825 | CG5-20 6/C | 34.10 | — | EV932504 | INSURICE QUAD-I4000 (2) | 1,306.00 | 18, 19, 44 |
| EV910827 | CG5-20S 6/C | 43.90 | — | EV932523 | INSURICE TRIPLE PF-I4000(2) | 1,146.00 | 18, 19, 44 |
| EV910832 | CGT-20 6/C | 29.30 | — | EV932711 | Coldrink1 7CLM System | 617.40 | 15 |
| EV910833 | CGT-20S 6PK | 39.00 | — | EV932712 | Coldrink2 7CLM System | 941.40 | 15 |
| EV910853 | CG53-10 12/C | 22.60 | — | EV932713 | Coldrink3 7CLM System | 1,302.40 | 15 |
| EV910857 | CG53-10S 12PK | 28.50 | — | EV932714 | Coldrink4 7CLM System | 1,537.49 | 15 |
| EV910863 | CG53-20 6PK | 42.10 | — | EV932801 | COLDRINK 1-MC(2) | 536.00 | 12, 13, 47 |
| EV910867 | CG53-20S 6/C | 52.00 | — | EV932802 | COLDRINK 2-MC (2) | 793.00 | 12, 13, 47, 48 |
| EV910907 | P1 SPUN POLYPROPYLENE 24PK | 7.50 | — | EV932803 | COLDRINK 3-MC (2) W/20" PREFLT | 1,087.00 | 12, 13, 47, 48 |
| EV925617 | QL1 HEAD 24PK | 44.30 | 36 | EV932805 | HIGH FLOW CSR TRIPL-MC(2)W/LPA | 1,448.00 | 21, 51 |
| EV925618 | QL1 HEAD 3/8" NPT 24PK | 42.30 | 36 | EV932806 | HIGHFLOW CSR TRPL-MC(2)W/O LPA | 1,246.00 | 21, 51 |
| EV925620 | QL1 HEAD WITH 1/4" JG 24PK | 44.30 | 36 | EV932952 | HF CSR 7CLM Twin | 1,203.40 | 15 |
| EV925924 | QL3B HEAD ASSY 12PK | 62.90 | 36 | EV932953 | HF CSR 7CLM Triple | 1,461.40 | 15 |
| EV927200 | QL3-BH(2) WATER FILTER SYST | 162.00 | 7, 45 | EV932954 | HF CSR 7CLM Quad | 2,007.40 | 15 |
| EV927218 | QL2 HEAD W/BRKT 12PK | 51.50 | — | EV933042 | TWIN CSR | 1,055.00 | 21 |
| EV927222 | QC7I TWIN HEAD ONLY 1PK | 446.00 | 4, 36, 45 | EV933043 | TRIPLE CSR W/10" PREFILTER | 1,370.00 | — |
| EV927223 | QC7I TRIP HEAD ONLY 1PK | 633.00 | 4, 36 | EV933611 | QC7I QUAD HEADER ONLY | 902.00 | 12, 13, 36, 47, 48 |
| EV927224 | EVERPURE SERIES HEAD | 228.00 | 4, 36 | EV933650 | SURGE TANK RETRO FIT KIT | 579.00 | — |
| EV927240 | DUAL HEAD ASSEMBLY | 287.00 | — | EV933651 | SURGE TANK RETRO FIT KIT | 829.00 | — |
| EV927241 | QC7I SINGLE HD ONLY 1PK | 252.00 | 4, 7, 36, 45, 46 | EV933652 | EXTRA CAP PRLTR SURGE TNK KIT | 1,629.00 | 17 |
| EV927369 | CART, MR-20, 1 PACK | 212.00 | 33, 40 | EV933722 | DUAL HIGHFLOW COLDRINK M-XC(2) | 4,013.00 | 13 |
| EV927501 | QC7I SINGLE-MC(2) | 327.00 | 13 | EV933726 | HIGH FLOW CSR QUAD UNIMOUNT | 1,791.00 | — |
| EV927502 | QC7I TWIN-MC(2) | 590.00 | 13 | EV933744 | DUAL HIGHFLOW COLDRINK S-MC(2) | 3,783.00 | 12, 13, 47, 48 |
| EV927503 | QC7I TRIPLE-MC(2) | 858.00 | 13 | EV934400 | HSD 440P PREFILTER, 120V | 3,969.00 | 42 |
| EV927560 | QL2-OCS(2) WATER FILTER 1PK | 112.00 | 7 | EV934410 | HSD 440P PREFILTER, 230V, EU | 3,969.00 | 42 |
| EV927570 | QL2-OW 200L WTR FLTR 1PK | 176.00 | 17 | EV934415 | HSD 440P PREFILTER, 230V, AU | 3,969.00 | 42 |
| EV927811 | QC7I 7CLM Single System | 394.00 | — | EV934710 | HF CSR PLUS-XC(2)2SR-X W/O LPA | 2,288.00 | — |
| EV927812 | QC7I 7CLM Twin System | 724.00 | — | EV934711 | HF CSR PLUS-XC(2) 2SR-X W/LPA | 2,492.00 | — |
| EV927813 | QC7I 7CLM Triple System | 1,059.00 | — | EV934720 | HIGHFLOW CSR PLUS-XC(2)W/O LPA | 1,965.00 | 51 |
| EV927814 | QC7I 7CLM Quad System | 1,283.49 | — | EV934721 | HIGHFLOW CSR PLUS-XC(2) W/LPA | 2,161.00 | 51 |
| EV929301 | Cold/Insurice Single 10" PF HD | 347.80 | 37 | EV943710 | HIGH FLOW CSR W/PRE-FIL | 1,725.00 | — |
| EV929302 | Cold/Insurice Twin 10" PF Head | 541.80 | 37 | EV943711 | HF CSR W/PRE-FILTER/LPA | 1,921.00 | — |
| EV929303 | Cold/Insurice Trpl 10" PF Head | 728.80 | 37 | EV953412 | EC110 CARTRIDGE 12PK | 6.50 | 40 |
| EV929304 | Cold/Insurice Quad 10" PF Head | 997.80 | 37 | EV953426 | EC210 CARTRIDGE 6PK | 12.20 | 15, 39, 40, 44, 47, 48, 51 |
| EV929321 | Cold/Insurice Sngl 20" PF Head | 411.00 | 37 | EV960700 | 7-DBG CART 1PK | 148.00 | — |
| EV929322 | Cold/Insurice Twin 20" PF Head | 605.00 | 37 | EV960701 | 7DM CART 1PK | 173.00 | — |
| EV929323 | Cold/Insurice Trpl 20" PF Head | 792.00 | 37 | EV960702 | 7-NE CARTRIDGE 1PK | 150.00 | — |
| EV929324 | Cold/Insurice Quad 20"PF Head | 1,061.00 | 37 | EV960703 | 7-OF CARTRIDGE 1PK | 165.00 | — |
| EV929402 | High Flow CSR 10" PF Twin Head | 781.80 | 37 | EV960704 | 7-SO CARTRIDGE 1PK | 133.00 | 4, 41 |
| EV929403 | Hi Flow CSR 10" PF Triple Head | 968.80 | 37 | EV960705 | 7-TO CARTRIDGE 1PK | 125.00 | — |
| EV929404 | High Flow CSR 10" PF Quad Head | 1,237.80 | 37 | EV960710 | ESO 6, EVERPLUS, 1PK | 139.00 | 4, 41 |
| EV929422 | High Flow CSR 20" PF Twin Head | 845.00 | 37 | | | | |
| EV929423 | Hi Flow CSR 20" PF Triple Head | 1,032.00 | 37 | | | | |
| EV929424 | High Flow CSR 20" PF Quad Head | 1,301.00 | 37 | | | | |
| EV932401 | INSURICE SINGLE-I2000(2) | 345.00 | 19, 44 | | | | |
| EV932402 | INSURICE TWIN-I2000 (2) | 599.00 | 19, 44 | | | | |

(Continued on next page)


Everpure® Foodservice Price List/Index (cont'd.)

| Part Number | Description | 2011 List Price Each | Page Number | Part Number | Description | 2011 List Price Each | Page Number |
|-------------|-------------------------------|----------------------|---------------------------------------|-------------|--------------------------------|----------------------|--------------------|
| EV960725 | ESO 7, EVERPLUS, 1PK | \$155.00 | 4, 41, 46 | EV963506 | OW4-PLUS CARTRIDGE 6PK | \$ 102.00 | 17, 39 |
| EV960741 | 6 TO BW CARTRIDGE 1PK | 118.00 | 33, 40 | EV963701 | MICROGUARD PRO 2 CARTRIDGE 6PK | 134.00 | 17 |
| EV960756 | 7-TO CARTRIDGE 6PK | 120.00 | — | EV963702 | MICROGUARD PRO 4 CARTRIDGE 6PK | 154.00 | 17 |
| EV960800 | JT SANITIZING CART 1PK | 76.60 | 7, 26 | EV969301 | 7CLM Cartridge 1PK | 165.71 | 13, 15, 25, 39 |
| EV960810 | QC2 JT CARTRIDGE 1PK | 76.60 | 7, 26 | EV975111 | EFS 5002-K REPL CART 6PK | 71.20 | 40 |
| EV961222 | I2000(2) CART 1PK | 111.00 | 19, 39 | EV978110 | EFS 8002 REPL CART 6PK | 73.60 | 40 |
| EV961227 | I2000(2) CART 6PK | 105.00 | — | EV978112 | EFS 8002-S REPL CART 6PK | 79.30 | 40 |
| EV961232 | I4000(2) CART 1PK | 126.00 | 19, 39, 44 | EV979580 | E10 PREFILTER 10" W/EC110 | 97.65 | 17 |
| EV961237 | I4000(2) CART 6PK | 120.00 | — | EV979581 | PRE-FILTER KIT | 155.00 | 33 |
| EV961250 | BH(2) CART 1PK | 90.70 | 8, 39, 45 | EV979585 | E-SERIES 20" OPAQUE W/ ECP1-20 | 162.00 | — |
| EV961251 | BH(2) CART 6PK | 86.10 | — | EV979590 | E20 PREFILTER 20" W/EC210 | 159.00 | 17, 44 |
| EV961255 | MC(2) CART 6PK | 93.30 | — | EV979720 | SR-X FEEDER W/DELIMITING KIT | 272.00 | 24, 26 |
| EV961256 | MC(2) CART 1PK | 98.70 | 4, 12, 13, 31, 33, 39, 40, 47, 48, 51 | EV979721 | KLEENSTEAM II SINGLE | 927.00 | 24, 49 |
| EV961310 | XC(2) CART 1PK | 123.00 | 13, 39, 47, 48, 51 | EV979722 | KLEENSTEAM I I TWIN | 1,005.00 | 24, 49 |
| EV961321 | MH(2) CART 1PK | 126.00 | 7, 8, 39, 45 | EV979750 | MODEL CT KLEENSTEAM | 652.00 | 24, 49 |
| EV961326 | MH(2) CART 6PK | 120.00 | — | EV979782 | SC1011 STEAM/COMBI FILT SYS | 450.00 | — |
| EV961397 | XC(2) CART 6PK | 116.00 | — | EV979783 | SC1021 STEAM/COMBI FILT SYS | 495.00 | — |
| EV961706 | 2CB5-K CARTRIDGE 6PK | 62.10 | 39 | EV979791 | MRS 20 SYSTEM | 1,359.00 | 33 |
| EV961716 | 4CB5 CARTRIDGE 6PK | 75.80 | 13, 25, 33, 39, 40, 49 | EV979792 | MRS-20T SYSTEM | 1,599.00 | — |
| EV961721 | 4-CB5-S REPL. CART. 1PK | 87.30 | — | EV979831 | SCALEKLEEN 1.75OZ E/S/F 96PK | 4.40 | 25, 26 |
| EV961722 | 2CB5-S CARTRIDGE 6PK | 59.80 | 8, 39 | EV979833 | SCALEKLEEN 7OZ E/S/F 24PK | 9.10 | 25, 26 |
| EV961726 | 4CB5-S CARTRIDGE 6PK | 82.40 | 8, 19, 39 | EV979835 | SCALEKLEEN 2.2LB E/S/F 4PK | 36.20 | 25, 26 |
| EV961736 | 4CB5-K CARTRIDGE 6PK | 88.40 | 39 | EV979843 | SCALEOUT SCALE CONTROL FEEDER | 144.00 | — |
| EV961776 | 7CB5-K CARTRIDGE 6PK | 121.00 | 39 | EV979845 | SR-X FEEDER | 240.00 | 26 |
| EV961802 | OCS(2) CART 1PK | 64.00 | 8, 39, 45 | EV979902 | SCALESTICK 10" 12PK | 86.60 | 25, 26, 38, 40, 49 |
| EV961807 | OCS(2) CART 6PK | 60.60 | — | EV979911 | KLEENWARE MODEL HTS-11 | 529.00 | 29, 50 |
| EV961811 | CARTRIDGE, 7CB5 1PK | 105.00 | 13, 25, 39, 49 | EV979922 | HT-10 CARTRIDGE 6PK | 429.00 | 29, 40, 49, 50 |
| EV961816 | 7CB5 CARTRIDGE 6PK | 97.60 | — | EV979932 | SS-IMF 12PK | 72.40 | 15, 26, 39, 40, 51 |
| EV961821 | 7CB5S REPL CARTRIDGE 1PK | 113.00 | 19, 39 | EV979942 | SS-XL 6PK | 283.00 | 25, 26, 40 |
| EV961826 | 7CB5-S CARTRIDGE 6PK | 107.00 | — | EV982010 | EVP LONGREACH FAUCET KIT | 99.40 | 17 |
| EV961901 | OW 200L CARTRIDGE 1PK | 109.00 | — | EV997007 | MRS-100 RO SYSTEM, 115 VAC | 1,729.00 | 33 |
| EV961906 | OW 200L CARTRIDGE 6PK | 103.00 | — | EV997008 | MRS-225 RO SYSTEM, 115 VAC | 1,789.00 | 33 |
| EV962703 | CART, MR-225, 1 PACK | 500.00 | 33, 40 | EV997009 | MRS-225CC RO SYSTEM, 115 VAC | 1,899.00 | 33 |
| EV962704 | 7 TO BW CART 1 PK | 125.00 | 33, 40, 49 | EV997010 | MRS-100CC RO SYSTEM, 115 VAC | 1,839.00 | 33 |
| EV962705 | 7 CC BW CART 1 PK | 127.00 | 33, 40 | EV997017 | MRS-350 RO SYSTEM, 115 VAC | 2,009.00 | 33 |
| EV962707 | CART, MR-350, 1 PACK | 669.00 | 33, 40, 49 | EV997018 | MRS-350CC RO SYSTEM, 115 VAC | 2,119.00 | 33 |
| EV962711 | CART, MR-100, 1 PACK | 433.00 | 33, 40 | EV997020 | MRS-350 W/SUB-MICRON BLEND115V | 2,209.00 | 33, 49 |
| EV962713 | CART, MR-600, 1 PACK | 764.00 | 31, 33, 40 | EV997038 | MRS-600HE-115VAC, US | 4,319.00 | 31 |
| EV962714 | CARTRIDGE, 2SR-BW 1PK | 115.00 | 31, 33, 40 | EV997042 | TRIPLE MC(2) REPL CART KIT | 347.00 | 39 |
| EV962715 | GS-215RO-H INLINE FILTER KIT | 50.20 | 31, 33, 40 | EV997054 | MRS-600HE-II, 115 VAC, US | 4,699.00 | 31 |
| EV962716 | 7FS-BW CARTRIDGE 1PK | 160.00 | 31, 33, 40 | EV998010 | SOFTENER, WS-30, 115V/60HZ | 1,973.00 | 28 |
| EV962828 | QUAD MC(2) REPL CART KIT | 434.00 | 39 | EV998011 | SOFTENER, WS-45, 115V/60HZ | 2,016.00 | 28 |
| EV962829 | QUAD XC(2) REPL CART KIT | 520.00 | 39 | EV998321 | SOFTENER, CES-2850M-68 | 2,988.00 | 28 |
| EV962830 | QUAD PLUS XC(2) REPL CART KIT | 588.00 | — | EV998322 | SOFTENER, CES-2850M-102 | 3,407.00 | 28 |
| EV963406 | OW2-PLUS CARTRIDGE 6PK | 85.00 | 17, 39 | EV998323 | SOFTENER, CES-2850M-136 | 3,617.00 | 28 |
| | | | | EV998324 | SOFTENER, CES-2850M-171 | 4,878.00 | 28 |
| | | | | SH144368 | SPANNER WRENCH SW-4 (20"BB) | 8.20 | — |
| | | | | SH257384 | GASKET,SANTOPRENE, 5/32" | 1.50 | — |
| | | | | WB2-LVPO-01 | 2 GAL. WB2 W/LVPO-F1 | 870.00 | 35 |

Water impacts customer satisfaction.

Think about this:

- Fountain beverages are 83% water
- Coffee is 99% water
- Ice is 100% water



Did you know that hard water and the resulting scale can reduce your equipment's energy efficiency by 50% or more?

Water Impacts Your Profits

Your customer's first and last impression of your operation is often the beverage you serve them. If the taste and odor of your ice water, fountain beverages or coffee are not as they should be, he or she will notice. And you're not off to a good start toward impressing the customer and having them return.

Water travels with a lot of unwanted chemicals, sediment and dissolved minerals that can affect equipment performance and life. Corrosion, abrasion, clogging, scaling and energy waste can all be reduced or eliminated with proper water conditioning.

Everpure® and Sustainability

We know you want sustainable products for your foodservice location, and we are here to help. Eco-friendly operations are of high importance to the foodservice industry as it is to many others. What most people don't know is that water quality can greatly impact your environmental footprint.

Hydroefficient Technologies



Everpure offers Hydroefficient technologies. These are products that maximize water use and deliver you the highest

quality product while contributing little or no waste. The first product to be honored with this mark is the Everpure MRS-600HE Reverse Osmosis System.

Everpure Filtration

Everpure filtration cartridges are constructed with high grade aluminum and plastics making them easily recyclable.

Why use Everpure?

Did you know that each year over 22 billion water bottles are thrown away? By choosing water filtration you help reduce the billions of water bottles that are wasted each year and not recycled.

Five Year Warranty on Systems!

- **Everpure® Water Treatment Systems** – (excluding replaceable elements) are covered by a limited warranty against defects in material and workmanship for a period of five years after date of purchase.
- **Everpure Replaceable Elements** – (filter cartridges and water treatment cartridges) are covered by a limited warranty against defects in material and workmanship for a period of one year after date of purchase.
- **Everpure Claris™ Systems** – (excluding replaceable elements) are covered by a limited warranty against defects in material and workmanship for a period of two years after date of purchase.
- **See Printed Warranty for Details** – Everpure will provide a copy of the warranty upon request.

For More Information Contact:

Worldwide Headquarters

Everpure
1040 Muirfield Dr.
Hanover Park, Illinois 60133
U.S.A.
TEL: 800.942.1153 (US only)
TEL: 630.307.3000
FAX: 800.942.0081 (US only)
FAX: 920.803.3805
E-MAIL: info@everpure.com

Everpure-SHURflo Australia

2 Redwood Drive
Notting Hill
Victoria, 3168
AUSTRALIA
TEL: 011.61.39.574.4000
FAX: 011.61.39.562.7237
EMAIL: au.everpure@pentair.com

Everpure-SHURflo China

21F Cloud 9 Plaza, No 1118,
Shanghai, 200052
CHINA
TEL: 86.21.3211.4588
FAX: 86.21.3211.4580
EMAIL: China.Water@Pentair.com

Everpure-SHURflo India

Green Boulevard, B-9/A, 7th Floor -
Tower B Sector 62, Noida - 201301
TEL: 91.120.419.9444
FAX: 91.120.419.9400
EMAIL: indiacustomer@pentair.com

Everpure-SHURflo Southeast Asia

18 Boon Lay Way
#04-110/111
TradeHub 21, 609966
SINGAPORE
TEL: 65.6795.2213
FAX: 65.6795.2219
EMAIL: cseverpure@pentair.com

Everpure-SHURflo Europe

Pentair Water Belgium bvba
Industriepark Wolfstee
Toekomstlaan
30 B-2200 Herentals, BELGIUM
TEL: +32.(0).14.283.500
FAX: +32.(0).14.283.505
EMAIL: sales@everpure-europe.com

Everpure-SHURflo Japan Inc.

Hashimoto MN Bldg. 7F
3-25-1 Hashimoto, Midori-ku
Sagamihara-Shi Kanagawa 252-0143
JAPAN
TEL: 81.(0)42.775.3011
FAX: 81.(0)42.775.3015
EMAIL: info@everpure.co.jp

www.everpure.com
www.pentair.com



EVERPURE
Pentair Foodservice